

**2003**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**71**

Pittsylvania County  
City of Danville  
Town of Chatham  
Town of Gretna  
Town of Hurt

Prepared By

**Virginia Department of Transportation  
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Mobility Management Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

North 	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Secondary Route	

### Special Routes

Bus 	Bus - Business Route
	Bypas - Bypass Route
	Truck - Truck Route
ALT 	ALT - Alternate Route
	Wve - Wye Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Danville																
29	0.23	10000	G	From:	North Carolina State Line				F	NA			10000	G	2003	
				To:												
29	1.10	10000	F	From:	BUS US 29 South of Danville				F	0.076	F	0.505	10000	F	2003	
				To:												
29	2.60	11000	B	From:	Elizabeth St				C	0.098	A	0.518	11000	B	2003	
				To:												
29	1.85	12000	F	From:	SR 86 Main St				F	0.077	F	0.53	12000	F	2003	
				To:												
29	1.48	14000	F	From:	Goodyear Blvd				F	0.071	F	0.574	14000	F	2003	
				To:												
29	1.88	8400	F	From:	US 58; US 360 South Boston Rd				F	0.074	F	0.587	8400	F	2003	
				To:												
						NCL Danville										
Pittsylvania County																
29	0.26	8400	F	From:	NCL Danville				F	0.074	F	0.587	8400	F	2003	
				To:												
29	6.58	8800	G	From:	SR 360 Little Creek Rd				C	NA			8800	G	2003	
				To:												
29	0.76	18000	F	From:	BUS US 29 North of Danville				F	0.077	F	0.573	17000	F	2003	
				To:												
29	3.49	16000	F	From:	71-640				F	0.078	F	0.53	16000	F	2003	
				To:												
29	3.18	15000	F	From:	71-718				F	0.083	F	0.591	15000	F	2003	
				To:												
						SCL Chatham										
Town of Chatham																
29	0.03	15000	N	From:	SCL Chatham				N	0.083	N	0.591	15000	N	2003	
				To:												
29	0.76	12000	F	From:	US 29 Bus S of Chatham				F	0.089	F	0.637	11000	F	2003	
				To:												
						NCL Chatham										
Pittsylvania County																
29	2.75	12000	N	From:	NCL Chatham				N	0.089	N	0.637	11000	N	2003	
				To:												
29	6.12	12000	F	From:	US 29 Bus N of Chatham				F	0.071	F	0.549	12000	F	2003	
				To:												
29	1.83	8300	A	From:	US 29 Bus S of Gretna				C	0.111	A	0.513	8100	A	2003	
				To:												
29	2.48	9200	F	From:	SR 40 West of Gretna				F	0.07	F	0.514	9000	F	2003	
				To:												
29	3.08	11000	F	From:	N US 29 Bus N of Gretna				F	0.074	F	0.521	11000	F	2003	
				To:												
29	4.08	12000	F	From:	71-643				F	0.079	F	0.575	12000	F	2003	
				To:												
29	3.15	9000	F	From:	Bus US 29 South of Hurt				F	0.071	F	0.531	8800	F	2003	
				To:												
						Campbell County Line										
City of Danville																
Bus 29	West Main Street	0.87	12000	G	From:	SCL Danville				F	NA			13000	G	2003
					To:											
Bus 29	West Main Street	0.91	12000	F	From:	Withers Rd				F	0.085	F	0.504	13000	F	2003
					To:											
						Old Greensboro Rd										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Danville																
Bus 29	West Main Street	0.65	17000	F	From: 96%	Old Greensboro Rd										
					To: 1%	1%	1%	1%	0%	C	0.086	F	0.555	18000	F	2003
Bus 29	Memorial Dr	0.73	13000	F	From: 97%	Memorial Dr W Main St										
					To: 1%	1%	1%	1%	0%	F	0.09	F	0.526	14000	F	2003
Bus 29	Memorial Dr	0.17	18000	F	From: 97%	Bishop St										
					To: 1%	1%	1%	1%	0%	C	0.088	F	0.537	19000	F	2003
Bus 29	Memorial Dr	0.14	17000	F	From: 97%	Robertson Bridge										
					To: 1%	1%	1%	1%	0%	F	0.097	F	0.63	19000	F	2003
Bus 29	Memorial Dr	0.71	12000	F	From: 97%	Park Ave										
					To: 1%	1%	1%	1%	0%	F	0.093	F	0.551	13000	F	2003
Bus 29	Memorial Dr	0.85	12000	F	From: 97%	Primrose Pl										
					To: 1%	1%	1%	1%	0%	F	0.092	F	0.506	13000	F	2003
Bus 29	Central Blvd	0.30	36000	F	From: 97%	Central Blvd Memorial Dr										
					To: 1%	1%	1%	1%	0%	F	0.087	F	0.58	40000	F	2003
Bus 29	Central Blvd	0.38	32000	N	From: 98%	Riverside Dr										
					To: 0%	1%	1%	1%	0%	N	0.083	N	0.506	35000	N	2003
Bus 29	Central Blvd	0.59	32000	F	From: 98%	Piedmont Dr										
					To: 0%	1%	1%	1%	0%	F	0.083	F	0.506	35000	F	2003
Bus 29	Piney Forest Rd	0.52	31000	F	From: 97%	Piney Forest Rd Central Blvd										
					To: 0%	1%	0%	1%	0%	C	0.081	F	0.538	34000	F	2003
Bus 29	Piney Forest Rd	0.60	29000	F	From: 98%	Audubon Dr										
					To: 0%	1%	1%	1%	0%	F	0.083	F	0.578	32000	F	2003
Bus 29	Piney Forest Rd	0.31	29000	F	From: 98%	Keensmill Rd										
					To: 0%	1%	1%	1%	0%	C	0.085	F	0.563	32000	F	2003
Bus 29	Piney Forest Rd	0.98	28000	F	From: 98%	Ash St										
					To: 0%	1%	1%	1%	0%	F	0.086	F	0.573	31000	F	2003
Bus 29	Piney Forest Rd	0.44	17000	F	From: 98%	Franklin Blvd										
					To: 0%	1%	1%	1%	0%	F	0.086	F	0.55	19000	F	2003
Bus 29	North Main Street	0.13	20000	F	From: 98%	North Main Street Piney Forest Rd										
					To: 0%	1%	0%	1%	0%	C	0.086	F	0.552	21000	F	2003
Pittsylvania County																
Bus 29	North Main Street	4.88	16000	F	From: 97%	NCL Danville										
					To: 0%	1%	0%	1%	0%	C	NA			17000	F	2003
Town of Chatham																
Bus 29		1.36	6600	F	From: 97%	US 29 South of Chatham										
					To: 1%	1%	0%	1%	0%	C	0.08	F	0.574	6700	F	2003
Bus 29		0.19	6600	N	From: 97%	SR 57 South										
					To: 1%	1%	0%	1%	0%	N	0.08	N	0.574	6700	N	2003
Bus 29		0.90	5100	F	From: 97%	SR 57 North										
					To: 1%	1%	0%	1%	0%	F	0.087	F	0.533	5200	F	2003
Pittsylvania County																
Bus 29		1.20	3900	F	From: 97%	NCL Chatham										
					To: 1%	1%	0%	1%	0%	F	0.091	F	0.515	3900	F	2003



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
Bus 29	1.64	3100	F	From:	US 29 South of Gretna				F	0.08	F	0.603	3100	F	2003	
				To:	SCL Gretna											
Town of Gretna																
Bus 29	0.13	3100	N	From:	SCL Gretna				N	0.08	N	0.603	3100	N	2003	
				To:	SR 40 Gretna											
Bus 29	0.88	6300	F	From:	SR 40 Gretna				C	0.102	F	0.509	6400	F	2003	
				To:	NCL Gretna											
Pittsylvania County																
Bus 29	1.47	6300	N	From:	NCL Gretna				N	0.102	N	0.509	6400	N	2003	
				To:	N US 29 North of Gretna											
Bus 29	1.38	5400	F	From:	US 29 South of Hurt				C	0.098	F	0.62	5500	F	2003	
				To:	WCL Hurt											
Town of Hurt																
Bus 29	1.17	5400	N	From:	WCL Hurt				N	0.098	N	0.62	5500	N	2003	
				To:	71-924											
Bus 29	0.28	7400	F	From:	71-924				F	0.09	F	0.552	7600	F	2003	
				To:	Campbell County Line											
Bus 29	0.03	8300	G	From:	Pittsylvania County Line				C	0.089	F	0.530	8300	G	2003	
Main Street				To:	SCL Altavista											
Pittsylvania County																
40	8.52	2600	F	From:	Franklin County Line				F	0.087	F	0.665	2600	F	2003	
				To:	71-799											
40	5.01	2700	F	From:	71-799				C	0.081	F	0.56	2700	F	2003	
				To:	US 29											
40	0.14	4700	G	From:	US 29				F	NA		4600	G	2003		
				To:	WCL Gretna											
Town of Gretna																
40	0.98	4700	N	From:	WCL Gretna				N	NA		4600	N	2003		
				To:	US 29 BUS											
40	0.43	3600	F	From:	US 29 BUS				F	0.085	F	0.522	3700	F	2003	
				To:	ECL Gretna											
Pittsylvania County																
40	1.44	3600	N	From:	ECL Gretna				N	0.085	N	0.522	3700	N	2003	
				To:	71-686											
40	8.11	1400	F	From:	71-686				F	0.082	F	0.526	1400	F	2003	
				To:	71-640											
40	5.14	980	F	From:	71-640				C	0.081	F	0.512	1000	F	2003	
				To:	Halifax County Line											
City of Danville																
41	0.70	14000	F	From:	Piney Forest Rd				C	0.092	F	0.626	16000	F	2003	
Franklin Turnpike				To:	WCL Danville											
Pittsylvania County																
41	0.02	14000	F	From:	WCL Danville				F	0.094	F	0.593	16000	F	2003	
				To:	71-743 Lima											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
41	1.55	12000	G	From:	71-743 Lima				C	NA			13000	G	2003	
				To:												
41	0.20	4900	N	From:	71-1535 Jeanette Dr				N	0.089	N	0.676	5300	N	2003	
				To:												
41	3.26	4900	F	From:	71-744 Ridgecrest Dr				F	0.089	F	0.676	5300	F	2003	
				To:												
41	3.05	3800	F	From:	71-835 Pleasant Gap				F	0.091	F	0.654	3900	F	2003	
				To:												
41	3.19	2700	F	From:	71-718				F	0.089	F	0.603	2800	F	2003	
				To:												
41	2.16	2200	F	From:	71-750				C	0.094	F	0.592	2200	F	2003	
				To:												
41	6.09	1400	F	From:	71-844				F	0.092	F	0.62	1400	F	2003	
				To:	SR 57 Callands											
51	0.16	3400	N	From:	W US 58; Riverside Dr				N	0.104	N	0.542	3700	N	2003	
				To:	WCL Danville											
City of Danville																
51	Westover Dr	3.03	3400	F	From:	WCL Danville				F	0.104	F	0.542	3700	F	2003
					To:											
51	Westover Dr	1.33	5900	F	From:	Lamberth Dr				C	0.088	F	0.579	6500	F	2003
					To:											
51	Westover Dr	0.70	9400	F	From:	Blair Loop Rd				F	0.092	F	0.550	10000	F	2003
					To:											
51	Westover Dr	0.98	8000	F	From:	Park Ave				C	0.091	F	0.52	8700	F	2003
					To:	E US 58; Riverside Dr										
Pittsylvania County																
57		4.95	1500	F	From:	Henry County Line				F	0.089	F	0.529	1600	F	2003
					To:											
57		3.24	1900	F	From:	SR 41 Callands				C	0.09	F	0.573	1900	F	2003
					To:											
57		3.97	1600	F	From:	71-750				F	0.092	F	0.56	1600	F	2003
					To:											
57		3.94	2500	F	From:	71-799				F	0.084	F	0.699	2500	F	2003
					To:											
57		0.10	4300	F	From:	71-1428 East				F	0.081	F	0.536	4400	F	2003
					To:	WCL Chatham										
Town of Chatham																
57		0.52	4300	N	From:	WCL Chatham				N	0.081	N	0.536	4400	N	2003
					To:											
57	Bus 29	0.19	6600	N	From:	BUS US 29				N	0.08	N	0.574	6700	N	2003
					To:											
57		0.18	1200	F	From:	BUS US 29				F	0.094	F	0.521	1200	F	2003
					To:	ECL Chatham										
Pittsylvania County																
57	Halifax Road	0.63	1200	F	From:	ECL Chatham				C	0.098	F	0.605	1200	F	2003
					To:											
57	Halifax Road	3.48	1200	F	From:	US 29				F	0.088	F	0.598	1200	F	2003
					To:	71-649 WEST										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Pittsylvania County																	
57	Halifax Road	2.41	1200	F	From	71-649 WEST					C	0.094	F	0.610	1200	F	2003
					87%	2%	2%	2%	7%	0%							
57	Halifax Road	1.38	1200	F	To	71-895					F	0.099	F	0.612	1200	F	2003
					From	87%	2%	2%	2%	7%							
57	Halifax Road	0.52	1300	F	To	71-640					F	0.098	F	0.64	1400	F	2003
					From	87%	2%	2%	2%	7%							
57	Halifax Road	2.19	920	F	To	71-699					F	0.098	F	0.618	940	F	2003
					From	87%	2%	2%	2%	7%							
57	Halifax Road	2.01	760	F	To	71-698					F	0.109	F	0.548	770	F	2003
					From	87%	2%	2%	2%	7%							
57	Halifax Road	0.56	770	F	To	71-729 WEST					F	0.110	F	0.53	790	F	2003
					From	87%	2%	2%	2%	7%							
57	Halifax Road	1.83	750	F	To	71-697					F	0.114	F	0.516	760	F	2003
					From	87%	2%	2%	2%	7%							
					To	Halifax County Line											
58		3.78	9500	F	From	Henry County Line					F	0.086	F	0.505	9500	F	2003
					91%	1%	1%	1%	6%	0%							
58		6.58	11000	A	To	71-622 West of Brosville					C	0.106	A	0.547	11000	A	2003
					From	91%	1%	1%	1%	6%							
					To	WCL Danville											
City of Danville																	
58	Riverside Dr	4.97	18000	F	From	WCL Danville					F	0.095	F	0.649	18000	F	2003
					91%	1%	1%	1%	6%	0%							
58	Riverside Dr	0.93	20000	F	To	US 29 Bus Park Ave					F	0.086	F	0.521	20000	F	2003
					From	91%	1%	1%	1%	6%							
58	Riverside Dr	0.51	27000	G	To	SR 51; Westover Dr					F	NA		27000	G	2003	
					From	91%	1%	1%	1%	6%			0%				
58	Riverside Dr	0.24	31000	F	To	Central Blvd					F	0.081	F	0.512	31000	F	2003
					From	91%	1%	1%	1%	6%							
58	Riverside Dr	0.92	26000	F	To	Piney Forest Rd					F	0.081	F	0.524	26000	F	2003
					From	91%	1%	1%	1%	6%							
58	Riverside Dr	0.82	14000	F	To	Amette Blvd					F	0.082	F	0.511	14000	F	2003
					From	91%	1%	1%	1%	6%							
58	River Street	0.64	23000	G	To	N Main St					F	NA		22000	G	2003	
					From	91%	1%	1%	1%	6%			0%				
58	South Boston Rd	1.12	15000	F	To	Old Halifax Rd					F	0.082	F	0.562	15000	F	2003
					From	91%	1%	1%	1%	6%							
58	South Boston Rd	1.02	26000	F	To	US 29					F	0.076	F	0.525	26000	F	2003
					From	83%	1%	2%	1%	13%							
58	South Boston Rd	1.98	20000	F	To	Kentuck Rd					F	0.079	F	0.539	20000	F	2003
					From	83%	1%	2%	1%	13%							
					To	ECL Danville											
Pittsylvania County																	
58		2.37	13000	F	From	ECL Danville					F	0.078	F	0.526	13000	F	2003
					83%	1%	2%	1%	13%	1%							
58		3.32	8200	B	To	SR 62					C	0.098	A	0.537	8200	B	2003
					From	83%	1%	2%	1%	13%							
					To	Halifax County Line											
62		4.01	3600	F	From	North Carolina State Line					C	0.09	F	0.508	3600	F	2003
					94%	0%	1%	1%	4%	0%							
					To	US 58 East of Danville											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route		Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
2Axle 3+Axle 1Trail 2Trail																	
City of Danville																	
86	South Main Street	1.11	10000	F	From:	SCL Danville				C	0.09	F	0.501	11000	F	2003	
					To:	Lockett Dr											
86	South Main Street	0.61	15000	F	From:	Broadnax St				F	0.082	F	0.624	17000	F	2003	
					To:	Central Blvd											
86	South Main Street	0.63	20000	F	From:	South Main St				C	0.081	F	0.536	21000	F	2003	
					To:	West Main St											
86	Central Blvd	0.38	19000	F	From:	West Main St				C	0.078	F	0.538	21000	F	2003	
					To:	Memorial Dr											
293	West Main St	0.54	6300	F	From:	Memorial Dr				F	0.083	F	0.568	6900	F	2003	
					To:	Bishop Rd											
293	West Main St	0.49	6600	F	From:	Park Ave				F	0.089	F	0.55	7200	F	2003	
					To:	Randolph St											
293	West Main St	0.96	8900	F	From:	Central Blvd				F	0.092	F	0.527	9700	F	2003	
					To:	South Main St											
293	West Main St	0.37	10000	F	From:	Holbrook Ave				F	0.087	F	0.559	11000	F	2003	
					To:	Jefferson Ave											
293	Main St	0.04	11000	F	From:	Ridge St				C	0.091	F	0.507	12000	F	2003	
					To:	Bridge St											
293	Main St	0.27	9200	F	From:	Riverside Dr				F	0.089	F	0.546	10000	F	2003	
					To:	Worsham St											
293	Main St	0.28	7700	F	From:	Richmond Blvd				F	0.096	F	0.52	8400	F	2003	
					To:	Third Ave											
293	Main St	0.32	4700	F	From:	Franklin Turnpike				F	0.088	F	0.678	5200	F	2003	
					To:	Piney Forest Rd											
293	Main St Bridge	0.22	7800	F	From:	SR 413; N. Ridge Street				F	NA			8200	F		
					To:	SR 293											
293	North Main St	0.37	5600	F	From:	N Main St				F	0.089	F	0.639	8500	F	2003	
					To:	Riverside Dr											
293	North Main St	0.33	13000	F	From:	Worsham St				F	0.09	F	0.568	6100	F	2003	
					To:	Richmond Blvd											
293	North Main St	0.81	12000	F	From:	Third Ave				F	0.085	F	0.570	14000	F	2003	
					To:	Franklin Turnpike											
293	North Main St	0.08	12000	F	From:	Richmond Blvd				F	0.091	F	0.535	13000	F	2003	
					To:	Third Ave											
293	North Main St	0.98	15000	G	From:	Third Ave				C	NA			16000	G	2003	
					To:	Franklin Turnpike											
293	North Main St	0.91	6100	F	From:	Franklin Turnpike				F	0.088	F	0.539	6700	F	2003	
					To:	Piney Forest Rd											
293	Patton St	0.37	2700	F	From:	SR 413; N. Ridge Street				C	0.119	F		3000	F	2003	
					To:	SR 293											
360 58	River Street	0.64	23000	G	From:	N Main St				F	NA			22000	G	2003	
					To:	Old Halifax Rd											
360 58	South Boston Rd	1.12	15000	F	From:	Old Halifax Rd				F	0.082	F	0.562	15000	F	2003	
					To:	US 29											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route		Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
							2Axle	3+Axle	1Trail	2Trail								
City of Danville																		
<div>360</div>	<div>58</div>	South Boston Rd	1.02	26000	F	From:	US 29				F	0.076	F	0.525	26000	F	2003	
						To:	Kentuck Rd											
<div>360</div>	<div>58</div>	South Boston Rd	1.98	20000	F	83%	1%	2%	1%	13%	1%	F	0.079	F	0.539	20000	F	2003
						To:	ECL Danville											
Pittsylvania County																		
<div>360</div>	<div>58</div>		0.82	13000	F	From:	71-734; 71-1024				F	0.078	F	0.526	13000	F	2003	
						To:	Urban Boundary											
<div>360</div>	<div>58</div>		3.32	8200	B	From:	SR 62				C	0.098	A	0.537	8200	B	2003	
						To:	Halifax County Line											
City of Danville																		
<div>360</div>	<div>293</div>	North Main St	0.37	5600	F	From:	Riverside Dr				F	0.09	F	0.568	6100	F	2003	
						To:	Worsham St											
<div>360</div>	<div>293</div>	North Main St	0.33	13000	F	98%	0%	2%	0%	0%	0%	F	0.085	F	0.570	14000	F	2003
						To:	North Main St											
<div>360</div>		Richmond Blvd	1.36	6300	F	From:	North Main Street				C	0.091	F	0.569	6900	F	2003	
						To:	ECL Danville											
Pittsylvania County																		
<div>360</div>			6.15	2100	F	From:	ECL Danville				F	0.092	F	0.573	2100	F	2003	
						To:	71-726											
<div>360</div>			3.66	1200	F	From:	71-716				F	0.100	F	0.603	1200	F	2003	
						To:	71-716											
<div>360</div>			7.32	1100	F	From:	71-716				F	0.098	F	0.537	1200	F	2003	
						To:	Halifax County Line											
City of Danville																		
<div>413</div>			0.10	15000	F	From:	CIUS 29				F	0.097	F	0.507	16000	F	2003	
						To:	Cahill Court Goode Street											
<div>413</div>		Memorial Dr	0.64	12000	F	From:	Central Blvd				C	0.096	F	0.530	13000	F	2003	
						To:	Poplar St											
<div>413</div>		Memorial Dr	0.26	9900	F	From:	High St				F	0.095	F	0.625	11000	F	2003	
						To:	High St											
<div>413</div>		Memorial Dr	0.25	7700	F	From:	Main St				F	0.097	F	0.639	8400	F	2003	
						To:	Main St											
Pittsylvania County																		
<div>600</div>		Cedar Forest Road	1.30	230	R	From:	71-602					NA		NA		06/23/2003		
						To:	71-761											
<div>601</div>		Hubbard Road	1.28	90	R	From:	71-761					NA		NA		06/23/2003		
						To:	1.28 ME 71-761											
<div>601</div>		Hubbard Road	0.91	160	R	From:	71-602					NA		NA		06/23/2003		
						To:	Dead End											
<div>602</div>		Moons Road	1.40	40	R	From:	71-628					NA		NA		06/23/2003		
						To:	71-668											
<div>602</div>		Moons Road	5.18	640	R	From:	71-761					NA		NA		05/03/2000		
						To:												

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Pittsylvania County																	
(603) Allan Creek Road	0.80	40	R	From:	SR 40						NA		NA		06/30/2003		
				To:	71-920												
(603) Allan Creek Road	3.70	40	R	From:							NA		NA		06/30/2003		
				To:	71-668 SOUTH												
(603) Wyatts Road	2.50	270	R	From:	71-668 NORTH						NA		NA		06/27/2000		
				To:	71-761												
(604) Glade Road	4.50	40	R	From:	71-761						NA		NA		06/30/2003		
				To:	71-761												
(605) Marion Road	1.80	200	R	From:	71-703						NA		NA		09/15/2003		
				To:	71-612 SOUTH												
(605) Marion Road	1.20	190	R	From:	71-612 NORTH						NA		NA		1996		
				To:	71-824												
(605) Marion Road	1.20	260	R	From:	SR 57 WEST						NA		NA		08/19/2003		
				To:	SR 57 EAST												
(605) Walkers Well Road	5.60	180	R								NA		NA		07/08/2003		
(605) Toshes Road	3.10	300	R	From:	71-799 SOUTH						NA		NA		07/08/2003		
				To:	SR 40												
(605) Toshes Road	1.10	48	R								NA		NA		07/15/2003		
(605) Toshes Road	0.95	450	F	From:	71-799 NORTH						C	0.104	F	0.708	460	F	2003
				To:	71-608												
(605) Toshes Road	2.77	240	R								NA		NA		07/15/2003		
(605) Toshes Road	1.09	170	R	From:	71-990						NA		NA		07/15/2003		
				To:	71-778 SOUTH												
(605) Toshes Road	0.20	160	R								NA		NA		07/15/2003		
(605) Toshes Road	1.40	60	R	From:	71-778 NORTH						NA		NA		07/15/2003		
				To:	71-777												
(605) Toshes Road	0.20	20	R								NA		NA		07/15/2003		
(606) Edmunds Road	1.45	140	R	From:	Dead End												
				To:	71-630												
(606) Edmunds Road	2.00	60	R								NA		NA		10/17/2000		
(606) Edmunds Road	0.80	90	R	From:	71-927						NA		NA		06/30/2003		
				To:	71-640												
(606) Edmunds Road	0.27	110	R								NA		NA		06/30/2003		
(606) Edmunds Road	0.25	60	R	From:	71-977						NA		NA		06/30/2003		
				To:	71-9633 EAST												
(607) Robertson Road	0.03	70	R	From:	SR 40						NA		NA		06/23/2003		
				To:	71-628												
(607) Robertson Road	2.47	30	R								NA		NA		06/23/2003		
(607) Robertson Road	0.03	70	R	From:	2.47 MS 62-628						NA		NA		06/23/2003		
				To:	71-668												

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(607) Robertson Road	0.07	30	R	From:	71-668						NA		NA		06/23/2003	
				To:	0.07 MN 71-668											
(607) Robertson Road	0.62	30	R	From:							NA		NA		06/23/2003	
				To:	Dead End											
(608) Ridgeway Road	1.69	240	F	96%	0%	2%	2%	0%	0%	C	0.098	F	0.522	240	F	2003
				To:	71-672						NA		NA		07/08/2003	
(608) Ridgeway Road	1.76	220	R	To:	Bedford County Line											
(609) Brights Road	3.50	210	F	97%	0%	1%	2%	0%	0%	C	0.106	F	0.609	220	F	2003
				To:	71-768						NA		NA		06/30/2003	
(609) Brights Road	2.50	230	R	From:								NA				
				To:	71-757											
(609) Brights Road	1.35	20	R	From:							NA		NA		06/30/2003	
				To:	Dead End											
(610) Silver Fox Road	0.60	1200	R	From:	Franklin County Line						NA		NA		07/22/2003	
				To:	71-626											
(611) Marson Road	0.70	10	R	From:	Franklin County Line						NA		NA		08/05/2003	
				To:	Dead End											
(612) Medical Center Road	1.20	250	R	From:	Henry County Line						NA		NA		09/15/2003	
				To:	71-841 W, Medical Center Dr							NA				
(612) Wyatt Farm Rd	4.77	280	R	From:	SR 41 SOUTH						NA			NA		09/15/2003
				To:	SR 41 NORTH											
(612) Union Hall School Rd	2.70	180	R	From:							NA		NA		09/15/2003	
				To:	71-816 Parrish Road											
(612) Union Hall School Rd	1.40	390	R	From:							NA		NA		09/15/2003	
				To:	71-750 Strawberry Road											
(612) Banister Rd	4.50	360	R	From:							NA		NA		09/15/2003	
				To:	71-829 N Flint Hill Rd											
(612) Mitchell Rd	1.20	360	N	From:							NA		NA		09/15/2003	
				To:	71-605 S, Marion Road											
(612) Mitchell Rd	1.30	360	N	From:							NA		NA		09/15/2003	
				To:	71-824 S, Rosebud Road											
(612) Hickory Rd	1.71	910	R	From:							NA		NA		09/15/2003	
				To:	SR 57											
(613) Newby Lane	0.55	50	R	From:	Dead End						NA		NA		09/15/2003	
				To:	29-703											
(614) Sandy River Road	2.60	490	R	From:	44-614; 44-615						NA		NA		05/23/2000	
				To:	71-841 SOUTH											
(614) Sugar Barbour Road	0.67	80	R	From:	71-841 NORTH						NA		NA		10/30/2003	
				To:	0.67 ME 71-841 N											
(614) Sugar Barbour Road	1.70	60	R	From:							NA		NA		05/23/2000	
				To:	71-939 NORTH											
(614) Sugar Barbour Road	1.01	70	R	From:							NA		NA		10/30/2003	
				To:	1.01 ME 71-939 N											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(614) Silas Dodd Lane	1.31	80	R	From	1.01 ME 71-939 N						NA			NA		10/30/2003
				To	71-844											
(615) Taylor Road	0.50	180	R	From	71-616						NA			NA		06/30/2003
				To	44-614; 44-615											
(616) Mosco Road	0.90	310	R	From	Henry County Line						NA			NA		06/30/2003
				To	71-615											
(616) Mosco Road	0.80	270	R	From							NA			NA		06/30/2003
				To	0.80 ME 71-615											
(616) Mosco Road	0.99	180	R	From							NA			NA		06/30/2003
				To	1.79 ME 71-615											
(616) Mosco Road	0.92	70	R	From							NA			NA		06/30/2003
				To	71-855											
(617) Gallery Road	0.70	90	R	From	Henry County Line						NA			NA		06/30/2003
				To	71-954											
(618) Farmers Road	1.70	40	R	From	SR 40						NA			NA		06/30/2003
				To	71-892											
(618) Farmers Road	0.65	40	R	From							NA			NA		06/30/2003
				To	71-606											
(618) Farmers Road	2.25	60	R	From							NA			NA		06/30/2003
				To	71-640											
(619) Belmont Drive	0.90	150	R	From	Henry County Line						NA			NA		06/30/2003
				To	71-841											
(620) Centerville Road	0.60	230	R	From	Pittsylvania County Line						NA			NA		06/30/2003
				To	US 58; 71-954											
(621) Loblolly Drive	0.50	360	R	From	Henry County Line						NA			NA		08/08/2000
				To	71-856											
(621) Loblolly Drive	0.90	50	R	From							NA			NA		06/24/2003
				To	71-855 NORTH											
(621) Unicorn Drive	0.57	210	R	From	71-855 SOUTH						NA			NA		08/08/2000
				To	71-622											
(621) Huntington Trail	3.40	280	F	98%	1%	0%	0%	1%	0%	C	0.119	F	0.514	280	F	2003
				To	71-862 SOUTH											
(621) Ed Hardy Road	1.70	47	R	From	71-862 NORTH						NA			NA		07/23/2003
				To	71-875											
(622) Cascade Road	3.80	1400	F	96%	0%	2%	0%	1%	1%	C	0.102	F	0.556	1400	F	2003
				To	71-857											
(622) Cascade Road	2.06	1200	F	96%	0%	2%	0%	1%	1%	F	0.094	F	0.567	1200	F	2003
				To	71-1660											
(622) Cascade Road	2.16	1400	F	96%	0%	2%	0%	1%	1%	F	0.098	F	0.569	1500	F	2003
				To	US 58											
(622) West Fork Road	1.59	490	R	From							NA			NA		07/08/2003
				To	71-841											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
623 Deer Haven Drive	1.08	210	R	From:	SR 57					NA			NA		09/09/2003	
				To:	Henry County Line											
624 Gammon Lake Road	1.00	50	R	From:	Henry County Line					NA			NA		09/09/2003	
				To:	71-841											
625 Foxridge Road	0.70	20	R	From:	SR 41					NA			NA		09/09/2003	
				To:	Dead End											
626 Museville Road	1.30	460	F	97%	1%	1%	0%	0%	0%	C	0.099	F	0.51	470	F	2003
				From:	71-649					F	0.137	F	0.507	300	F	2003
626 Museville Road	3.40	290	F	97%	1%	1%	0%	0%	0%							
				From:	71-929					F	0.104	F	0.553	180	F	2003
626 Museville Road	4.32	180	F	97%	1%	1%	0%	0%	0%							
				From:	SR 40 EAST SR 40 WEST					C	0.099	F	0.621	580	F	2003
626 Smith Mountain Road	0.35	560	F	98%	0%	1%	1%	1%	0%							
				From:	71-751					NA			NA		07/22/2003	
626 Smith Mountain Road	5.21	740	R													NA
				From:	71-982					NA			NA		07/22/2003	
626 Smith Mountain Road	0.50	230	R													NA
				From:	71-938					NA			NA		06/30/2003	
627 Upper Mountain Road	3.30	60	R													NA
				From:	71-683					NA			NA		06/30/2003	
628 Harmony Road	2.70	70	R													NA
				From:	71-900					NA			NA		06/23/2003	
628 Harmony Road	2.40	160	R													NA
				From:	71-668					NA			NA		06/30/2003	
629 Piney Grove Road	3.30	80	R													NA
				From:	71-685					NA			NA		06/30/2003	
630 Hodnetts Road	3.00	210	R													NA
				From:	SR 40					NA			NA		06/30/2003	
630 Watlington Road	1.60	230	R													NA
				From:	71-670 SOUTH 71-670 NORTH					NA			NA		06/30/2003	
631 Dews Road	2.10	170	R													NA
				From:	71-900					NA			NA		08/15/2000	
631 Dews Road	0.30	200	R													NA
				From:	71-640					NA			NA		08/05/2003	
631 Dews Road	2.50	50	R													NA
				From:	71-668					NA			NA		08/15/2000	
631 Dews Road	2.00	390	R													NA
				From:	2.50 MN 71-668					NA			NA		08/15/2000	
632 Waller Road	1.70	180	R													NA
				From:	71-640					NA			NA		08/05/2003	
632 Waller Road	1.70	180	R													NA
				From:	71-631					NA			NA		08/05/2003	
633 Easome Road	2.70	250	R													NA
				From:	Dead End					NA			NA		08/01/2000	
633 Easome Road	2.70	250	R													NA
				From:	71-640 MID					NA			NA		08/01/2000	

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
633 Clover Road	1.66	540	F	From: 99%	0%	71-640 SOUTH				C	0.089	F	0.647	550	F	2003
				To: 99%		71-668 SOUTH										
633 Stone Mill Road	2.80	360	F	From: 99%	0%	71-668 NORTH				F	0.101	F	0.541	370	F	2003
				To: 99%		71-640 NORTH										
634 Blue Ridge Drive	0.93	1400	F	From: 99%	0%	Bus US 29				F	0.098	F	0.504	1400	F	2003
				To: 99%		71-670 Deer View Rd										
634 Rockford School Road	0.29	1400	N	From: 99%	0%	71-665 SOUTH				N	0.098	N	0.504	1400	N	2003
				To: 99%		71-980										
634 Rockford School Road	1.85	880	N	From: 99%	0%	71-980 Banleys Street				N	0.112	N	0.54	900	N	2003
				To: 99%		71-642										
634 Blue Ridge Drive	3.80	880	F	From: 99%	0%	SCL Hurt				F	0.112	F	0.54	900	F	2003
				To: 99%												
634 Blue Ridge Drive	3.20	1300	F	From: 99%	0%					F	0.090	F	0.571	1400	F	2003
				To: 99%												
Town of Hurt																
634 Prospect Road	0.81	1700	F	From: 99%	0%	SCL Hurt				F	0.089	F	0.637	1700	F	2003
				To: 99%		71-1001										
634 Prospect Road	0.90	3600	F	From: 99%	0%	71-924				C	0.084	F	0.638	3700	F	2003
				To: 99%												
Pittsylvania County																
635 Armstrong Road	2.20	90	R	From: 99%		71-782					NA			NA		08/05/2003
				To: 99%		SR 40; 71-626										
636 Kellys Drive	0.25	30	R	From: 99%		Dead End					NA			NA		08/05/2003
				To: 99%		71-633										
637 Jacobs Lane	1.40	210	R	From: 99%		71-642					NA			NA		08/05/2003
				To: 99%		71-638 WEST										
637 Country Club Road	1.80	370	R	From: 99%		71-638 EAST					NA			NA		04/21/2000
				To: 99%		SCL Hurt										
Town of Hurt																
637 Country Club Road	0.50	370	R	From: 99%		SCL Hurt					NA			NA		04/21/2000
				To: 99%		71-634										
Pittsylvania County																
638 Harbor Drive	2.25	80	R	From: 99%		71-924					NA			NA		06/24/2003
				To: 99%		71-665										
638 Harbor Drive	1.30	540	R	From: 99%		71-988 Gap Terminus					NA			NA		04/11/2000
				To: 99%		US 29 BUS										
638 Roark Mill Road	0.28	70	R	From: 99%		0.28 ME US 29 BUS					NA			NA		04/11/2000
				To: 99%												
638 Roark Mill Road	0.69	70	R	From: 99%		71-641					NA			NA		04/11/2000
				To: 99%		71-637										
638 Roark Mill Road	1.60	290	R	From: 99%		71-637 WEST					NA			NA		04/11/2000
				To: 99%												
638 Roark Mill Road	2.92	320	R	From: 99%		71-640 NORTH					NA			NA		04/11/2000
				To: 99%												

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(638) Spaniel Road	1.42	160	R	From	71-640 SOUTH					NA			NA		08/05/2003	
				To	71-688											
(639) Honeybee Road	0.80	280	R	From	71-761					NA			NA		06/23/2003	
				To	Halifax County Line											
(640) Spring Garden Road	1.73	1900	F	83%	4%	12%	0%	1%	0%	C	0.096	F	0.755	1900	F	2003
(640) Spring Garden Road	4.05	2100	F	From	71-825 SOUTH					F	0.087	F	0.625	2100	F	2003
				To	71-718											
(640) Spring Garden Road	4.82	1500	F	83%	4%	12%	0%	1%	0%	F	0.081	F	0.662	1600	F	2003
				To	SR 57											
(640) Java Road	4.23	1100	F	83%	4%	12%	0%	1%	0%	F	0.083	F	0.541	1100	F	2003
				To	71-686 NORTH											
(640) Java Road	1.75	820	N	83%	4%	12%	0%	1%	0%	N	0.106	N	0.794	840	N	2003
				To	71-666											
(640) Riceville Road	2.35	820	F	83%	4%	12%	0%	1%	0%	F	0.106	F	0.794	840	F	2003
				To	71-678											
(640) Riceville Road	3.86	780	F	83%	4%	12%	0%	1%	0%	F	0.088	F	0.608	790	F	2003
				To	SR 40											
(640) Renan Rd	3.19	760	F	97%	0%	1%	1%	1%	0%	F	0.077	F	0.528	780	F	2003
				To	71-670											
(640) Renan Rd	2.86	770	F	97%	0%	1%	1%	1%	0%	F	0.079	F	0.512	790	F	2003
				To	71-631 SOUTH											
(640) Renan Rd	1.53	770	N	97%	0%	1%	1%	1%	0%	N	0.079	N	0.512	790	N	2003
				To	71-632; 71-685											
(640) Wards Road	2.35	1600	F	97%	0%	1%	1%	1%	0%	F	0.088	F	0.655	1600	F	2003
				To	71-638 SOUTH											
(640) Wards Road	1.15	2000	F	97%	0%	1%	1%	1%	0%	C	0.081	F	0.659	2000	F	2003
				To	71-668 SOUTH											
(640) Wards Road	1.53	660	F	97%	0%	1%	1%	1%	0%	F	0.111	F	0.658	670	F	2003
				To	71-668 NORTH											
(640) Wards Road	2.89	360	R	From	71-633 SOUTH					NA			NA		08/01/2000	
				To	Campbell County Line											
(641) Delta Drive	1.00	590	R	From	71-642					NA			NA		1997	
				To	71-638											
(642)	2.90	45	R	From	71-670					NA			NA		08/05/2003	
				To	71-646											
(642)	2.80	230	R	From	71-634					NA			NA		08/05/2003	
				To	71-1018											
(642) Shula Drive	1.85	440	F	98%	0%	2%	0%	1%	0%	F	0.091	F	0.552	450	F	2003
				To	71-1018											
(642)	2.40	730	F	98%	0%	2%	0%	1%	0%	C	0.098	F	0.583	750	F	2003
				To	US 29											
(642)	1.33	1800	R	From	US 29					NA			NA		06/24/2003	
				To	71-754											
(642)	2.70	250	R	From	71-754					NA			NA		06/24/2003	
				To	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(643) Derby Road	0.30	50	R	From	Dead End						NA			NA		06/30/2003
(643) Derby Road	0.30	160	R	To	71-665						NA			NA		06/30/2003
(643) Derby Road	0.59	610	R	From	71-748						NA			NA		07/11/2000
(643) Derby Road	1.60	220	R	To	71-930						NA			NA		07/11/2000
(643) Derby Road	1.10	60	R	To	71-1018						NA			NA		08/05/2003
				From	71-653											
(644) Cooksburg Road	1.60	100	R	From	71-626						NA			NA		10/03/2000
(644) Cooksburg Road	0.50	70	R	To	1.60 ME 71-626						NA			NA		08/13/2003
(644) Cooksburg Road	0.50	80	R	From	71-783 WEST						NA			NA		08/13/2003
(644) Cooksburg Road	1.30	80	R	To	71-783 EAST						NA			NA		08/13/2003
(644) Cooksburg Road	1.50	70	R	From	71-750 NORTH 71-750 SOUTH						NA			NA		08/13/2003
(644) Cooksburg Road	1.30	200	R	To	1.50 ME 71-750						NA			NA		10/03/2000
				From	71-799											
(645) Arlington Road	0.20	1600	R	From	Franklin County Line						NA			NA		07/22/2003
				To	71-626											
(646) Spring Road	2.70	160	R	From	71-634						NA			NA		08/05/2003
				To	71-685											
(648) Smith Road	0.50	70	R	From	71-969						NA			NA		07/22/2003
(648) Smith Road	0.70	50	R	To	0.50 MS 71-969						NA			NA		07/22/2003
(648) Smith Road	0.51	70	R	From	1.20 MS 71-969						NA			NA		07/22/2003
				To	71-652											
(649) Anderson Mill Road	0.28	40	R	From	Dead End						NA			NA		07/22/2003
(649) Anderson Mill Road	0.18	60	R	To	0.28 ME Dead End						NA			NA		07/22/2003
(649) Anderson Mill Road	0.04	130	R	From	0.46 ME Dead End						NA			NA		07/22/2003
(649) Anderson Mill Road	4.62	180	F	To	71-626					F	0.103	F	0.818	180	F	2003
(649) Anderson Mill Road	1.19	970	F	From	71-750 South					C	0.102	F	0.543	990	F	2003
(649) Anderson Mill Road	1.26	150	F	To	71-799					C	0.188	F	0.615	150	F	2003
(649) Anderson Mill Road	4.23	690	F	From	71-605					F	0.104	F	0.531	700	F	2003
				To	US 29 SOUTH											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(649) Payneton Road	4.38	330	R	From:	US 29 NORTH						NA			NA		08/19/2003
(649) Sheva Road	3.66	290	R	To:	71-685						NA			NA		08/19/2003
(649) Motleys Mill Road	2.54	360	R	From:	SR 57 WEST SR 57 EAST						NA			NA		10/14/2003
(650) Jennings Road	0.50	49	R	To:	71-640						NA			NA		07/08/2003
(651) Stalion Road	0.55	50	R	From:	Dead End						NA			NA		07/08/2003
(651) Stalion Road	0.55	50	R	To:	71-667						NA			NA		07/08/2003
(651) Stalion Road	0.55	50	R	From:	Franklin County Line						NA			NA		08/05/2003
(651) Stalion Road	0.55	50	R	To:	71-969						NA			NA		08/05/2003
(652) Cavalry Road	2.60	240	R	From:	Franklin County Line						NA			NA		08/05/2003
(652) Cavalry Road	2.60	240	R	To:	71-969						NA			NA		08/05/2003
(653) Izaak Walton Road	3.30	310	R	From:	71-634						NA			NA		08/05/2003
(653) Izaak Walton Road	3.30	310	R	To:	71-642						NA			NA		08/05/2003
(654) Daltons Farm Lane	1.00	50	R	From:	71-634						NA			NA		08/12/2003
(654) Daltons Farm Lane	1.00	50	R	To:	71-931						NA			NA		08/12/2003
(654) Daltons Farm Lane	0.60	140	R	From:	71-930						NA			NA		09/19/2000
(654) Daltons Farm Lane	0.60	140	R	To:	71-930						NA			NA		09/19/2000
(655) Tom Fork Road	1.22	510	F	From:	ECL Danville					C	0.112	F	0.557	550	F	2003
(655) Tom Fork Road	1.22	510	F	To:	Urban Boundary					F	0.109	F	0.609	530	F	2003
(655) Tom Fork Road	0.15	480	F	From:	99% 1% 0% 0% 0% 0%					F	0.109	F	0.609	530	F	2003
(655) Tom Fork Road	0.15	480	F	To:	71-734						NA			NA		08/12/2003
(655) Tom Fork Road	1.86	860	R	From:	71-726						NA			NA		08/12/2003
(655) Shawnee Road	0.03	410	R	To:	71-726						NA			NA		08/12/2003
(655) Shawnee Road	0.03	410	R	From:	0.03 ME 71-726						NA			NA		08/12/2003
(655) Shawnee Road	1.65	160	R	To:	71-730						NA			NA		06/27/2000
(656) Wiles Road	0.40	50	R	From:	Dead End						NA			NA		09/09/2003
(656) Wiles Road	0.40	50	R	To:	71-713						NA			NA		09/09/2003
(656) Kerns Church Road	3.90	500	R	From:	Halifax County Line						NA			NA		10/24/2000
(656) Kerns Church Road	3.90	500	R	To:	Halifax County Line						NA			NA		10/24/2000
(657) N Briar Mountain Road	0.50	50	R	From:	Dead End						NA			NA		09/09/2003
(657) N Briar Mountain Road	0.50	50	R	To:	SR 57						NA			NA		09/09/2003
(657) N Briar Mountain Road	1.55	190	R	From:	71-807						NA			NA		05/02/2000
(657) N Briar Mountain Road	1.55	190	R	To:	71-807						NA			NA		05/02/2000
(658) Dr Milams Road	1.80	300	R	From:	Halifax County Line						NA			NA		09/09/2003
(658) Dr Milams Road	1.80	300	R	To:	71-659						NA			NA		09/09/2003
(659) Laurel Grove Road	2.60	750	F	From:	71-729					C	0.104	F	0.531	770	F	2003
(659) Laurel Grove Road	2.60	750	F	To:	Halifax County Line						0.104	F	0.531	770	F	2003
(660) Alderson Road	0.80	50	R	From:	Halifax County Line						NA			NA		09/09/2003
(660) Alderson Road	0.80	50	R	To:	71-912						NA			NA		09/09/2003

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(660) Alderson Road	0.47	60	R	From:	71-912					NA			NA			09/09/2003
				To:	71-710											
(660) Reeves Mill Road	1.60	300	R	From:	SR 360					NA			NA			03/26/2000
				To:	SR 360											
(661) Duck Lane	1.10	150	R	From:	Halifax County Line					NA			NA			09/09/2003
				To:	SR 360											
(662) Dodson Road	5.26	190	R	From:	71-640					NA			NA			07/25/2000
				To:	71-701 SOUTH											
(662) Bair Branch Road	1.80	60	R	From:	71-701 NORTH					NA			NA			10/14/2003
				To:	71-729 SOUTH											
(662) Randolph Drive	2.60	170	R	From:	71-729 NORTH					NA			NA			07/25/2000
				To:	SR 360											
(663) Cedar Hill Road	3.10	40	R	From:	71-649					NA			NA			07/22/2003
				To:	71-683											
(664) Henrys Mill Lane	0.50	80	R	From:	71-698					NA			NA			10/14/2003
				To:	Halifax County Line											
(665) Rockford School Road	0.40	70	R	From:	Dead End					NA			NA			06/30/2003
				To:	71-924 WEST											
(665) Rockford School Road	7.25	610	R	From:	71-924 EAST					NA			NA			06/30/2003
				To:	71-748											
(665) Rockford School Road	2.55	340	R	From:						NA			NA			1997
(665) Rockford School Road	0.53	1100	F	97%	0%	1%	1%	1%	0%	C	0.084	F	0.66	1100	F	2003
				To:	71-634 NORTH											
(665) Rockford School Road	1.40	490	R	From:	71-634 SOUTH					NA			NA			08/12/2003
				To:	71-792											
(665) Rockford School Road	3.00	450	R	From:	SR 40					NA			NA			08/12/2003
				To:	SR 40 W											
(665) Fairmont Rd	0.70	450	N	From:	SR 40 W					NA			NA			08/12/2003
				To:	SR 40 E; 71-792 E											
(666) Yeatts Store Road	3.20	250	R	From:	71-640					NA			NA			07/08/2003
				To:	71-680 WEST											
(666) Yeatts Store Road	0.60	400	R	From:	71-680 WEST					NA			NA			07/08/2003
				To:	Halifax County Line											
(667) Hermosa Road	2.10	90	F	98%	0%	2%	0%	1%	0%	C	0.118	F	0.667	100	F	2003
				To:	SR 40											
(668) Cody Road	3.21	970	F	95%	0%	2%	1%	2%	0%	F	0.079	F	0.564	990	F	2003
				To:	71-761 NORTH											
(668) Level Run Road	3.68	1000	F	93%	0%	1%	0%	6%	0%	C	0.081	F	0.578	1000	F	2003
				To:	71-761 SOUTH											
(668) Level Run Road	2.42	1600	F	95%	0%	2%	1%	2%	0%	F	0.081	F	0.592	1700	F	2003
				To:	71-607											
(668) Level Run Road				95%	0%	2%	1%	2%	0%							
				To:	71-638											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(668) Level Run Road	1.53	1600	F	From:	71-638					F	0.085	F	0.661	1600	F	2003
				To:	71-640 SOUTH											
(668) Grit Road	2.27	4600	F	From:	71-640 NORTH					F	0.099	F	0.521	4700	F	2003
				To:	71-633 SOUTH											
(668) Grit Road	0.86	6000	F	From:	95% 0% 2% 1% 2% 0%					F	0.077	F	0.603	6100	F	2003
				To:	ECL Hurt											
Town of Hurt																
(668) Ricky Van Shelton Road	0.52	8100	F	From:	ECL Hurt					C	0.076	F	0.624	8200	F	2003
				To:	Campbell County Line											
Pittsylvania County																
(669) Melon Road	1.30	50	R	From:	71-603						NA		NA		06/23/2003	
				To:	Halifax County Line											
(670) Deer View Road	4.69	530	F	From:	71-634					C	0.093	F	0.717	540	F	2003
				To:	71-685 WEST											
(670) Deer View Road	4.06	380	F	From:	98% 0% 1% 0% 0% 0%					F	0.109	F	0.552	380	F	2003
				To:	71-640											
(671) Midway Road	1.55	50	R	From:	71-665						NA		NA		08/12/2003	
				To:	71-792 SOUTH											
(671) Midway Road	3.20	180	R	From:	71-634						NA		NA		10/24/2000	
				To:	US 29; FR-678											
(672) Cotton Patch Road	2.74	360	R	From:	SR 40						NA		NA		1996	
				To:	99% 0% 1% 0% 0% 0%											
(672) Pittsville Road	3.21	1200	F	From:	71-609					C	0.084	F	0.647	1200	F	2003
				To:	71-608											
(672) Pittsville Road	3.06	750	F	From:	99% 0% 1% 0% 0% 0%					F	0.094	F	0.557	770	F	2003
				To:	SR 40											
(673) Ben Annie Road	1.70	170	R	From:	71-665						NA		NA		08/12/2003	
				To:	71-676											
(674) Player Road	1.70	80	R	From:	SR 40						NA		NA		08/12/2003	
				To:	Halifax County Line											
(675) Peytonsburg Road	1.25	170	R	From:	SR 57 EAST						NA		NA		05/22/2000	
				To:	SR 57 WEST											
(675) Redd Lane	0.30	40	R	From:	Dead End						NA		NA		07/08/2003	
				To:	71-689											
(676) Taylors Mill Road	3.90	430	R	From:	US 29 BUS						NA		NA		08/19/2003	
				To:	Dead End											
(677) White Fall Road	0.30	30	R	From:	71-640						NA		NA		07/08/2003	
				To:	71-667											
(677) White Fall Road	3.40	140	R	From:	71-640						NA		NA		03/21/2000	
				To:	Dead End											
(678) Corner Road	2.20	150	R	From:	71-640						NA		NA		07/08/2003	
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(679) Riceville Court	1.50	50	R	From:	71-681					NA			NA		07/08/2003	
				To:	71-640											
(680) Chanceys Store Road	1.08	380	R	From:	SR 57					NA			NA		07/08/2003	
				To:	71-666 WEST											
(680) Church Road	3.71	410	R	From:	71-666 EAST					NA			NA		07/08/2003	
				To:	71-640											
(681) Mountain Road	1.00	100	R	From:	71-682					NA			NA		07/08/2003	
				To:	71-679											
(681) Mountain Road	2.30	90	R	From:	71-640					NA			NA		07/08/2003	
				To:												
(682) McCormick Road	2.40	120	R	From:	71-686					NA			NA		07/22/2003	
				To:	71-640											
(683) South Meadows Road	5.50	130	R	From:	71-649					NA			NA		05/23/2000	
				To:	71-686 SOUTH											
(683) Meadows Road	0.35	140	R	From:	71-686 NORTH					NA			NA		05/23/2000	
				To:	71-938											
(683) Johnson Mill Road	3.75	48	R	From:	71-627					NA			NA		07/08/2003	
				To:	71-627											
(683) Johnson Mill Road	0.20	60	R	From:	0.20 MN 71-627					NA			NA		05/23/2000	
				To:	SR 40											
(684) Jay Bird Lane	0.50	46	R	From:	71-938					NA			NA		07/22/2003	
				To:	Dead End											
Town of Chatham																
(685) Hurt Street	0.13	300	R	From:	71-1407					NA			NA		10/07/2003	
				To:	US 29 BUS											
(685) Hurt Street	0.44	1200	F	98%	0%	1%	0%	0%	0%	C	0.084	F	0.607	1300	F	2003
				To:	ECL Chatham											
Pittsylvania County																
(685) Chalk Level Road	3.11	860	F	98%	0%	1%	0%	0%	0%	F	0.097	F	0.595	880	F	2003
				To:	71-691 NORTH											
(685) Chalk Level Road	3.65	440	F	98%	0%	1%	0%	0%	0%	F	0.101	F	0.633	450	F	2003
				To:	71-690											
(685) Chalk Level Road	4.71	250	F	98%	0%	1%	0%	0%	0%	F	0.106	F	0.581	260	F	2003
				To:	SR 40											
(685) Telegraph Road	3.86	240	R	From:	71-670 EAST					NA			NA		08/19/2003	
				To:	71-670 WEST											
(685) Telegraph Road	3.37	520	F	98%	0%	1%	0%	0%	0%	F	0.09	F	0.633	530	F	2003
				To:	71-640											
(686) Zion Road	3.82	480	F	95%	0%	4%	0%	1%	0%	C	0.097	F	0.638	490	F	2003
				To:	71-685 NORTH											
(686) Markham Road	3.88	190	R	From:	71-685 SOUTH					NA			NA		07/22/2003	
				To:	71-682											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(686) Markham Road	2.27	160	R	From	71-682					NA			NA		07/22/2003	
				To	71-640 NORTH											
(686) Elkhorn Road	3.52	460	R	From	71-640 SOUTH					NA			NA		07/08/2003	
				To	71-680											
(687) Brandon Road	0.90	60	R	From	71-689					NA			NA		08/19/2003	
				To	71-886											
(687) Brandon Road	1.20	48	R	From	71-903					NA			NA		08/19/2003	
				To	71-656											
(688) Kerns Mill Road	0.04	390	R	From	71-656					NA			NA		08/19/2003	
				To	Halifax County Line											
(689) Strader Road	0.72	140	R	From	71-691					NA			NA		03/21/2000	
				To	0.72 ME 71-691											
(689) Strader Road	1.48	50	R	From						NA			NA		08/19/2003	
				To	71-649											
(689) Strader Road	3.40	180	R	From	71-685					NA			NA		03/21/2000	
				To	71-683											
(690) Coles Road	1.70	70	R	From	71-683					NA			NA		08/19/2003	
				To	71-685											
(691) Mill Creek Road	3.15	730	R	From	71-1431					NA			NA		08/19/2003	
				To	71-685 NORTH											
(691) Motley Road	1.98	90	R	From	71-685 SOUTH					NA			NA		08/19/2003	
				To	71-649											
(692) Transco Road	1.95	330	R	From	71-685					NA			NA		08/19/2003	
				To	71-649											
(693) Chaney's Store Road	1.00	420	R	From	North Carolina State Line					NA			NA		08/19/2003	
				To	71-735											
(694) David Giles Lane	1.80	340	R	From	71-825					NA			NA		04/11/2000	
				To	71-718 EAST											
(694) Dairy View Road	0.87	290	R	From	71-718 WEST					NA			NA		04/11/2000	
				To	71-1035											
(694) Dairy View Road	0.46	220	R	From	71-1035					NA			NA		04/11/2000	
				To	0.46 MN 71-1035											
(694) Dairy View Road	0.87	220	R	From	71-703 EAST					NA			NA		04/11/2000	
				To	71-703 WEST											
(694) Davis Road	0.80	50	R	From						NA			NA		08/19/2003	
				To	SCL Chatham; Gap Terminus											
Town of Chatham																
(694) Davis Road	0.52	170	R	From	Dead End; Gap Terminus					NA			NA		04/11/2000	
				To	71-1420 EAST											
(694) Davis Road	0.27	1500	R	From						NA			NA		04/11/2000	
				To	US 29 BUS SOUTH											
(694) Woodland Heights	0.50	330	R	From	US 29 BUS NORTH					NA			NA		04/11/2000	
				To	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(695) Twin Arch Road	2.80	190	R	From:	NCL Danville						NA			NA		10/31/2000
				To:	71-721											
(696) Buck Hill Road	0.60	60	R	From:	Dead End						NA			NA		06/24/2003
				To:	71-640											
(697) Dabney House Road	3.00	49	R	From:	71-698						NA			NA		10/14/2003
				To:	SR 57											
(698) Henrys Mill Road	2.21	240	R	From:	Halifax County Line						NA			NA		04/25/2000
				To:	71-729 MID											
(698) Henrys Mill Road	3.10	270	R	From:	71-729						NA			NA		04/25/2000
				To:	SR 57											
(698) Stone Road	1.43	60	R	From:	71-729 WEST						NA			NA		07/22/2003
				To:	71-640											
(698) Stone Road	0.20	90	R	From:	Dead End						NA			NA		07/22/2003
				To:	SR 57											
(699) Brownville Heights Road	0.70	190	R	From:	Henry County Line						NA			NA		10/14/2003
				To:	71-855											
(700) East Maple Drive	1.40	70	R	From:	SR 360						NA			NA		10/14/2003
				To:	71-662 NORTH											
(701) Slatesville Road	4.90	340	R	From:	71-640						NA			NA		10/14/2003
				To:	71-640											
(702) McDaniel Road	2.20	280	R	From:	71-640						NA			NA		07/08/2003
				To:	Halifax County Line											
(703) Cross Stitch Road	1.20	210	R	From:	71-844						NA			NA		06/24/2003
				To:	71-882 WEST											
(703) Sunset Drive	2.00	310	R	From:	71-882 EAST						NA			NA		06/24/2003
				To:	71-842											
(703) Sunset Drive	0.50	1100	R	From:	71-750 SOUTH						NA			NA		06/24/2003
				To:	71-750 NORTH											
(703) F C Beverly Road	1.30	1200	R	From:	SR 41 WEST						NA			NA		06/24/2003
				To:	SR 41 EAST											
(703) Irish Road	1.40	1200	F	90%	3%	2%	1%	3%	0%	F	0.08	F	0.513	1300	F	2003
				To:	71-838											
(703) Irish Road	3.30	880	F	90%	3%	2%	1%	3%	0%	F	0.1	F	0.655	890	F	2003
				To:	71-834 SOUTH											
(703)	4.10	2200	F	96%	1%	1%	0%	1%	0%	C	0.082	F	0.745	2200	F	2003
				To:	71-1433											
(703) Tightsqueeze Road	0.50	4400	F	90%	3%	2%	1%	3%	0%	C	0.114	F	0.572	4500	F	2003
				To:	US 29											
(703) Fairview Road	3.89	690	F	90%	3%	2%	1%	3%	0%	F	0.083	F	0.591	700	F	2003
				To:	SR 57											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(703) Fairview North	2.10	450	R	From:	SR 57						NA			NA		07/15/2003
				To:	71-685											
(704) Fair Oaks Road	0.20	30	R	From:	Dead End						NA			NA		07/15/2003
				To:	71-751											
(705) Throughway Road	0.60	70	R	From:	71-605						NA			NA		08/19/2003
				To:	71-799											
(706) Game Reserve Road	3.10	50	R	From:	71-718						NA			NA		10/14/2003
				To:	71-707											
(706) Game Reserve Road	1.20	70	R	From:	71-640 SOUTH						NA			NA		10/14/2003
				To:	71-640 NORTH											
(706) Abbott Place	1.77	220	R	From:							NA			NA		08/22/2000
				To:	1.77 ME 71-640											
(706) Abbott Place	1.21	60	R	From:							NA			NA		08/22/2000
				To:	71-701											
(707) Mac Road	1.36	48	R	From:	71-662						NA			NA		10/14/2003
				To:	1.36 MN 71-662											
(707) Mac Road	0.72	320	R	From:							NA			NA		08/01/2000
				To:	71-640											
(707) Cox Store Road	1.10	60	R	From:	71-640 SOUTH						NA			NA		10/14/2003
				To:	71-706											
(708) Long Circle	0.65	180	R	From:	US 58 WEST						NA			NA		08/05/2003
				To:	71-862											
(708) Long Circle	0.27	720	F	98%	0%	1%	0%	1%	0%	C	0.099	F	0.566	740	F	2003
				To:	US 58 EAST											
(709) Herman Farmer Road	0.70	20	R	From:	Dead End						NA			NA		08/05/2003
				To:	SR 360											
(710)	4.10	140	R	From:	71-656						NA			NA		07/15/2003
				To:	71-820 SOUTH											
(710) Reeves Mill Road	1.07	300	R	From:	71-820 NORTH						NA			NA		07/15/2003
				To:	71-660											
(711) Slayton Road	1.68	150	R	From:	Dead End						NA			NA		10/14/2003
				To:	71-729											
(712) White Ridge Road	3.30	260	R	From:	71-656						NA			NA		10/14/2003
				To:	71-656											
(713) Rock Springs Road	3.70	390	F	98%	1%	1%	0%	0%	0%	F	0.135	F	0.611	390	F	2003
				To:	71-730											
(713) Rock Springs Road	3.00	980	F	98%	1%	1%	0%	0%	0%	C	0.108	F	0.562	1000	F	2003
				To:	71-729 SOUTH											
(713) Birch Creek Road	4.85	370	R	From:	71-729 NORTH						NA			NA		10/14/2003
				To:	SR 360 EAST											
(713) Oak Grove Road	1.95	290	R	From:	SR 360 WEST						NA			NA		10/14/2003
				To:	71-662 WEST											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Pittsylvania County																	
(713) Lester Road	1.80	80	R	From:	71-662 EAST						NA			NA		10/14/2003	
(713) Lester Road	1.51	80	R	To:	1.80 MN 71-662						NA			NA		09/19/2000	
				From:	71-701												
(714) Brumfield Road	1.60	130	R	To:	71-713						NA			NA		10/14/2003	
(714) Brumfield Road	1.00	150	R	From:	1.60 MN 71-713						NA			NA		07/06/2000	
				To:	SR 360 EAST												
(714) Richardson Lane	1.10	80	R	From:	SR 360 WEST						NA			NA		10/14/2003	
				To:	Dead End												
(715) Bennett Circle	3.16	100	R	From:	SR 360						NA			NA		07/23/2003	
				To:	SR 360												
(716) Keeling Drive	3.60	1400	F	From:	96%	1%	1%	1%	2%	0%	C	0.096	F	0.572	1400	F	2003
				To:	SR 360												
(717) Hunters Lane	0.80	720	R	From:	71-726						NA			NA		07/23/2003	
				To:	71-825 SOUTH												
(717) Hunters Lane	1.90	500	R	From:	71-825 NORTH						NA			NA		07/23/2003	
				To:	Dead End												
(718) Dry Fork Road	5.25	790	F	From:	92%	2%	1%	3%	1%	0%	C	0.087	F	0.547	810	F	2003
				To:	71-836 EAST												
(718) Dry Fork Road	2.05	1600	F	From:	92%	2%	1%	3%	1%	0%	F	0.088	F	0.544	1600	F	2003
				To:	US 29												
(718) Snakepath Road	1.63	510	F	From:	92%	2%	1%	3%	1%	0%	F	0.098	F	0.667	510	F	2003
				To:	71-694 EAST												
(718) Snakepath Road	0.52	240	R	From:	71-975						NA			NA		10/14/2003	
				To:	71-640						NA			NA		10/14/2003	
(719) Green Farm Road	2.70	1500	R	From:	SR 360 NORTH						NA			NA		07/29/2003	
				To:	SR 360 SOUTH												
(719) Lawless Creek Road	2.57	900	F	From:	96%	1%	3%	1%	0%	0%	C	0.096	F	0.506	920	F	2003
				To:	US 29												
(719) West Witt Road	2.01	1700	R	From:	71-745 EAST						NA			NA		07/29/2003	
				To:	71-745 WEST												
(719) West Witt Road	0.71	1700	R	From:	71-744 SOUTH						NA			NA		07/29/2003	
				To:	SR 41 SOUTH												
(719) Golf Club Road	1.12	2600	F	From:	96%	1%	3%	1%	0%	0%	F	0.102	F	0.516	2700	F	2003
				To:	71-863												
(720) Blairs Circle	0.19	240	R	From:	71-745						NA			NA		06/17/2003	
				To:	71-1022						NA			NA		06/17/2003	
(720) Blairs Circle	0.23	550	R	From:	71-1000												

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(720) Blairs Circle	0.04	540	R	From:	71-1000					C	0.083	F	0.564	1600	F	2003
				To:	US 29 BUS											
(721) Livestock Road	0.25	1400	F	From:	US 29 BUS					C	0.083	F	0.564	1600	F	2003
				To:	0.25 ME US 29 BUS											
(721) Livestock Road	0.60	1300	F	From:	71-719					F	0.097	F	0.592	1300	F	2003
				To:	71-719											
(722) Oakwood Drive	0.84	270	R	From:	US 58; 71-948					C	0.083	F	0.564	1600	F	2003
				To:	Dead End											
(723) Old Quarry Road	1.35	1300	R	From:	71-729					C	0.083	F	0.564	1600	F	2003
				To:	SR 360											
(724) Mill Creek Road	1.33	3000	F	From:	71-750					C	0.09	F	0.526	3000	F	2003
				To:	WCL Danville											
(725) Bennett Drive	1.30	80	R	From:	71-732					C	0.09	F	0.526	3000	F	2003
				To:	71-726											
(726) Ringgold Depot Road	1.38	1600	F	From:	US 58					C	0.096	F	0.512	1700	F	2003
				To:	71-655											
(726) Ringgold Depot Road	1.59	850	F	From:	71-734					C	0.107	F	0.663	870	F	2003
				To:	71-730											
(726) Ringgold Church Road	0.44	800	F	From:	71-730 NORTH					F	0.098	F	0.577	810	F	2003
				To:	71-730											
(726) Ringgold Church Road	4.14	1500	F	From:	71-729					F	0.121	F	0.558	1500	F	2003
				To:	71-729											
(726) Kentuck Church Road	1.59	2900	F	From:	71-992					F	0.093	F	0.611	3000	F	2003
				To:	71-992											
(726) Kentuck Church Road	0.45	2800	F	From:	SR 360					F	0.097	F	0.530	2800	F	2003
				To:	US 29											
(727) Afton Road	2.40	470	R	From:	71-745					C	0.099	F	0.564	2400	F	2003
				To:	71-745											
(728) Hillside Road	3.30	240	R	From:	71-730					C	0.090	F	0.582	7800	F	2003
				To:	71-729											
(729) Kentuck Road	0.08	7200	F	From:	71-723					C	0.090	F	0.582	7800	F	2003
				To:	71-730											
(729) Kentuck Road	2.00	5700	F	From:	71-713 SOUTH					F	0.094	F	0.596	5800	F	2003
				To:	71-723											
(729) Kentuck Road	4.60	4900	F	From:	71-659					F	0.101	F	0.624	5000	F	2003
				To:	71-713 SOUTH											
(729) Kentuck Road	3.20	2400	F	From:	SR 360 EAST					F	0.094	F	0.761	2400	F	2003
				To:	71-659											
(729) Kentuck Road	2.22	930	F	From:	71-659					F	0.096	F	0.622	950	F	2003
				To:	SR 360 EAST											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(729) Mount Tabor Road	5.04	280	R	From	SR 360 WEST						NA			NA		04/18/2000
				To	71-698 SOUTH											
(729) Pickaway Road	2.88	150	R	From	71-698 MID						NA			NA		04/18/2000
				To	SR 57 WEST											
(729) Red Road	2.90	46	R	From	SR 57 EAST						NA			NA		07/08/2003
				To	71-698 NORTH											
(730) Eagle Springs Road	0.80	720	F	89%	0%	1%	4%	6%	0%	C	0.135	F	0.555	780	F	2003
				To	71-729											
(730) Wilkerson Road	2.49	1500	R	From	71-729 SOUTH						NA			NA		07/22/2003
				To	71-726 SOUTH											
(730) Countryside Drive	3.27	710	R	From	71-726 NORTH						NA			NA		07/22/2003
				To	71-713											
(731) Hundley Drive	1.10	40	R	From	71-638						NA			NA		08/13/2003
				To	Dead End											
(732)	1.22	3400	F	97%	0%	1%	0%	0%	0%	C	0.104	F	0.587	3500	F	2003
				To	71-729 NORTH											
(732) Fall Creek Road	1.50	240	R	From	71-729 SOUTH						NA			NA		03/14/2000
				To	71-726 NORTH											
(732) Ferguson Road	0.93	240	R	From	71-726 SOUTH						NA			NA		03/14/2000
				To	0.93 ME 71-726											
(732) Ferguson Road	1.37	70	R	From							NA			NA		08/13/2003
				To	71-725											
(732) Ferguson Road	0.52	49	R	From							NA			NA		08/13/2003
				To	71-728											
(733) Barker Road	1.80	350	R	From	71-734						NA			NA		08/13/2003
				To	71-726											
(734) Clarks Mill Road	1.78	940	R	From	71-735						NA			NA		08/13/2003
				To	US 58 Gap Terminus											
(734)	0.23	2400	F	92%	5%	1%	2%	1%	0%	C	0.095	F	0.646	2600	F	2003
				To	71-655											
(734) Ringgold Road	1.83	1300	F	92%	5%	1%	2%	1%	0%	F	0.096	F	0.539	1300	F	2003
				To	71-726											
(735) Cedar Road	1.30	740	R	From	North Carolina State Line						NA			NA		08/13/2003
				To	71-947											
(735) Mountain Hill Road	0.50	540	F	97%	1%	2%	0%	1%	0%	C	0.097	F	0.536	550	F	2003
				To	71-1246											
(735) Mountain Hill Road	0.15	610	R	From	71-734						NA			NA		06/17/2003
				To												
(735) Mountain Hill Road	0.35	640	R	From	71-693						NA			NA		06/17/2003
				To	North Carolina State Line											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
738	Bailless Drive	0.65	100	R	From:	Dead End					NA			NA		08/05/2003
					To:	71-640										
739	Cooper Road	1.00	80	R	From:	71-969					NA			NA		08/13/2003
					To:	Dead End										
740	Iris Lane	1.80	1200	F	98%	1%	0%	0%	0%	C	0.093	F	0.559	1200	F	2003
					To:	71-743										
741	Friendly Drive	2.20	40	R	From:	71-782 WEST					NA			NA		08/05/2003
					To:	71-782 EAST										
742	Walnut Creek Road	1.80	540	R	From:	71-724					NA			NA		09/23/2003
					To:	71-743										
743	Orphanage Road	0.50	370	R	From:	71-746					NA			NA		10/16/2000
					To:	71-744										
743	Orphanage Road	1.40	60	R	From:	71-1514					NA			NA		08/05/2003
					To:	71-1514										
743	Orphanage Road	1.00	620	R	From:	71-742					NA			NA		10/16/2000
					To:	71-742										
743	Orphanage Road	0.60	1100	R	From:	71-740					NA			NA		10/16/2000
					To:	71-740										
743	Orphanage Road	0.15	2000	F	98%	1%	1%	0%	0%	C	0.103	F	0.541	2100	F	2003
					To:	SR 41										
744	Ridgecrest Drive	2.20	1300	R	From:	71-743					NA			NA		10/28/2003
					To:	SR 41 SOUTH										
744	Mount Hermon	0.40	1400	R	From:	SR 41 NORTH					NA			NA		10/28/2003
					To:	71-719 WEST										
744	Crane Road	2.60	290	R	From:	71-719 EAST					NA			NA		10/28/2003
					To:	71-863										
744	Lester Lane	0.75	300	R	From:	71-863					NA			NA		10/28/2003
					To:	Dead End										
745	Mount View Road	2.20	1400	R	From:	US 29; 71-721					NA			NA		10/28/2003
					To:	71-719 SOUTH										
745	Mount View Road	2.78	710	R	From:	71-863					NA			NA		10/28/2003
					To:	71-863										
746	Golf Club Road	1.50	2000	R	From:	71-750					NA			NA		09/09/2003
					To:	71-1531										
746	Golf Club Road	1.70	1800	R	From:	71-863					NA			NA		09/09/2003
					To:	71-863										
747	Pinecroft Road	1.27	720	R	From:	71-750					NA			NA		09/09/2003
					To:	71-863										
748	Saunders Shop Road	0.30	560	R	From:	71-665					NA			NA		06/30/2003
					To:	71-643										
749	Cedar Road	0.90	240	R	From:	71-634					NA			NA		07/18/2000
					To:	71-665										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(750)		0.75	10000	F	From: 99%	To: WCL Danville				C	0.097	F	0.724	10000	F	2003
(750)	Mount Cross Road	1.59	7400	F	From: 99%	To: 71-724 Mill Creek Rd				F	0.096	F	0.672	7500	F	2003
(750)	Mount Cross Road	1.77	7400	N	From: 99%	To: 71-746 Golf Club Rd				N	NA			7500	N	2003
(750)		0.88	5900	F	From: 99%	To: 71-863 Morrefield Bridge Rd; Laniers Mill Rd				F	0.099	F	0.698	6000	F	2003
(750)	Whitmell School Road	3.48	2000	F	From: 99%	To: 71-883 Campview Rd				F	0.102	F	0.679	2100	F	2003
(750)	Whitmell School Road	1.51	1700	F	From: 99%	To: 71-866 Sandy Creek Rd				F	0.096	F	0.651	1700	F	2003
(750)	Whitmell School Road	1.68	1000	F	From: 99%	To: 71-703 F C Beverly Rd				F	0.089	F	0.689	1000	F	2003
(750)	Strawberry Road	2.78	990	F	From: 99%	To: SR 41 WEST SR 41 EAST				F	0.093	F	0.64	1000	F	2003
(750)	Strawberry Road	3.38	530	F	From: 99%	To: 71-612 Union Hall School Rd; Banister Rd				F	0.096	F	0.537	540	F	2003
(750)	Strawberry Road	0.71	730	F	From: 99%	To: 71-829 N Flint Hill Rd 71-829 Flint Hill Rd				F	0.083	F	0.562	740	F	2003
(750)	Green Pond Road	4.41	640	F	From: 99%	To: SR 57				F	0.092	F	0.594	650	F	2003
(750)	Oxford Road	2.88	230	R	From: 99%	To: 71-649 EAST 71-649 WEST					NA			NA		04/25/2000
(750)	Oxford Road	1.05	130	R	From: 99%	To: 71-785 SOUTH					NA			NA		04/25/2000
(750)	Oxford Road	1.31	70	R	From: 99%	To: 1.05 MN 71-785 S					NA			NA		04/25/2000
(750)	Oxford Road	1.15	80	R	From: 99%	To: 2.36 MN 71-785 S					NA			NA		08/13/2003
(751)	Grassland Drive	0.23	20	F	From: 91%	To: 71-626; 71-782				F	0.282	F	0.546	20	F	2003
(751)	Grassland Drive	2.71	30	F	From: 91%	To: 0.23 MN 71-626				F	0.163	F	0.5	30	F	2003
(751)	Grassland Drive	0.85	30	F	From: 91%	To: 71-775				F	0.139	F	0.5	30	F	2003
(751)	Grassland Drive	0.95	20	F	From: 91%	To: 71-776				C	0.238	F	0.8	20	F	2003
(751)	Grassland Drive	4.77	250	R	From: 91%	To: SR 40					NA			NA		07/22/2003
(751)	Grassland Drive	0.40	150	R	From: 91%	To: 71-626					NA			NA		07/22/2003
(752)	Oliver Road	0.50	40	R	From: 91%	To: SR 40					NA			NA		07/22/2003
(752)	Oliver Road	0.50	40	R	From: 91%	To: 71-751					NA			NA		07/22/2003
(752)	Oliver Road	0.30	30	R	From: 91%	To: 71-949 WEST					NA			NA		07/15/2003
(752)	Oliver Road	0.50	30	R	From: 91%	To: 71-949 EAST					NA			NA		07/15/2003
(752)	Oliver Road	0.50	30	R	From: 91%	To: Dead End					NA			NA		07/15/2003



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(753) Jasper Wood Road	1.20	700	R	From:	71-642						NA			NA		06/24/2003
				To:	71-988											
(754) Gallows Road	2.93	490	R	From:	Dead End						NA			NA		06/24/2003
				To:	71-642											
(755) Mercury Road	1.60	90	R	From:	71-642						NA			NA		06/24/2003
				To:	71-665											
(756) Paisley Road	3.40	430	R	From:	71-940						NA			NA		06/30/2003
				To:	71-665											
(756) Dewberry Road	0.60	770	R	From:							NA			NA		06/30/2003
				To:	US 29											
(757) Orange Road	1.10	40	R	From:	Dead End						NA			NA		06/30/2003
				To:	71-609											
(758) Rose Street	2.50	70	R	From:	71-768 SOUTH						NA			NA		06/30/2003
				To:	71-768 NORTH											
(759) Childress Road	0.85	90	R	From:	Dead End						NA			NA		06/30/2003
				To:	SR 62											
Town of Gretna																
(760) Music Street South	0.24	440	F	99%	0%	0%	0%	0%	0%	C	0.151	F	0.529	450	F	2003
				From:	71-1302											
(760) Music Street North	0.36	370	R							NA			NA		07/08/2003	
				From:	NCL Gretna											
Pittsylvania County																
(760) Music Street Gretna	1.79	370	N							NA			NA		07/08/2003	
				From:	NCL Gretna											
(760) Music Street	2.10	190	R							NA			NA		07/08/2003	
				From:	71-790											
(760) Music Streen	2.75	180	R							NA			NA		06/30/2003	
				From:	71-762											
(761) Straightstone Road	2.08	280	F	93%	2%	4%	1%	1%	0%	C	0.106	F	0.583	280	F	2003
				From:	71-640											
(761) Straightstone Road	2.73	370	F	93%	2%	4%	1%	1%	0%	F	0.099	F	0.821	380	F	2003
				From:	71-937											
(761) Straightstone Road	3.89	550	F	93%	2%	4%	1%	1%	0%	F	0.084	F	0.536	560	F	2003
				From:	71-668 NORTH											
(762) Simpson Lane	1.00	100	R							NA			NA		06/30/2003	
				From:	71-760											
(763) Weatherford Drive	2.80	360	R							NA			NA		07/08/2003	
				From:	71-940											
(763) Weatherford Drive	0.40	390	R							NA			NA		06/30/2003	
				From:	71-609											
(764) Azalea Drive	1.50	350	R							NA			NA		07/08/2003	
				From:	71-672											
				To:	71-763											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
765 Sandy Road	2.70	250	R	From:	71-790					NA			NA		07/08/2003	
				To:	71-672											
766 Magnolia Road	0.50	20	R	From:	Dead End					NA			NA		07/08/2003	
				To:	71-609											
767 Vest Road	0.65	30	R	From:	Dead End					NA			NA		08/12/2003	
				To:	71-914											
768 Milam Road	1.55	160	R	From:	71-608					NA			NA		07/08/2003	
				To:	71-672 WEST											
768 Bibee Road	4.37	120	R	From:	71-672 EAST					NA			NA		07/08/2003	
				To:	71-609											
768 Summerset Road North	1.30	220	R	From:						NA			NA		06/30/2003	
				To:	71-758 NORTH											
768	1.90	60	R	From:						NA			NA		06/30/2003	
				To:	Dead End											
769 Early Road	0.23	60	R	From:	SR 41					NA			NA		07/08/2003	
				To:	SR 41											
770 Keesee Road	0.20	220	R	From:	71-665					NA			NA		07/08/2003	
				To:	US 29											
771 Pigg River Road	0.50	50	R	From:	Dead End					NA			NA		07/15/2003	
				To:	71-605 EAST											
771 Court Road	1.50	200	R	From:	71-605 WEST					NA			NA		07/15/2003	
				To:	71-608											
772 Daniel Lane	0.50	60	R	From:	Dead End					NA			NA		09/23/2003	
				To:	71-718											
773 Wade Road	2.90	170	R	From:	71-799					NA			NA		07/08/2003	
				To:	71-794											
774 Darby Road	2.40	100	R	From:	SR 40					NA			NA		07/15/2003	
				To:	71-605											
775 Star Land Drive	1.40	80	R	From:	71-751					NA			NA		08/13/2003	
				To:	SR 40 EAST											
775 Star Land Drive	0.20	20	R	From:	SR 40 WEST					NA			NA		07/22/2003	
				To:	Dead End											
776 Dr Mease Road	0.60	70	R	From:	71-751					NA			NA		08/13/2003	
				To:	SR 40											
777 Yorkshire Drive	3.27	440	R	From:	71-751					NA			NA		08/15/2000	
				To:	71-908											
777 Yorkshire Drive	1.70	40	R	From:						NA			NA		07/15/2003	
				To:	71-605											
778 Jasmine Road	3.90	70	R	From:	71-626					NA			NA		07/22/2003	
				To:	71-777											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania Countv																
778 Jasmine Road	2.10	90	R	From:	71-777						NA		NA		07/15/2003	
				To:	71-605 WEST											
778 Springtree Road	1.20	50	R	From:	71-605 EAST						NA		NA		07/15/2003	
				To:	Dead End											
779 Liberty Road	0.95	40	R	From:	Franklin County Line						NA		NA		07/15/2003	
				To:	71-626											
780 Royale Drive	0.20	8	R	From:	Dead End						NA		NA		08/05/2003	
				To:	71-626											
781 Rockcreek Road	1.50	60	R	From:	71-626						NA		NA		08/05/2003	
				To:	SR 40											
782 Fruitridge Drive	1.40	120	R	From:	Franklin County Line						NA		NA		05/09/2000	
				To:	71-635											
782 Fruitridge Drive	0.20	70	R	From:							NA		NA		08/05/2003	
				To:	71-741 EAST											
782 Fruitridge Drive	0.86	50	R	From:							NA		NA		08/05/2003	
				To:	71-626											
783 Tomahawk Mill Road	1.10	40	R	From:	71-649						NA		NA		08/13/2003	
				To:	71-973											
783 Tomahawk Mill Road	0.60	30	R	From:							NA		NA		08/13/2003	
				To:	71-644 EAST											
783 Tomahawk Mill Road	0.25	2	R	From:	71-644 WEST						NA		NA		08/13/2003	
				To:	Dead End											
784 Gunn Lane	0.40	70	R	From:	Dead End						NA		NA		08/13/2003	
				To:	71-713											
785 Lark Road	1.10	170	R	From:	71-750 SOUTH						NA		NA		08/13/2003	
				To:	71-786											
785 Lark Road	0.60	150	R	From:							NA		NA		08/13/2003	
				To:	71-750 NORTH											
785	0.50	250	R	From:	71-750 WEST						NA		NA		07/08/2000	
				To:	71-605											
786 Snowberry Road	2.20	210	R	From:	71-799						NA		NA		08/13/2003	
				To:	2.20 MN 71-799											
786 Snowberry Road	1.40	40	R	From:							NA		NA		08/13/2003	
				To:	71-785											
787 Berryville Road	1.70	60	R	From:	71-605						NA		NA		08/19/2003	
				To:	71-799											
787 Berryville Road	0.90	40	R	From:							NA		NA		08/19/2003	
				To:	71-788											
788 Luster Road	0.65	130	R	From:	71-794						NA		NA		08/19/2003	
				To:	71-787											
788 Luster Road	0.85	40	R	From:							NA		NA		08/19/2003	
				To:	SR 40											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(789) Valley Road	1.10	50	R	From:	71-790						NA			NA		08/19/2003
				To:	SR 40											
(790) Piney Road	4.38	1100	F	94%	0%	3%	1%	2%	0%	C	0.084	F	0.546	1100	F	2003
				From:	71-799											
(790) Piney Road	0.20	510	R	From:	SR 40						NA			NA		03/06/2000
				To:	71-765											
(790) Piney Road	0.85	80	R	From:	71-672 NORTH						NA			NA		07/08/2003
				To:	71-672 SOUTH											
(790) Brushy Mountain Road	0.45	130	R	From:	71-935						NA			NA		03/06/2000
				To:	71-760											
(790) Brushy Mountain Road	2.20	40	R	From:	71-790						NA			NA		08/19/2003
				To:	71-672											
Town of Gretna																
(792) Northside Drive	0.21	1100	F	99%	0%	0%	0%	0%	0%	F	0.101	F	0.631	1200	F	2003
				From:	71-1302											
(792) Northside Drive	0.50	1300	F	99%	0%	0%	0%	0%	0%	C	0.100	F	0.515	1300	F	2003
				From:	71-1312											
(792) Henry Street	0.34	1400	R	From:	US 29 BUS						NA			NA		07/25/2000
				To:	US 29 BUS; 71-1307											
(792) Henry Street	0.20	680	R	From:	71-1308						NA			NA		07/25/2000
				To:	ECL Gretna											
Pittsylvania County																
(792)	3.31	470	R	From:	ECL Gretna						NA			NA		07/25/2000
				To:	71-671 NORTH											
(792) Tucker Road	1.41	49	R	From:	71-671 SOUTH						NA			NA		08/12/2003
				To:	1.41 MS 71-671 S											
(792) Tucker Road	1.21	70	R	From:	SR 40						NA			NA		08/12/2003
				To:	SR 57											
(793) Cherrystone Lake Road	1.20	120	R	From:	71-802						NA			NA		08/19/2003
				To:	71-605											
(793) Cherrystone Lake Road	1.20	60	R	From:	US 29						NA			NA		08/19/2003
				To:	71-790 NORTH											
(794) Old Mine Road	3.68	590	R	From:	71-790 SOUTH						NA			NA		03/06/2000
				To:	SR 40											
(794) Old Mine Road	1.55	460	R	From:	71-773						NA			NA		07/08/2003
				To:	71-672											
(794) Homestead Road	2.20	160	R	From:	71-649						NA			NA		03/06/2000
				To:	71-797											
(795) Emery Road	2.00	70	R	From:							NA			NA		08/19/2003
				To:												

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(796) Steam Way	0.50	60	R	From:	Dead End						NA			NA		08/19/2003
				To:	71-863											
(797) Green Bay Road	2.30	80	R	From:	US 29						NA			NA		08/19/2003
				To:	71-649 EAST											
(797) Green Bay Road	1.70	250	R	From:	71-649 WEST						NA			NA		08/19/2003
				To:	71-790											
(798) Old Red Eye Road	2.30	50	R	From:	71-799						NA			NA		08/19/2003
				To:	71-649											
(799) Climax Road	6.12	900	F	95%	0%	2%	1%	2%	0%	C	0.086	F	0.537	920	F	2003
(799) Climax Road	1.94	440	F	95%	0%	2%	1%	2%	0%	F	0.1	F	0.606	450	F	2003
				To:												
(799) Climax Road	1.17	880	F	95%	0%	2%	1%	2%	0%	F	0.092	F	0.537	900	F	2003
				To:												
(800) Burton Lake Road	3.90	130	R	From:	71-649						NA			NA		03/06/2000
				To:	71-750 NORTH											
(800) Anderson Road	2.30	200	R	From:	71-750 SOUTH						NA			NA		03/06/2000
				To:	71-799 SOUTH											
(800) Rigney Circle	1.10	70	R	From:	71-799 SOUTH						NA			NA		08/19/2003
				To:	71-799 NORTH											
(801) Falls Lane	0.35	40	R	From:	Dead End						NA			NA		10/07/2003
				To:	71-802 SOUTH											
(801) Dry Bridge Road	1.80	230	R	From:	71-802 NORTH						NA			NA		10/03/2000
				To:	71-803											
(802)	3.24	400	R	From:	71-793						NA			NA		10/07/2003
				To:	71-1446											
(803) Hawkins Road	1.50	60	R	From:	71-802						NA			NA		10/07/2003
				To:	71-1039											
(803) Hawkins Road	0.89	170	R	From:	US 29						NA			NA		10/07/2003
				To:	71-750											
(804) Double Bridge Road	2.20	180	R	From:	71-750						NA			NA		08/19/2003
				To:	SR 57											
(805) Tomahawk Creek Road	1.80	70	R	From:	71-807						NA			NA		08/19/2003
				To:	71-800											
(806) Ivory Branch Road	1.10	140	R	From:	SR 57						NA			NA		08/19/2003
				To:	71-807 WEST											
(806) Ivory Branch Road	2.90	200	R	From:	71-807 EAST						NA			NA		08/19/2003
				To:	71-626											
(807) Triangle School Road	0.60	50	R	From:	Dead End						NA			NA		08/19/2003
				To:	71-969 NORTH											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(807) Triangle School Road	2.98	290	R	From	71-969 SOUTH						NA		NA		08/19/2003	
				To	71-806 WEST											
(807) Triangle School Road	0.56	260	R	From							NA		NA		08/19/2003	
				To	71-750											
(808) Tates Mill Road	2.30	50	R	From	SR 40						NA		NA		08/19/2003	
				To	71-630											
(809) Columbus Road	2.40	170	R	From	Franklin County Line						NA		NA		08/05/2003	
				To	71-626											
(810) McNeely Lane	1.00	70	R	From	Dead End						NA		NA		08/05/2003	
				To	71-729											
(811) Robin Hood Road	3.10	160	R	From	71-817						NA		NA		09/09/2003	
				To	SR 57											
(812) Berry Road	1.00	50	R	From	71-657						NA		NA		08/09/2003	
				To	71-807											
(813) Glenview Drive	3.38	120	R	From	71-750						NA		NA		09/15/2003	
				To	71-815											
(813) Glenview Drive	0.75	150	R	From							NA		NA		09/15/2003	
				To	SR 57											
(814) Wet Sleeve	0.70	50	R	From	SR 41						NA		NA		09/15/2003	
				To	71-815 WEST											
(814) Woodview Drive	1.00	50	R	From	71-815 EAST						NA		NA		09/15/2003	
				To	71-813											
(815) Gap Road	1.00	120	R	From	71-612						NA		NA		09/15/2003	
				To	71-814 EAST											
(815) Gap Road	2.50	130	R	From							NA		NA		09/15/2003	
				To	71-813											
(816) Late Road	0.27	170	R	From	SR 41 SOUTH						NA		NA		09/15/2003	
				To	SR 41 NORTH											
(816) Parrish Road	1.90	90	R	From							NA		NA		04/18/2000	
				To	71-612											
(817) Maple Road	2.70	180	R	From	SR 41						NA		NA		09/15/2003	
				To	SR 57 NORTH											
(817) N Maple Road	1.80	140	R	From	SR 57 SOUTH						NA		NA		09/15/2003	
				To	71-819											
(817) Turkeycock Mountain	2.30	90	R	From							NA		NA		09/15/2003	
				To	71-811											
(817) Mountain Drive	2.60	110	R	From							NA		NA		09/15/2003	
				To	71-652											
(818) Mapleton Drive	0.49	640	F	From	SR 57					F	0.112	F	0.552	650	F	2003
				To	71-840											
(818) Mapleton Drive	2.77	380	F	From	98%	0%	1%	0%	0%	C	0.098	F	0.564	390	F	2003
				To	SR 41											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(819) Barn Road	1.60	120	R	From:	71-623						NA			NA		09/09/2003
				To:	71-817											
(820) West Hightower	0.63	380	R	From:	71-729						NA			NA		09/29/2003
				To:	71-710 SOUTH											
(820) East Hightower	1.65	240	R	From:							NA			NA		07/29/2003
				To:	Halifax County Line											
(821) Weal Road	0.37	160	R	From:	SR 57						NA			NA		08/01/2000
				To:	71-827											
(821) Weal Road	1.90	90	R	From:							NA			NA		08/19/2003
				To:	71-826											
(821) Weal Road	0.20	50	R	From:							NA			NA		08/19/2003
				To:	0.20 ME 71-826											
(821) Weal Road	0.20	100	R	From:							NA			NA		08/01/2000
				To:	71-605											
(821) Weal Road	1.10	100	R	From:							NA			NA		08/01/2000
				To:	71-612											
(822) Ponderosa Road	0.50	50	R	From:	Dead End						NA			NA		08/19/2003
				To:	71-703											
(822) Beverly Heights Road	2.40	560	R	From:							NA			NA		10/11/2000
				To:	71-1428											
(823) Concord Road	2.69	400	F	From:	71-703					C	0.11	F	0.583	400	F	2003
				To:	SR 57											
(824) Rosebud Road	0.60	270	R	From:	71-605						NA			NA		08/19/2003
				To:	71-612 SOUTH											
(824) West Giles Road	2.30	290	R	From:	71-612 NORTH						NA			NA		08/19/2003
				To:	71-823											
(825) Dr Edward Williams Ro	1.30	110	R	From:	71-716						NA			NA		08/19/2003
				To:	71-717 SOUTH											
(825) Dr Edward Williams Ro	0.30	680	R	From:							NA			NA		03/07/2000
				To:	71-717 NORTH											
(825) Chestnut Level Lane	1.30	350	R	From:							NA			NA		03/07/2000
				To:	71-640 SOUTH											
(825) Carter Lodge Road	1.70	570	R	From:	71-640 NORTH						NA			NA		03/07/2000
				To:	US 29											
(826) Red Hill Road	0.70	30	R	From:	Dead End						NA			NA		08/19/2003
				To:	71-821											
(827) Gammons Lake	1.59	110	R	From:	Dead End						NA			NA		08/19/2003
				To:	71-821											
(828) Skylock Road	0.35	40	R	From:	71-668						NA			NA		06/23/2003
				To:	Dead End											
(829) N Flint Hill Road	0.80	30	R	From:	Dead End						NA			NA		09/15/2003
				To:	71-612 EAST											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(829) S Flint Hill Road	2.90	330	R	From:	71-612 WEST					NA			NA			05/16/2000
				To:	71-750											
(830) Easley Road	1.00	30	R	From:	Dead End					NA			NA			09/15/2003
				To:	71-833 SOUTH											
(830) Easley Road	1.30	110	R	From:	71-833 NORTH					NA			NA			04/18/2000
				To:	71-829											
(831) Elm Road	1.50	250	R	From:	71-813					NA			NA			09/09/2003
				To:	71-850											
(831) Elm Road	0.50	60	R	From:	71-750					NA			NA			09/09/2003
				To:	71-750											
(833) Maysville Road	0.70	49	R	From:	71-750					NA			NA			09/15/2003
				To:	71-830 SOUTH											
(833) Maysville Road	0.10	48	R	From:	71-830 SOUTH					NA			NA			09/15/2003
				To:	71-830 NORTH											
(833) Maysville Road	1.60	60	R	From:	71-830 NORTH					NA			NA			09/15/2003
				To:	71-834											
(834) Hopewell Road	2.60	470	R	From:	71-835					NA			NA			09/23/2003
				To:	71-718 EAST											
(834) Jones Mill Road	1.60	500	F	95%	1%	2%	1%	1%	0%	C	0.098	F	0.54	510	F	2003
				To:	71-703 SOUTH											
(834) Bearskin Road	2.60	620	R	From:	71-703 NORTH					NA			NA			09/15/2003
				To:	71-612											
(834) Bearskin Road	0.30	480	R	From:	71-612					NA			NA			09/15/2003
				To:	71-833											
(834) Bearskin Road	0.50	320	R	From:	71-833					NA			NA			09/15/2003
				To:	71-829											
(834) Hollywood Road	2.10	120	R	From:	71-829					NA			NA			08/19/2003
				To:	SR 57											
(834) Hollywood Road	2.10	20	R	From:	SR 57					NA			NA			08/19/2003
				To:	71-750											
(835) Pleasant Gap Drive	3.80	480	F	93%	1%	3%	2%	1%	0%	C	0.103	F	0.51	490	F	2003
				To:	71-718											
(836) White Oak Circle	2.20	460	R	From:	71-718 WEST					NA			NA			09/23/2003
				To:	71-718 EAST											
(837) Bobby Lane	0.40	20	R	From:	Dead End					NA			NA			09/23/2003
				To:	71-834											
(838) Johnson Road	1.40	130	R	From:	71-703					NA			NA			09/23/2003
				To:	71-718											
(839) Waller Lane	0.70	200	R	From:	Dead End					NA			NA			08/15/2000
				To:	71-926											
(839) Waller Lane	1.30	270	R	From:	71-926					NA			NA			08/15/2000
				To:	SR 41											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania Countv																
(839) W I Powell Road	0.40	230	R	From:	SR 41						NA		NA	08/15/2000		
				To:	0.40 MN SR 41											
(839) W I Powell Road	1.06	200	R	From:							NA		NA	09/23/2003		
				To:	1.46 MN SR 41											
(839) W I Powell Road	0.54	200	R	From:							NA		NA	09/23/2003		
				To:	71-718											
(840) White Oak Road	3.61	170	R	From:	71-612						NA		NA	09/23/2003		
				To:	71-818											
(841) Whispering Pines Road	0.34	2300	F	From:	US 58					C	0.09	F	0.592	2400	F	2003
				To:	71-853											
(841) Whispering Pines Road	2.10	980	F	From:	95% 1% 2% 1% 1% 0%					C	0.096	F	0.624	1000	F	2003
				To:	71-851											
(841) Whispering Pines Road	2.50	450	F	From:	98% 1% 1% 0% 0% 0%					F	0.105	F	0.606	460	F	2003
				To:	71-845											
(841) Whispering Pines Road	1.20	390	F	From:	98% 1% 1% 0% 0% 0%					F	0.105	F	0.578	400	F	2003
				To:	71-882											
(841) Medical Center Drive	2.55	490	F	From:	98% 1% 1% 0% 0% 0%					F	0.094	F	0.566	500	F	2003
				To:	71-612 WEST											
(841) Stillmeadow Road	4.80	140	R	From:	71-612 EAST						NA		NA	06/24/2003		
				To:	71-818											
(842) Hollyville Drive	0.70	70	R	From:	Dead End						NA		NA	06/24/2003		
				To:	71-703											
(843) Primitive Baptist Road	0.80	60	R	From:	0.80 MW 71-844						NA		NA	06/24/2003		
				To:	71-844											
(843) Log Haven	0.80	70	R	From:							NA		NA	03/11/2004		
				To:	Dead End											
(844) Mount Cross Road	0.93	3900	F	From:	71-750					C	0.093	F	0.689	4000	F	2003
				To:	71-868											
(844) Mount Cross Road	1.19	3200	F	From:	97% 0% 1% 1% 1% 0%					F	0.096	F	0.685	3300	F	2003
				To:	71-869											
(844) Mount Cross Road	3.58	2000	F	From:	97% 0% 1% 1% 1% 0%					F	0.090	F	0.701	2000	F	2003
				To:	71-882 WEST											
(844) Mount Cross Road	1.90	1000	F	From:	97% 0% 1% 1% 1% 0%					F	0.110	F	0.667	1100	F	2003
				To:	71-614											
(844) Mount Cross Road	2.32	840	F	From:	97% 0% 1% 1% 1% 0%					F	0.109	F	0.603	860	F	2003
				To:	SR 41											
(845) Thompson Road	0.40	30	R	From:	Dead End						NA		NA	06/24/2003		
				To:	71-841											
(845) Thompson Road	0.90	90	R	From:							NA		NA	06/27/2000		
				To:	71-882 WEST											
(845) Hinesville Road	3.00	120	R	From:	71-882 EAST						NA		NA	06/27/2000		
				To:	71-844 NORTH											
(845) Hillcreek Road	1.90	160	R	From:	71-844 SOUTH						NA		NA	06/27/2000		
				To:	71-703											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(846) Perdue Drive	0.21	60	R	From:	Dead End						NA			NA		06/24/2003
				To:	71-753											
(847) Sam Haley Road	0.10	80	R	From:	71-851						NA			NA		07/11/2000
				To:	71-848											
(847) Sam Haley Road	0.40	40	R	From:	71-848						NA			NA		08/05/2003
				To:	Dead End											
(848) Joe Carter Road	0.71	40	R	From:	71-841						NA			NA		08/05/2003
				To:	71-847											
(849) Riley Farm Road	1.80	80	R	From:	71-851						NA			NA		06/30/2003
				To:	71-855											
(850) Brown Road	0.65	60	R	From:	Dead End						NA			NA		09/09/2003
				To:	71-831											
(851)	4.60	400	R	From:	71-855						NA			NA		08/05/2003
				To:	71-853											
(851) Sugartree Church Road	1.87	530	F	99%	0%	0%	1%	0%	0%	C	0.085	F	0.612	540	F	2003
				To:	71-844											
(852) Vance Hill	0.98	70	R	From:	71-851 WEST						NA			NA		08/05/2003
				To:	71-851 EAST											
(853) Inman Road	0.80	1200	R	From:	71-841						NA			NA		07/08/2003
				To:	71-878											
(853) Inman Road	2.13	410	R	From:	71-851						NA			NA		07/08/2003
				To:	71-855											
(854) Locust Drive	1.91	220	R	From:	71-855						NA			NA		06/30/2003
				To:	71-622											
(855) Cascade Mill Road	1.55	120	R	From:	71-622						NA			NA		06/24/2003
				To:	71-621 NORTH											
(855) Cascade Mill Road	1.80	40	R	From:	71-700						NA			NA		06/24/2003
				To:	71-854											
(855) Cascade Mill Road	2.30	220	R	From:	71-854						NA			NA		06/30/2003
				To:	US 58 EAST											
(855) Martin Drive	0.90	1300	F	96%	1%	2%	0%	2%	0%	C	0.117	F	0.568	1300	F	2003
				To:	US 58 WEST											
(855) Martin Drive	3.30	380	R	From:	71-851						NA			NA		06/30/2003
				To:	71-841											
(856) Cobbs Knob Road	2.85	450	R	From:	North Carolina State Line						NA			NA		06/24/2003
				To:	71-621											
(857) Tender Lane	1.50	240	R	From:	71-622						NA			NA		06/24/2003
				To:	Dead End											
(858) Hedge Road	0.85	40	R	From:	Dead End						NA			NA		06/24/2003
				To:	0.85 MS Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Pittsylvania County</b>																
(858) Hedge Road	0.10	30	R	From:	0.85 MS Dead End						NA			NA		08/05/2003
				To:	71-896											
(859) Michaux Road	1.28	1200	R	From:	North Carolina State Line						NA			NA		06/24/2003
				To:	71-622											
(860) Leaksville Junction Roa	0.33	90	R	From:	Dead End						NA			NA		06/24/2003
				To:	71-621											
(861) Mountain Run Road	2.60	90	R	From:	North Carolina State Line						NA			NA		07/23/2003
				To:	71-621											
(862) Oak Hill Road	2.06	270	F	From:	71-863					F	0.097	F	0.571	270	F	2003
				To:	71-621 SOUTH											
(862) Oak Hill Road	2.95	490	F	From:	97% 0% 2% 0% 1% 0%					C	0.11	F	0.556	500	F	2003
				To:	71-708											
(863) Berry Hill Road	1.97	2200	F	From:	North Carolina State Line					F	0.094	F	0.519	2200	F	2003
				To:	71-862											
(863) Berry Hill Road	4.54	2100	F	From:	90% 0% 2% 1% 6% 0%					F	0.09	F	0.551	2200	F	2003
				To:	71- 878											
(863) Berry Hill Road	0.78	0	?	From:							NA			NA		
				To:	0.78 M N 71-878											
(863) Moorefield Bridge Road	0.50	1900	N	From:	US 58					N	0.096	N	0.558	2000	N	2003
				To:	71-873											
(863) Moorefield Bridge Road	2.49	1900	F	From:	90% 0% 2% 1% 6% 0%					F	0.096	F	0.558	2000	F	2003
				To:	71-750											
(863) Laniers Mill Road	2.55	1100	F	From:	90% 0% 2% 1% 6% 0%					F	0.092	F	0.538	1100	F	2003
				To:	71-866											
(863) Laniers Mill Road	0.84	2100	F	From:	90% 0% 2% 1% 6% 0%					F	0.105	F	0.546	2100	F	2003
				To:	71-746											
(863) Golf Club Road	0.75	1200	N	From:	90% 0% 2% 1% 6% 0%					N	0.117	N	0.523	1300	N	2003
				To:	71-719											
(863) Robertson Lane	1.14	1200	F	From:	90% 0% 2% 1% 6% 0%					F	0.117	F	0.523	1300	F	2003
				To:	SR 41 SOUTH											
(863) R and L Smith Drive	3.79	1800	F	From:	SR 41 NORTH					F	0.114	F	0.707	1900	F	2003
				To:	US 29											
(864) Hunting Hills Road	0.84	760	R	From:	SR 41						NA			NA		08/12/2003
				To:	71-1134 NORTH											
(864) Hunting Hills Road	1.22	590	R	From:							NA			NA		08/12/2003
				To:	71-863											
(865)	1.89	150	R	From:	71-750						NA			NA		09/09/2003
				To:	71-866 EAST											
(865) Hutson Road	3.00	260	R	From:							NA			NA		09/09/2003
				To:	SR 41											
(866) Sandy Creek Road	2.40	370	R	From:	71-750						NA			NA		06/17/2003
				To:	71-865											
(866) Sandy Creek Road	1.37	560	R	From:							NA			NA		06/17/2003
				To:	71-863											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(867) Sportsman Road	1.70	70	R	From	71-703					NA				NA		09/09/2003
				To	71-869											
(868) Silver Creek Road	1.50	650	R	From	71-869					NA				NA		09/09/2003
				To	71-994											
(868) Silver Creek Road	0.22	740	F	99%	0%	1%	0%	0%	0%	C	0.09	F	0.578	760	F	2003
				To	71-844											
(869) Breezewood Drive	0.29	140	R	From	Cul-de-Sac					NA				NA		08/05/2003
				To	US 58											
(869) Stony Mill Road	2.62	1500	F	97%	0%	1%	1%	2%	0%	F	0.130	F	0.522	1500	F	2003
				To	71-868											
(869) Stony Mill Road	1.36	1400	F	97%	0%	1%	1%	2%	0%	F	0.093	F	0.546	1400	F	2003
				To	71-844											
(869) Tunstall High Road	1.80	1100	F	97%	0%	1%	1%	2%	0%	C	0.086	F	0.547	1100	F	2003
				To	71-750											
(870) Vandola Road	1.85	400	R	From	Dead End					NA				NA		07/15/2003
				To	71-1009											
(870) Vandola Road	1.46	500	R	From	71-1009					NA				NA		07/15/2003
				To	WCL Danville											
(871) Gravel Hill Road	1.10	100	R	From	North Carolina State Line					NA				NA		07/23/2003
				To	Dead End											
(872) Vandola Church Road	2.48	290	R	From	71-870					NA				NA		07/15/2003
				To	71-863 Gap Terminus											
(872) Meadowview Drive	1.40	310	R	From	US 58 Gap Terminus					NA				NA		07/15/2003
				To	71-873											
(873)	2.50	250	R	From	71-878					NA				NA		09/23/2003
				To	WCL Danville											
(874) Buford Road	0.30	40	R	From	Dead End					NA				NA		07/15/2003
				To	71-961											
(874)	2.70	320	R	From	71-961					NA				NA		05/22/2000
				To	71-875											
(875) Horseshoe Road	1.80	200	R	From	71-876					NA				NA		07/23/2003
				To	71-621											
(875) Horseshoe Road	2.80	210	R	From	71-621					NA				NA		07/23/2003
				To	US 58											
(876) Grays Park Road	0.01	540	R	From	US 58 WEST					NA				NA		09/12/2000
				To	71-948											
(876) Grays Park Road	0.69	250	R	From	71-948					NA				NA		09/12/2000
				To	US 58 MID											
(876) Mangrums Road	0.95	780	R	From	US 58 EAST					NA				NA		09/12/2000
				To	71-869											
(876) Cedar Spring Road	0.35	60	R	From	71-869					NA				NA		08/05/2003
				To	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(877) Chaming Road	0.70	100	R	From	US 58					NA			NA			07/23/2003
				To	Dead End											
(878) Duncan Drive	1.02	210	R	From	71-863					NA			NA			08/05/2003
				To	US 58 Gap Terminus											
(878) Pine Lake Road	1.50	470	R	From	Dead End; Gap Terminus					NA			NA			08/05/2003
				To	71-873											
(878) Pine Lake Road	0.85	430	R	From	71-869 SOUTH					NA			NA			08/05/2003
				To	71-869 NORTH											
(878) Stony Mill School Road	1.90	400	R	From						NA			NA			07/08/2003
				To	71-925											
(878) Stony Mill School Road	1.10	380	R	From						NA			NA			07/08/2003
				To	71-853											
(878)	0.29	170	R	From						NA			NA			07/08/2003
				To	Cul-de-Sac											
(879) Gordon Road	1.20	80	R	From	71-807					NA			NA			08/19/2003
				To	71-626											
(880) Stateline Bridge Road	0.84	530	R	From	North Carolina State Line					NA			NA			07/23/2003
				To	71-863											
(881) Garden Drive	0.45	70	R	From	Dead End					NA			NA			08/19/2003
				To	71-750											
(882) Medical Center Road	3.96	460	R	From	71-841					NA			NA			08/12/2003
				To	71-844 WEST											
(882) West Sunrise Drive	3.08	270	R	From	71-844 EAST					NA			NA			08/12/2003
				To	71-750											
(883) Campview Road	2.20	550	R	From	71-750					NA			NA			09/09/2003
				To	71-863											
(884) Allen Drive	0.42	260	R	From	71-638					NA			NA			08/12/2003
				To	71-634											
(885) Crown Road	0.30	110	R	From	71-665 WEST					NA			NA			08/12/2003
				To	SR 40 EAST											
(885) Crown Road	2.90	140	R	From	SR 40 WEST					NA			NA			09/26/2000
				To	71-665 EAST											
(886) Gandy Road	1.40	60	R	From	71-649					NA			NA			08/19/2003
				To	71-687											
(887) County Road	1.00	90	R	From	71-612					NA			NA			09/15/2003
				To	1.00 ME 71-612											
(887) County Road	0.50	190	R	From	71-750					NA			NA			09/15/2003
				To	SR 40 WEST											
(888) Crosbow Drive	0.70	70	R	From	SR 40 WEST					NA			NA			07/15/2003
				To	SR 40 EAST											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(889) Olivers Lane	0.60	30	R	From:	71-713					NA			NA			07/15/2003
				To:	Dead End											
(890) Drawbridge Road	0.57	30	R	From:	71-608					NA			NA			07/08/2003
				To:	Dead End											
(891) Deercrest Lane	1.00	220	R	From:	71-876					NA			NA			08/05/2003
				To:	Dead End											
(892) Mockingbird Road	1.00	45	R	From:	71-618					NA			NA			06/30/2003
				To:	71-630											
(893) Chestnut Lane	0.50	60	R	From:	71-640					NA			NA			07/22/2003
				To:	Dead End											
(894) Realty Road	0.12	490	R	From:	71-718					NA			NA			09/23/2003
				To:	US 29											
(895) Coleman Mountain Roa	2.50	46	R	From:	SR 57					NA			NA			07/22/2003
				To:	71-1093											
(895) Coleman Mountain Roa	1.30	60	R	From:	71-640					NA			NA			07/22/2003
				To:	71-969											
(896) Mill Run Road	1.50	80	R	From:	71-969					NA			NA			08/05/2003
				To:	1.50 MS 71-969											
(896) Mill Run Road	0.38	50	R	From:	71-969					NA			NA			08/05/2003
				To:	1.88 MS 71-969											
(896) Mill Run Road	0.14	80	R	From:	71-858					NA			NA			08/05/2003
				To:	71-626											
(896) Mill Run Road	0.57	40	R	From:	71-716					NA			NA			08/05/2003
				To:	71-716											
(897) Loop Road	3.00	190	R	From:	71-623					NA			NA			09/09/2003
				To:	Dead End											
(898) Avendale Road	1.13	60	R	From:	North Carolina State Line					NA			NA			06/30/2003
				To:	SR 62											
(899) Cardwell Lane	1.30	170	R	From:	71-629					NA			NA			06/30/2003
				To:	71-640 NORTH											
(900) Glenland Road	2.00	180	R	From:	71-640 SOUTH					NA			NA			06/23/2003
				To:	71-628											
(901) Owen	1.20	220	R	From:	71-825					NA			NA			06/23/2003
				To:	71-972											
(902) Sharon Lane	0.40	240	R	From:	71-869					NA			NA			08/05/2003
				To:	Dead End											
(903) Galveston Road	0.66	210	R	From:	US 29					NA			NA			08/19/2003
				To:	71-687											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(903) Galveston Road	2.30	190	R	From:	71-687					NA			NA		08/19/2003	
				To:	71-676											
(904) Burke Road	1.70	150	R	From:	71-665					NA			NA		08/12/2003	
				To:	1.70 MN 71-665											
(904) Burke Road	0.70	130	R	From:						NA			NA		08/12/2003	
				To:	71-634											
(905) Quail Road	0.20	20	R	From:	Dead End					NA			NA		09/15/2003	
				To:	71-932											
(906) Hunter Road	0.30	20	R	From:	Dead End					NA			NA		09/09/2003	
				To:	SR 57											
(907) Gerlene Lane	0.29	170	R	From:	71-856					NA			NA		06/24/2003	
				To:	71-911											
(907) Gerlene Lane	0.04	140	R	From:						NA			NA		06/24/2003	
				To:	Cul-de-Sac											
(908) Ford Road	1.72	60	R	From:	71-777					NA			NA		07/15/2003	
				To:	Dead End											
(909) Easts Store Lane	0.55	40	R	From:	Dead End					NA			NA		10/14/2003	
				To:	71-701											
(910) Hall Farmer Road	0.90	180	R	From:	Dead End					NA			NA		10/14/2003	
				To:	71-726											
(911) Hampton Circle	0.04	70	R	From:	71-907					NA			NA		06/24/2003	
				To:	Cul-de-Sac											
(912) Buck Horne Road	1.60	30	R	From:	71-660					NA			NA		06/24/2003	
				To:	US 360											
(913) Ferrell Lane	0.10	70	R	From:	71-934					NA			NA		06/30/2003	
				To:	0.10 MN 71-934											
(913) Ferrell Lane	0.40	70	R	From:						NA			NA		06/30/2003	
				To:	Dead End											
(914) Boxwood Road	3.25	70	R	From:	71-686					NA			NA		08/19/2003	
				To:	71-686											
(915) Owens Road	0.10	290	R	From:	71-640					NA			NA		08/19/2003	
				To:	71-761											
(916) Starkey Road	2.50	30	R	From:	71-640					NA			NA		06/30/2003	
				To:	71-604											
(917) Ray Mill Road	0.80	70	R	From:	SR 40					NA			NA		06/30/2003	
				To:	71-665											
(918) Newton Lane	0.10	20	R	From:	71-768					NA			NA		06/30/2003	
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Pittsylvania County																	
(919)	Olde Shoppe Road	0.33	70	R	From:	71-867					NA			NA		06/30/2003	
					To:	Dead End											
(920)	Astro Drive	1.35	20	R	From:	71-603					NA			NA		06/23/2003	
					To:	71-604											
(921)	Martin Road	1.40	40	R	From:	Dead End					NA			NA		06/23/2003	
					To:	71-840											
(922)	Andrew Road	1.70	100	R	From:	71-794					NA			NA		06/23/2003	
					To:	US 29											
(923)	Wallace Lane	0.38	40	R	From:	71-718					NA			NA		09/23/2003	
					To:	Dead End											
(924)	Pocket Road	0.39	10	R	From:	Dead End					NA			NA		06/24/2003	
					To:	71-638											
(924)	Pocket Road	0.54	40	R	From:	0.54 ME 71-638					NA			NA		06/24/2003	
					To:	71-665 NORTH											
(924)	Pocket Road	0.97	870	R	From:	US 29				F	0.098	F	0.540	740	F	2003	
					To:	WCL Hurt											
Town of Hurt																	
(924)	Pocket Road	0.79	700	F	96%	0%	1%	2%	1%	0%	C	0.114	F	0.585	720	F	2003
					To:	US 29 BUS											
(924)		1.17	1200	F	99%	0%	1%	0%	0%	0%	C	0.092	F	0.641	1200	F	2003
					To:	71-668											
Pittsylvania County																	
(925)	Steel Soring Place	0.30	20	R	From:	71-878					NA			NA		07/08/2003	
					To:	Dead End											
(926)	Macy Herndon Lane	0.30	80	R	From:	Dead End					NA			NA		07/08/2003	
					To:	71-839											
(927)	Hickeys Road	0.25	100	R	From:	71-685					NA			NA		07/22/2003	
					To:	71-938											
(927)	Hickeys Road	3.15	30	R	From:	SR 40 WEST					NA			NA		07/22/2003	
					To:	SR 40 EAST											
(927)	Buck Track Road	1.80	90	R	From:	71-606					NA			NA		06/30/2003	
					To:	71-649											
(928)	Spruse Road	1.70	90	R	From:	71-626					NA			NA		08/13/2003	
					To:	71-626											
(929)	Victoria Road	1.90	50	R	From:	71-634					NA			NA		08/05/2003	
					To:	71-643											
(930)	Sycamore Road	2.60	190	R	From:						NA			NA		08/12/2003	
					To:												



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(931) Sycamore Creek Road	0.31	160	R	From:	US 29					NA			NA			03/21/2000
				To:	71-654											
(932) Sailors Creek Road	3.03	90	R	From:	71-817					NA			NA			09/15/2003
				To:	71-969											
(932) Wynell Drive	1.50	50	R	From:	71-807					NA			NA			09/15/2003
				To:	71-718											
(933) Mill Road	0.10	50	R	From:	71-718					NA			NA			09/23/2003
				To:	Dead End											
(934) Maple Springs Drive	1.55	150	R	From:	71-616					NA			NA			06/30/2003
				To:	71-855											
(935) Lotus Drive	1.87	420	R	From:	71-672					NA			NA			07/08/2003
				To:	SR 40											
(935) Farmers Mountain Road	1.55	1100	R	From:	SR 40					NA			NA			07/08/2003
				To:	71-790											
(936) Miller Drive	0.08	100	R	From:	71-947					NA			NA			06/10/2003
				To:	71-989											
(936) Miller Drive	0.40	90	R	From:	71-989					NA			NA			06/10/2003
				To:	Dead End											
(937) Camp Branch Road	0.85	80	R	From:	71-628					NA			NA			06/30/2003
				To:	71-761											
(938) N Meadows Road	0.90	100	R	From:	71-683					NA			NA			08/08/2000
				To:	71-627											
(938) N Meadows Road	0.50	50	R	From:	71-627					NA			NA			07/22/2003
				To:	71-684											
(938) N Meadows Road	2.45	49	R	From:	71-684					NA			NA			07/22/2003
				To:	71-927											
(939) Brookside Road	3.85	320	R	From:	71-841					NA			NA			07/29/2003
				To:	71-844											
(940) Owens Mill Road	1.50	360	R	From:	71-609					NA			NA			03/06/2000
				To:	71-756											
(940) Owens Mill Road	0.90	70	R	From:	71-756					NA			NA			06/30/2003
				To:	71-763											
(940) Owens Mill Road	1.94	540	R	From:	71-763					NA			NA			03/06/2000
				To:	71-665											
(941) Daisy Payne Lane	1.00	140	R	From:	Dead End					NA			NA			06/30/2003
				To:	SR 41											
(942) Blacksmith Road	1.20	40	R	From:	71-642					NA			NA			08/19/2003
				To:	Dead End											
(943) Railroad Trail	0.03	90	R	From:	71-656					NA			NA			08/19/2003
				To:	41-943											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(944)	Collins Farm Road	0.25	30	R	From:	Dead End					NA			NA		08/19/2003
					To:	71-844										
(945)	Bean Land Road	0.35	30	R	From:	Dead End					NA			NA		08/19/2003
					To:	0.35 M FRM Dead End										
(945)	Bean Land Road	0.40	90	R	From:	Dead End					NA			NA		05/02/2000
					To:	71-750										
(946)	Georges Lane	0.30	50	R	From:	Dead End					NA			NA		08/19/2003
					To:	0.30 MS Dead End										
(946)	Georges Lane	0.14	60	R	From:	Dead End					NA			NA		04/18/2000
					To:	71-1705										
(946)	Georges Lane	0.36	240	R	From:	Dead End					NA			NA		04/18/2000
					To:	US 29										
(947)	Mountain Hill Road	0.93	1300	F	From:	71-735				C	0.097	F	0.594	1300	F	2003
					To:	71-936										
(947)	Mountain Hill Road	0.07	1600	F	From:	71-936				F	0.098	F	0.582	1700	F	2003
					To:	71-989										
(947)	Mountain Hill Road	0.10	1700	F	From:	71-989				F	0.094	F	0.618	1900	F	2003
					To:	Dead End										
(948)	Willow Briar Lane	0.92	90	R	From:	US 58; 71-1040					NA			NA		08/05/2003
					To:	US 58; 71-876										
(949)	Cherrywood Road	0.55	30	R	From:	71-751					NA			NA		07/15/2003
					To:	71-752 WEST										
(949)	Appletree Road	0.20	4	R	From:	71-752 EAST					NA			NA		07/15/2003
					To:	Dead End										
(950)	Tarpley Place	0.50	60	R	From:	71-852					NA			NA		08/05/2003
					To:	Dead End										
(951)	Yellow Bird Place	0.35	90	R	From:	71-622					NA			NA		07/08/2003
					To:	Dead End										
(952)	Blackbird Place	0.60	150	R	From:	71-622					NA			NA		07/08/2003
					To:	Dead End										
(953)	Hardy Road	0.25	40	R	From:	71-626					NA			NA		07/22/2003
					To:	Dead End										
(954)	Plantation Drive	0.70	380	R	From:	US 58; 71-620					NA			NA		06/30/2003
					To:	71-617										
(954)	Plantation Drive	1.00	300	R	From:	71-617					NA			NA		06/30/2003
					To:	71-934										
(955)	Marlin Road	0.15	80	R	From:	US 58					NA			NA		08/05/2003
					To:	Dead End										
(956)	Junior Dodson Road	0.30	40	R	From:	71-993					NA			NA		08/13/2003
					To:	Dead End										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(957) Factory Lane	0.07	400	R	From:	Dead End						NA			NA		08/12/2003
				To:	71-730											
(958) Glass Blower Lane	0.12	570	R	From:	Dead End						NA			NA		08/12/2003
				To:	71-730											
(959) Walk Lane	0.40	48	R	From:	Dead End						NA			NA		08/13/2003
				To:	71-712											
(960) B Jones Road	0.45	210	R	From:	71-866						NA			NA		09/09/2003
				To:	Dead End											
(961) Rocky Knoll Lane	0.50	120	R	From:	71-874						NA			NA		07/15/2003
				To:	0.50 MS 71-874											
(961) Rocky Knoll Lane	0.31	110	R	From:	71-874						NA			NA		07/15/2003
				To:	Cul-de-Sac											
(962) Kyle Road	0.20	30	R	From:	Dead End						NA			NA		07/23/2003
				To:	71-862											
(963) Mountain Lane	1.50	80	R	From:	Dead End						NA			NA		07/08/2003
				To:	SR 360											
(964) Davis Drive	0.60	120	R	From:	71-947						NA			NA		08/13/2003
				To:	Dead End											
(965)	0.78	30	R	From:	Dead End						NA			NA		07/22/2003
				To:	71-978											
(966) Mabe Drive	0.38	130	R	From:	71-713						NA			NA		08/13/2003
				To:	Dead End											
(967) Honeywood Road	0.60	60	R	From:	Dead End						NA			NA		08/13/2003
				To:	71-969											
(968) Sandy Creek Church Ro	3.07	550	R	From:	71-726						NA			NA		09/15/2003
				To:	71-713											
(969) Sago Road	3.13	980	F	93%	0%	3%	1%	3%	0%	C	0.098	F	0.596	990	F	2003
				To:	71-626											
(969) Sago Road	4.11	300	F	93%	0%	3%	1%	3%	0%	F	0.105	F	0.576	300	F	2003
				To:	Frederick County Line											
(970) Pounds Road	0.18	150	R	From:	US 58						NA			NA		07/25/2000
				To:	0.18 MN US 58											
(970) Pounds Road	1.82	70	R	From:	71-968						NA			NA		10/16/2003
				To:	71-968											
(971) Cozy Lane	0.15	90	R	From:	71-614						NA			NA		06/30/2003
				To:	Dead End											
(972) Cundiff Lane	0.30	110	R	From:	71-901						NA			NA		10/16/2003
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(973)	Colony Road	1.10	90	R	From:	Dead End					NA			NA		08/13/2003
					To:	71-783										
(974)	Adams Trail	0.50	60	R	From:	SR 360					NA			NA		10/03/2000
					To:	Dead End										
(975)	Eddies Lane	0.50	45	R	From:	Dead End					NA			NA		10/16/2003
					To:	71-718										
(976)	Coleman Road	1.67	50	R	From:	71-702					NA			NA		07/08/2003
					To:	71-680										
(977)	Miller Lane	0.20	70	R	From:	SR 40					NA			NA		06/30/2003
					To:	71-606; 71-9633										
(978)	Lakeside Road	0.90	140	R	From:	71-626					NA			NA		07/22/2003
					To:	Cul-de-Sac										
(979)	Moschler Drive	1.20	49	R	From:	Dead End					NA			NA		07/08/2003
					To:	71-640										
(980)	Banleys Street	0.18	70	R	From:	Dead End					NA			NA		08/12/2003
					To:	71-634										
(981)	Gemstone Lane	0.70	270	R	From:	Dead End					NA			NA		07/23/2003
					To:	US 58										
(982)	Anthony Ford Road	0.12	100	R	From:	71-626					NA			NA		07/22/2003
					To:	Franklin County Line										
(983)	Grandville Court	0.18	46	R	From:	71-869					NA			NA		09/12/2000
					To:	Dead End										
(984)	Gosney Farm Road	0.35	60	R	From:	SR 360					NA			NA		10/16/2003
					To:	Dead End										
(985)	Albert Edmonds Drive	0.30	110	R	From:	0.30 MS US 58					NA			NA		06/17/2003
					To:	US 58										
(985)	Staton Drive	0.25	50	R	From:						NA			NA		06/17/2003
					To:	Dead End										
(986)	Keesee Lane	0.40	80	R	From:	Dead End					NA			NA		10/14/2003
					To:	71-713										
(987)	Dogpatch Lane	0.40	80	R	From:	71-729					NA			NA		10/16/2003
					To:	Dead End										
(988)	Highwayview Road	0.32	1900	R	From:	71-642					NA			NA		06/24/2003
					To:	71-753										
(988)	Highwayview Road	0.60	2600	R	From:						NA			NA		06/24/2003
					To:	71-638										
(988)	Highwayview Road	0.18	3100	R	From:	71-638 Gap Terminus					NA			NA		06/24/2003
					To:	US 29										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
989	Airport Road	1.50	240	R	From:	Dead End					NA			NA		06/10/2003
989	Airport Road	0.06	370	R	To:	71-936					NA			NA		06/10/2003
					From:	71-947										
990	Graves Bridge Road	3.25	100	R	To:	71-751					NA			NA		07/15/2003
990	Graves Bridge Road	0.06	100	R	To:	3.25 MN 71-751					NA			NA		07/15/2003
					To:	71-605										
991	McNichols Lane	0.50	70	R	From:	Dead End					NA			NA		10/16/2003
					To:	71-726										
992	Homestead Trail	1.00	270	R	From:	71-726					NA			NA		10/16/2003
					To:	Dead End										
993	Wallace Way	0.12	120	R	From:	71-729					NA			NA		10/16/2003
993	Wallace Way	0.38	70	R	To:	71-956					NA			NA		10/16/2003
					To:	Dead End										
994	Millsville Lane	1.30	210	R	From:	Dead End					NA			NA		09/09/2003
					To:	71-868										
995	Happy Lane	0.65	20	R	From:	71-903					NA			NA		08/19/2003
					To:	Dead End										
996	Covington Drive	0.30	160	R	From:	71-633					NA			NA		08/05/2003
					To:	Dead End										
997	Oleander Drive	0.23	80	R	From:	Dead End					NA			NA		08/05/2003
					To:	71-726										
998	Albeck Drive	0.12	80	R	From:	Dead End					NA			NA		08/05/2003
					To:	71-668										
1000	Blairs Court	0.16	80	R	From:	71-720					NA			NA		06/17/2003
					To:	Dead End										
Town of Hurt																
1001	East Spencer Road	0.25	90	R	From:	Dead End					NA			NA		06/17/2003
1001	West Spencer Road	1.22	490	F	To:	71-634										
					96%	0%	1%	2%	0%	0%	C	0.088	F	0.75	500	F 2003
					To:	71-924										
Pittsylvania County																
1002	Gentlemens Ridge Road	0.50	80	R	From:	SR 360					NA			NA		10/16/2003
					To:	Dead End										
1003	Grove Street	0.60	120	R	From:	71-716					NA			NA		10/16/2003
					To:	Dead End										
1004	Pritchett Lane	1.07	590	R	From:	Cul-de-Sac					NA			NA		07/15/2003
					To:	71-719										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
Pittsylvania County																	
(1005)	Red Hawk Lane	0.70	47	R	From:	Dead End					NA			NA		07/22/2003	
					To:	71-686											
(1006)	Mumpower Lane	1.10	50	R	From:	SR 57					NA			NA		07/22/2003	
					To:	Dead End											
(1007)	Keens Road	0.20	100	R	From:	71-930					NA			NA		08/12/2003	
					To:	71-1122 NORTH											
(1007)	Keens Road	0.35	47	R	From:	71-1122 SOUTH					NA			NA		08/12/2003	
					To:	71-653											
(1008)	Deerheld Drive	0.59	90	R	From:	71-713					NA			NA		08/12/2003	
					To:	Dead End											
(1009)	Bennett Street	0.25	220	R	From:	71-870					NA			NA		07/15/2003	
					To:	Dead End											
Town of Hurt																	
(1010)	Lynn Street	0.18	120	R	From:	Dead End					NA			NA		08/27/2003	
					To:	71-1092											
(1010)	Lynn Street	0.15	240	R	From:	71-1033					NA			NA		08/27/2003	
					To:	71-1001											
(1010)	Lynn Street	0.22	240	R	From:	71-1011					NA			NA		08/27/2003	
					To:	71-1019											
(1010)	School Road	0.20	540	R	From:	71-1019					NA			NA		08/27/2003	
					To:	71-634											
(1011)	School Road	0.37	440	R	From:	71-1010					NA			NA		08/27/2003	
					To:	71-924											
(1012)		0.54	1100	F	99%	1%	0%	0%	0%	0%	C	0.089	F	0.515	1100	F	2003
					To:	71-634 NORTH											
(1012)		0.50	620	R	From:	71-634 SOUTH					NA			NA		08/27/2003	
					To:	Dead End											
(1013)	Knollwood Drive	0.25	80	R	From:	71-924					NA			NA		06/17/2003	
					To:	Dead End											
(1014)	Ramsey Road	0.18	180	R	From:	Dead End					NA			NA		06/17/2003	
					To:	71-1019											
Pittsylvania County																	
(1015)	Railroad Lane	0.30	140	R	From:	Dead End					NA			NA		06/17/2003	
					To:	US 29											
(1016)	Neal David Road	0.85	210	R	From:	Dead End					NA			NA		06/17/2003	
					To:	71-713											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1017) George Road	0.80	30	R	From:	71-622					NA			NA			06/24/2003
				To:	Dead End											
(1018) Moores Drive	1.30	200	R	From:	71-643					NA			NA			08/05/2003
				To:	71-642											
Town of Hurt																
(1019) Spring Street	0.36	250	R	From:	Dead End					NA			NA			08/12/2003
				To:	71-1033											
(1019) Spring Street	0.30	380	R	From:	71-1014					NA			NA			08/12/2003
				To:	71-1001											
(1019) Spring Street	0.08	430	R	From:	71-1010					NA			NA			08/12/2003
				To:	Dead End											
(1020) Ridge Street	0.25	170	R	From:	71-634					NA			NA			08/27/2003
				To:	Dead End											
Pittsylvania County																
(1021) Long Short Road	0.90	20	R	From:	71-640					NA			NA			07/08/2003
				To:	71-745											
(1022) Warehouse Road	0.20	270	R	From:	71-720					NA			NA			07/08/2003
				To:	Dead End											
(1023) Hither Lane	1.00	150	R	From:	71-718					NA			NA			09/23/2003
				To:	US 58; 71-734											
(1024) Gunn Garland Road	0.10	410	R	From:	71-1076					NA			NA			09/23/2003
				To:	71-655											
(1024) Gunn Garland Road	0.25	380	R	From:	Dead End					NA			NA			09/23/2003
				To:	71-718											
(1025) Stowe Lane	0.40	60	R	From:	71-718					NA			NA			09/23/2003
				To:	Dead End											
Town of Hurt																
(1026) Longview Road	0.16	100	R	From:	71-1058					NA			NA			08/27/2003
				To:	71-1060											
(1026) Longview Road	0.23	470	R	From:	71-634					NA			NA			08/27/2003
				To:	Dead End											
(1026) Longview Road	0.15	620	R	From:	71-620					NA			NA			06/30/2003
				To:	US 58											
(1028) Floyd Smith Road	0.50	50	R	From:	Dead End					NA			NA			06/24/2003
				To:	71-855											
(1029) Pannell Road	0.30	80	R	From:	US 29 BUS					NA			NA			08/05/2003
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1030) Compton Drive	0.25	260	R	From:	Dead End					NA			NA			08/05/2003
				To:	71-668											
(1031) Suburban Drive	0.50	160	R	From:	US 29					NA			NA			10/08/2003
				To:	71-721											
(1032) Tower Lane	0.50	45	R	From:	Dead End					NA			NA			09/23/2003
				To:	US 29											
Town of Hurt																
(1033) Grove Street	0.05	280	R	From:	71-1019					NA			NA			06/03/2003
				To:	71-1092											
(1033) Grove Street	0.27	260	R	From:	71-1092					NA			NA			06/03/2003
				To:	71-1010											
Pittsylvania County																
(1034) Old Oak Trail	0.15	70	R	From:	71-947					NA			NA			10/21/2003
				To:	Dead End											
(1035) Old Hickory Lane	0.05	80	R	From:	71-694					NA			NA			08/22/2000
				To:	0.05 MN 71-694											
(1035) Old Hickory Lane	0.63	60	R	From:	0.05 MN 71-694					NA			NA			10/21/2003
				To:	Dead End											
(1036) Adams View Lane	0.50	40	R	From:	Dead End					NA			NA			07/08/2003
				To:	71-640											
Town of Hurt																
(1037) Alta Lane	0.10	70	R	From:	71-1001					NA			NA			08/27/2003
				To:	Dead End											
Pittsylvania County																
(1038) Blairmont Drive	0.20	600	R	From:	71-1042					NA			NA			06/03/2003
				To:	71-1086											
(1038) Blairmont Drive	0.23	250	R	From:	71-1086					NA			NA			06/03/2003
				To:	71-1042											
(1038) Blairmont Drive	0.09	870	R	From:	71-1042					NA			NA			06/03/2003
				To:	US 29											
(1039) Craddock Lane	0.30	40	R	From:	Dead End					NA			NA			10/07/2003
				To:	71-803											
(1040) Rockwood Drive	0.80	150	R	From:	US 58					NA			NA			07/23/2003
				To:	71-948											
(1040) Rockwood Drive	0.03	270	R	From:	71-948					NA			NA			07/23/2003
				To:	US 58											
(1041) Rainbow Lane	0.38	400	R	From:	71-836					NA			NA			09/23/2003
				To:	Dead End											
(1042) Virginia Lane	0.12	280	R	From:	71-1038					NA			NA			10/07/2003
				To:	71-1045											
(1042) Virginia Lane	0.10	420	R	From:	71-1045					NA			NA			10/07/2003
				To:	71-1043											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
1042 Virginia Lane	0.08	400	R	From:	71-1043						NA		NA		10/07/2003	
				To:	71-1072											
1042 Virginia Lane	0.14	460	R	From:							NA		NA		10/07/2003	
				To:	71-1038											
				From:	Cul-de-Sac											
1043 Lowery Court	0.06	80	R	To:	71-1042						NA		NA		08/05/2003	
				From:	Dead End											
1044 Beechnut Road	0.40	40	R	To:	71-703						NA		NA		09/23/2003	
				From:	71-1042											
1045 Douglass Court	0.09	60	R	To:	Cul-de-Sac						NA		NA		06/24/2003	
				From:	71-1050											
1046 Wren Drive	0.04	70	R	To:	Dead End						NA		NA		06/24/2003	
				From:	71-718											
1047 Wright Lane	0.30	90	R	To:	Dead End						NA		NA		08/05/2003	
				From:	71-604											
1048 Hills Drive	0.30	30	R	To:	Dead End						NA		NA		06/23/2003	
				From:	71-668											
1049 Davis Farm Road	0.20	30	R	To:	Dead End						NA		NA		06/23/2003	
				From:	71-665											
1050 Keatts Road	0.70	340	R	To:	71-1046						NA		NA		06/24/2003	
1050 Keatts Road	0.10	790	R	To:	US 29						NA		NA		06/24/2003	
				From:	71-666											
1051 Glenn Brown Road	0.40	30	R	To:	Dead End						NA		NA		07/08/2003	
				From:	71-640											
1052 Pitchfork Road	0.25	60	R	To:	Dead End						NA		NA		10/21/2003	
				From:	Dead End											
1053 Harper Lane	0.30	40	R	To:	71-640						NA		NA		06/30/2003	
				From:	71-726											
1054 Mavin Collie Drive	0.30	260	R	To:	71-729						NA		NA		06/24/2003	
				From:	Dead End											
1055 Bachelor Hall Farm Roa	0.65	70	R	To:	71-863						NA		NA		07/15/2003	
				From:	71-841											
1056 May Hardy Road	0.50	90	R	To:	Dead End						NA		NA		07/08/2003	
				From:	Dead End											
1057 Red Oak Road	0.40	30	R	To:	71-750						NA		NA		08/19/2003	
Town of Hurt																
				From:	71-1026											
1058 Oakwood Drive	0.25	190	R	To:	Dead End						NA		NA		08/27/2003	

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Hurt																
(1059) Riverview Road	0.37	80	R	From:	71-924						NA		NA		08/27/2003	
				To:	71-924											
(1060) Smith Road	0.17	190	R	From:	Dead End						NA		NA		08/27/2003	
				To:	71-1026											
Pittsylvania County																
(1061) Iona Drive	0.85	60	R	From:	SR 40; Halifax County Line						NA		NA		06/23/2003	
				To:	Dead End											
(1062) Church Lane	0.30	30	R	From:	Dead End						NA		NA		10/21/2003	
				To:	71-659											
(1063) Ridge Road	0.10	600	R	From:	71-1065						NA		NA		10/28/2003	
				To:	71-1073											
(1063) Ridge Road	0.17	360	R	From:							NA		NA		10/28/2003	
(1063) Ridge Road	0.13	120	R	From:	71-1074 WEST						NA		NA		10/28/2003	
				To:	71-1179											
(1063) Ridge Road	0.10	100	R	From:							NA		NA		10/28/2003	
				To:	71-1074 EAST											
(1064)	0.07	80	R	From:	ECL Danville						NA		NA		07/23/2003	
				To:	Dead End											
(1065) Ripley Drive	0.27	940	R	From:	SR 41						NA		NA		10/28/2003	
				To:	71-1063											
(1065) Ripley Drive	0.13	70	R	From:							NA		NA		10/28/2003	
				To:	Dead End											
(1066) West Withers Road	0.30	60	R	From:	71-875						NA		NA		07/23/2003	
				To:	Dead End											
(1067) Saddle Road	0.25	90	R	From:	Dead End						NA		NA		07/23/2003	
				To:	71-875											
(1068) Retreat Drive	1.00	60	R	From:	71-614						NA		NA		08/19/2003	
				To:	Dead End											
(1069) Camney Road	0.25	90	R	From:	71-676						NA		NA		08/19/2003	
				To:	Dead End											
(1070) Rodgers Road	0.35	30	R	From:	71-659						NA		NA		10/21/2003	
				To:	Dead End											
(1071) Tobacco Road	0.55	45	R	From:	SR 41						NA		NA		09/23/2003	
				To:	Dead End											
(1072) Brackenhouse Road	0.17	470	R	From:	71-1042						NA		NA		09/23/2003	
				To:	71-745											
(1073) Worsham Court	0.10	60	R	From:	Dead End						NA		NA		06/23/2003	
				To:	71-1063											
(1073) Worsham Court	0.09	100	R	From:							NA		NA		06/23/2003	
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1074) Kenridge Circle	0.33	130	R	From	71-1063 WEST					NA		NA		05/02/2000		
				To	71-1063 EAST											
(1074) Kenridge Circle	0.16	60	R	From						NA		NA		05/02/2000		
				To	Dead End											
(1075) Elderberry Lane	0.30	10	R	From	Dead End					NA		NA		06/23/2003		
				To	71-628											
(1076) Nelson Avenue	0.20	80	R	From	71-734					NA		NA		06/23/2003		
				To	71-1024											
(1077) Beaver Drive	0.20	80	R	From	SR 360					NA		NA		07/29/2003		
				To	SR 360											
(1078) Bethel Road	0.23	70	R	From	Dead End					NA		NA		07/29/2003		
				To	SR 360											
(1079) Walter Beavers	0.38	60	R	From	Dead End					NA		NA		07/29/2003		
				To	SR 360											
(1080) Belair Road	0.80	80	R	From	71-903					NA		NA		08/19/2003		
				To	US 29											
(1081) Meadowridge Court	0.60	100	R	From	71-1080					NA		NA		07/29/2003		
				To	Cul-de-Sac											
(1082)	0.11	90	R	From	71-869					NA		NA		07/29/2003		
				To	Cul-de-Sac											
(1083) Shelton Drive	0.50	70	R	From	Dead End					NA		NA		08/05/2003		
				To	71-670											
(1084) Petty Lane	0.65	20	R	From	71-686					NA		NA		07/22/2003		
				To	Dead End											
(1085) Carson Lester Lane	0.15	120	R	From	Dead End					NA		NA		07/08/2003		
				To	71-744											
(1086) Finch Drive	0.28	70	R	From	71-1087 WEST					NA		NA		07/08/2003		
				To	71-1089											
(1086) Finch Drive	0.07	80	R	From						NA		NA		07/08/2003		
				To	71-1088											
(1086) Finch Drive	0.15	150	R	From						NA		NA		07/08/2003		
				To	71-1087 EAST											
(1086) Finch Drive	0.14	370	R	From						NA		NA		07/08/2003		
				To	71-1038											
(1087) Drury Lane	0.10	120	R	From	71-1086 WEST					NA		NA		08/12/2003		
				To	71-1086 EAST											
(1088) Condrad Court	0.05	50	R	From	71-1086					NA		NA		08/12/2003		
				To	Cul-de-Sac											
(1089) Lynrock Court	0.05	49	R	From	Cul-de-Sac					NA		NA		08/12/2003		
				To	71-1086											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1090) Learner Lane	0.17	530	R	From:	US 29						NA		NA		10/08/2003	
				To:	Dead End											
(1091) Dale Drive	0.10	60	R	From:	Cul-de-Sac						NA		NA		08/12/2003	
				To:	71-719											
Town of Hurt																
(1092) Oak Street	0.10	270	R	From:	71-1010						NA		NA		08/12/2003	
				To:	71-1097											
(1092) Oak Street	0.10	260	R	From:	71-1097						NA		NA		08/12/2003	
				To:	71-1033											
Pittsylvania County																
(1093) Basel Road	0.18	60	R	From:	71-895						NA		NA		07/22/2003	
				To:	Dead End											
(1094) Oriole Lane	0.25	30	R	From:	71-682						NA		NA		07/08/2003	
				To:	Dead End											
(1095) Rowland Drive	0.50	140	R	From:	Dead End						NA		NA		08/05/2003	
				To:	71-640											
(1096) Hankins Lane	0.60	60	R	From:	71-662						NA		NA		10/14/2003	
				To:	Dead End											
Town of Hurt																
(1097) High Street	0.10	90	R	From:	Dead End						NA		NA		10/14/2003	
				To:	71-1092											
Pittsylvania County																
(1098) Bowl Drive	0.30	90	R	From:	71-9317						NA		NA		10/14/2003	
				To:	0.30 ME 71-9317											
(1098) Bowl Drive	0.30	610	R	From:	0.30 ME 71-9317						NA		NA		10/14/2003	
				To:	Dead End											
(1099) Hylton Lane	0.60	50	R	From:	Dead End						NA		NA		09/23/2003	
				To:	71-718											
(1101) Bennie Drive	0.21	160	R	From:	Dead End						NA		NA		06/17/2003	
				To:	71-1102											
(1101) Bennie Drive	0.09	270	R	From:	71-1102						NA		NA		06/17/2003	
				To:	71-726											
(1102) Mt Zion Circle	0.09	130	R	From:	71-1101						NA		NA		06/10/2003	
				To:	71-1103											
(1102) Mt Zion Circle	0.10	280	R	From:	71-1103						NA		NA		06/10/2003	
				To:	71-726											
(1103) McCain Drive	0.14	90	R	From:	Dead End						NA		NA		07/23/2003	
				To:	71-1102											
(1104) Hyler Circle	0.24	30	R	From:	71-1040 SOUTH						NA		NA		07/23/2003	
				To:	71-1040 NORTH											
(1105) Witcher Road	0.30	180	R	From:	Dead End						NA		NA		08/27/2003	
				To:	71-655											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1106) Kadesh Court	0.18	150	R	From:	71-1004					NA			NA			07/22/2003
				To:	Cul-de-Sac											
Town of Hurt																
(1107) Darrell Lane	0.56	440	R	From:	Cul-de-Sac					NA			NA			08/27/2003
				To:	71-924											
Pittsylvania County																
(1108) Oak Forest Circle	0.08	250	R	From:	SR 41					NA			NA			09/09/2003
				To:	Begin Loop											
(1108) Oak Forest Circle	0.42	220	R	From:						NA			NA			09/09/2003
				To:	End Loop											
(1109) Laurel Woods Drive	0.40	150	R	From:	71-1110 SOUTH					NA			NA			07/29/2003
				To:	71-1110 NORTH											
(1109) Laurel Woods Drive	0.32	320	R	From:						NA			NA			07/29/2003
				To:	71-719											
(1110) Bent Creek Road	0.11	120	R	From:	71-1109 SOUTH					NA			NA			07/13/2003
				To:	71-1111											
(1110) Bent Creek Road	0.30	90	R	From:						NA			NA			07/13/2003
				To:	71-1109 NORTH											
(1111) Bent Creek Court	0.06	60	R	From:	71-1110					NA			NA			08/27/2003
				To:	Dead End											
(1112) Hundred Acre Road	0.48	160	R	From:	Dead End					NA			NA			06/24/2003
				To:	71-713											
(1113) Blankenship Road	0.30	90	R	From:	71-728					NA			NA			08/27/2003
				To:	Dead End											
(1114) Ridgeview Road	0.29	210	R	From:	71-638					NA			NA			06/24/2003
				To:	71-1115											
(1115) Hillside Road	0.33	110	R	From:	71-638					NA			NA			06/24/2003
				To:	Dead End											
(1116) Old Spring Road	0.36	150	R	From:	Dead End					NA			NA			08/12/2003
				To:	71-1109											
(1117) Old Spring Court	0.09	70	R	From:	71-1116					NA			NA			08/12/2003
				To:	Cul-de-Sac											
(1118) Harper Road	0.90	150	R	From:	Dead End					NA			NA			08/12/2003
				To:	SR 41											
(1119) Pittwood Drive	0.29	80	R	From:	71-863					NA			NA			08/12/2003
				To:	71-719											
(1120) Magnolia Road	0.23	40	R	From:	71-1121					NA			NA			08/12/2003
				To:	71-866											
(1121) Magnolia Court	0.05	30	R	From:	Cul-de-Sac					NA			NA			08/12/2003
				To:	71-1120											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1122) Irby Circle	0.70	45	R	From:	71-1007 WEST					NA			NA		08/12/2003	
				To:	71-1007 EAST											
(1123) Toy Lane	0.07	50	R	From:	Dead End					NA			NA		08/05/2003	
				To:	US 29											
(1125) Lion Lane	0.18	50	R	From:	Cul-de-Sac					NA			NA		08/05/2003	
				To:	71-1126											
(1125) Lion Lane	0.08	100	R	From:	71-851					NA			NA		08/05/2003	
				To:	71-1125											
(1126) Red Bird Lane	0.05	30	R	From:	Cul-de-Sac					NA			NA		08/05/2003	
				To:	Cul-de-Sac											
(1127) Homeport Lane	0.39	40	R	From:	Cul-de-Sac					NA			NA		08/05/2003	
				To:	71-745											
(1128) Sunny Knoll Lane	0.09	48	R	From:	71-719					NA			NA		08/05/2003	
				To:	Dead End											
(1129) Cedar Ridge Road	0.19	70	R	From:	SR 41					NA			NA		08/05/2003	
				To:	Cul-de-Sac											
(1130) Matthew Circle	0.30	120	R	From:	Begin Loop					NA			NA		10/28/2003	
				To:	71-1136											
(1130) Matthew Circle	0.12	110	R	From:	End Loop					NA			NA		10/28/2003	
				To:	Dead End											
(1131) Green Hill Drive	0.17	70	R	From:	71-1133					NA			NA		10/30/2003	
				To:	SCL Danville											
(1132) Old Mayfield Road	0.20	1400	R	From:	71-1140					NA			NA		10/30/2003	
				To:	71-1146											
(1132) Old Mayfield Road	1.45	400	R	From:	71-1142					NA			NA		10/30/2003	
				To:	SR 41 SOUTH											
(1132) Old Mayfield Road	1.00	270	R	From:	71-1131					NA			NA		06/17/2003	
				To:	SR 41 NORTH											
(1132) Foster Road	0.40	110	R	From:	71-864 SOUTH					NA			NA		10/30/2003	
				To:	71-864 NORTH											
(1133) Country Lane	0.03	180	R	From:	WCL Danville					NA			NA		10/30/2003	
				To:	Dead End											
(1133) Country Lane	0.27	100	R	From:	71-1130					NA			NA		06/17/2003	
				To:	Cul-de-Sac											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1137) Sylvan Road	0.18	40	R	From:	71-646					NA			NA			08/05/2003
				To:	71-1138											
(1138) Simpson Drive	0.05	30	R	From:	Dead End					NA			NA			08/05/2003
				To:	71-1137											
(1138) Simpson Drive	0.10	60	R	From:						NA			NA			08/05/2003
				To:	71-634											
(1139) Three Point Isle Drive	0.22	20	R	From:	71-626					NA			NA			08/05/2003
				To:	Franklin County Line											
(1140) Princeton Road	0.55	600	R	From:	Dead End					NA			NA			10/30/2003
				To:	71-1132											
(1141) Sydenham Street	0.30	130	R	From:	Dead End					NA			NA			10/30/2003
				To:	SCL Danville											
(1142) Ferry Road	0.40	150	R	From:	Dead End					NA			NA			10/30/2003
				To:	71-1132											
(1142) Ferry Road	0.58	750	R	From:						NA			NA			10/30/2003
(1142) Ferry Road	0.07	1300	R	From:	71-1144					NA			NA			10/30/2003
				To:	71-1153											
(1142) Ferry Road	0.04	2200	R	From:						NA			NA			10/30/2003
				To:	WCL Danville											
(1143) Sweden Falls Lane	0.67	0	?	From:	71-640					NA			NA			
				To:	Cul-de-Sac											
(1144) Lucky Lane	0.10	20	R	From:	71-1142					NA			NA			10/30/2003
				To:	Dead End											
(1146) Riverbend Road	0.40	80	R	From:	71-1132					NA			NA			10/30/2003
				To:	Dead End											
(1147)	0.15	70	R	From:	Dead End					NA			NA			08/12/2003
				To:	71-633											
(1148) Brushy Arbor Court	0.21	190	R	From:	71-750					NA			NA			08/12/2003
				To:	Begin Loop											
(1148) Brushy Arbor Court	0.46	110	R	From:						NA			NA			08/12/2003
				To:	End Loop											
(1149) Rushing Branch Road	0.19	20	R	From:	SR 62					NA			NA			08/12/2003
				To:	Dead End											
(1150) High Meadow Circle	0.39	40	R	From:	Dead End					NA			NA			08/12/2003
				To:	71-1118											
(1153) Martin Road	0.65	650	R	From:	Dead End					NA			NA			10/30/2003
				To:	71-1142											
(1154) Grub Road	0.25	100	R	From:	71-821					NA			NA			08/19/2003
				To:	SR 57											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1155) Hudson Circle	0.49	40	R	From:	SR 57					NA			NA			08/19/2003
				To:	SR 57											
(1159) Stonecreek Road	0.67	60	R	From:	Dead End					NA			NA			08/19/2003
				To:	71-863											
(1163) Douglas Drive	0.32	60	R	From:	Cul-de-Sac					NA			NA			08/19/2003
				To:	SR 41											
(1164) Drucker Court	0.19	60	R	From:	Cul-de-Sac					NA			NA			08/19/2003
				To:	71-1163											
(1165) Haney Court	0.23	60	R	From:	Cul-de-Sac					NA			NA			08/19/2003
				To:	71-1163											
(1166) Jackson Heights	0.43	210	R	From:	SR 41					NA			NA			10/28/2003
				To:	Dead End											
(1169) Scott Drive	0.12	90	R	From:	71-1170					NA			NA			09/09/2003
				To:	71-813											
(1170) Glory Drive	0.10	140	R	From:	SR 57 WEST					NA			NA			09/09/2003
				To:	71-1169											
(1170) Glory Drive	0.07	80	R	From:						NA			NA			09/09/2003
				To:	SR 57 EAST											
(1171) Cedar Gates Loop Road	0.84	46	R	From:	SR 57 WEST					NA			NA			08/19/2003
				To:	SR 57 EAST											
(1172) Country Drive	0.60	60	R	From:	71-730 WEST					NA			NA			08/11/2003
				To:	71-730 EAST											
(1177) City View Court	0.04	48	R	From:	71-964					NA			NA			06/24/2003
				To:	Dead End											
Town of Hurt																
(1178) Victoria Lane	0.05	30	R	From:	Dead End					NA			NA			06/24/2003
				To:	71-924											
Pittsylvania County																
(1179) Victoria Lane	0.05	70	R	From:	71-1063					NA			NA			06/29/2003
				To:	Cul-de-Sac											
(1182) Samuel Road	0.16	550	R	From:	SR 41					NA			NA			07/15/2003
				To:	71-1183											
(1182) Samuel Road	0.17	380	R	From:						NA			NA			07/15/2003
				To:	71-1184											
(1182) Samuel Road	0.23	70	R	From:						NA			NA			07/15/2003
				To:	Cul-de-Sac											
(1183) Franklin Place	0.18	80	R	From:	71-1182					NA			NA			06/24/2003
				To:	Cul-de-Sac											
(1184) Samuel Court	0.05	60	R	From:	71-1182					NA			NA			06/24/2003
				To:	Cul-de-Sac											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
1185 Indian Trail Road	0.10	140	R		From	71-719					NA			NA		06/24/2003
1185 Indian Trail Road	0.22	50	R		To	71-1186					NA			NA		08/27/2003
1185 Indian Trail Road	0.31	60	R		From	71-1190					NA			NA		08/27/2003
					To	71-1192; 71-1191										
1186 Tuscorora Drive	0.18	130	R		From	71-1185					NA			NA		07/08/2003
1186 Tuscorora Drive	0.08	150	R		To	71-1187					NA			NA		07/08/2003
1186 Tuscorora Drive	0.03	30	R		From	71-1188					NA			NA		07/08/2003
					To	Cul-de-Sac										
1187 Tuscorora Lane	0.10	210	R		From	71-719					NA			NA		07/08/2003
					To	71-1186										
1188 Corn Tassel Road	0.30	80	R		From	71-1186					NA			NA		07/08/2003
					To	Cul-de-Sac										
1189 Pocahontas Road	0.14	40	R		From	71-1185					NA			NA		05/09/2000
					To	Cul-de-Sac										
1190 Wigwam Drive	0.13	40	R		From	71-1185					NA			NA		08/27/2003
					To	Cul-de-Sac										
1191 Adobe Court	0.05	40	R		From	Cul-de-Sac					NA			NA		08/27/2003
					To	71-1185; 71-1192										
1192 Skyhawk Court	0.04	10	R		From	71-1185; 71-1191					NA			NA		08/27/2003
					To	Cul-de-Sac										
Town of Hurt																
1193	0.19	170	R		From	Dead End					NA			NA		08/27/2003
					To	71-1107										
Pittsylvania County																
1194 Samuel Bend	0.26	80	R		From	Cul-de-Sac					NA			NA		07/08/2003
					To	71-1182										
1196 Discovery Road	0.15	30	R		From	Dead End					NA			NA		10/31/2003
					To	71-640										
1197 Rosewood Lane	0.25	180	R		From	Dead End					NA			NA		10/31/2003
					To	71-1153										
1198	0.15	80	R		From	71-841					NA			NA		07/18/2003
					To	Cul-de-Sac										
1199	0.07	60	R		From	Cul-de-Sac					NA			NA		07/18/2003
					To	71-841										
1242 Foxberry Lane	0.40	0	?		From	71-853					NA			NA		
					To	Cul-de-Sac										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
1243 Kinsley Court	0.05	0	?	From:	Cul-de-Sac					NA			NA			
				To:	71-1242											
1244 Aby Way	0.05	0	?	From:	Cul-de-Sac					NA			NA			
				To:	71-1242											
1245 Beacon Circle	0.05	0	?	From:	Cul-de-Sac					NA			NA			
				To:	71-1242											
1246 Evangel Drive	0.12	40	R	From:	71-735					NA			NA			07/08/2003
				To:	Dead End											
1247 Lewis Lane	0.14	70	R	From:	Dead End					NA			NA			07/08/2003
				To:	71-729											
1250 Bridgewood Drive	0.33	50	R	From:	71-719					NA			NA			07/18/2003
				To:	Cul-de-Sac											
1251 Cobblestone Drive	0.18	0	?	From:	Cul-de-Sac					NA			NA			
				To:	71-1257											
1251 Cobblestone Drive	0.23	30	R	From:	71-1250					NA			NA			07/18/2003
				To:	71-1250											
1252 Knottingham Way	0.10	20	R	From:	71-1250					NA			NA			10/28/2003
				To:	71-1255; 71-1253											
1252 Knottingham Way	0.34	40	R	From:	Cul-de-Sac					NA			NA			10/28/2003
				To:	Cul-de-Sac											
1253 Cornwallis Place	0.05	60	R	From:	Dead End					NA			NA			10/28/2003
				To:	71-1252; 71-1255											
1254 William Drive	0.42	190	R	From:	71-730					NA			NA			07/08/2003
				To:	Dead End											
1255 Cornwallis Drive	0.18	70	R	From:	71-1252; 71-1253					NA			NA			08/19/2003
				To:	71-1252											
1256 Gwen Lane	0.16	60	R	From:	Dead End					NA			NA			08/19/2003
				To:	71-729											
1257 Cobblestone Court	0.15	0	?	From:	71-01251(B)/					NA			NA			
				To:	Cul-de-Sac/											
1258 Meadows Farm Road	0.51	50	R	From:	71-726					NA			NA			07/15/2003
				To:	Dead End											
1260 Oak Ridge Farms Road	0.29	50	R	From:	Dead End					NA			NA			07/15/2003
				To:	71-1261											
1260 Oak Ridge Farms Road	0.60	370	R	From:	71-872					NA			NA			07/15/2003
				To:	71-872											
1261 Walnut Road	0.54	160	R	From:	Cul-de-Sac					NA			NA			07/15/2003
				To:	71-1260											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1262) Oak Ridge Lane	0.44	80	R	From:	Dead End						NA			NA		07/15/2003
				To:	71-1260											
(1265) Northridge Drive	0.30	50	R	From:	71-864						NA			NA		09/30/2003
				To:	71-1266											
(1266) Dokata Drive	0.19	50	R	From:	Cul-de-Sac						NA			NA		09/30/2003
				To:	Cul-de-Sac											
(1270) Ringgold Industrial Park	0.42	330	R	From:	Dead End						NA			NA		1997
				To:	71-729											
(1271) Ringgold East Industrial	0.36	0	?	From:	71-00733(B)/						NA			NA		
				To:	Cul-de-Sac/											
(1280) Mallard Lake Drive	0.29	170	R	From:	Cul-de-Sac						NA			NA		07/08/2003
				To:	71-853											
(1285) Cluster Pines Road	0.42	90	R	From:	Dead End						NA			NA		06/23/2003
				To:	SR 40											
(1290) Golden Lane	0.45	50	R	From:	Dead End						NA			NA		06/23/2003
				To:	71-726											
(1295) Blue Jay Lane	0.21	60	R	From:	71-672						NA			NA		03/08/2000
				To:	Dead End											
(1300) Knollwood Drive	0.45	50	R	From:	Cul-de-Sac						NA			NA		06/23/2003
				To:	US 29											
Town of Gretna																
(1301) School Street	0.17	360	R	From:	71-1305						NA			NA		06/23/2003
				To:	US 29 BUS											
(1302) Leftwich Street	0.58	1100	F	98%	0%	1%	0%	0%	0%	C	0.092	F	0.564	1100	F	2003
(1302) Leftwich Street	0.33	1600	F	98%	0%	1%	0%	0%	0%	F	0.081	F	0.544	1600	F	2003
				To:												
(1302) Leftwich Street	0.18	1900	R	From:	71-760						NA			NA		1996
				To:	US 29 BUS											
(1303) Coffey Street	0.05	1400	R	From:	SR 40 WEST						NA			NA		09/30/2003
				To:	71-1327											
(1303) Coffey Street	0.07	1200	R	From:							NA			NA		09/30/2003
				To:	71-1322 WEST											
(1303) Coffey Street	0.24	1100	R	From:							NA			NA		09/30/2003
				To:	71-1322 EAST											
(1303) Coffey Street	0.28	1500	R	From:							NA			NA		09/30/2003
				To:	71-1321											
(1303) Coffey Street	0.03	1500	R	From:							NA			NA		09/30/2003
				To:	SR 40 EAST											
(1304) Washington Street	0.09	90	R	From:	71-1319						NA			NA		09/30/2003
				To:	71-792											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Gretna																
(1304) Washington Street	0.19	80	R	From:	71-792					NA			NA			09/30/2003
				To:	71-1302											
(1305) Franklin Boulevard Nort	0.17	1500	R	From:	SR 40					NA			NA			06/10/2003
				To:	71-1301											
(1305) Franklin Boulevard Nort	0.07	1200	R	From:	71-1301					NA			NA			06/10/2003
				To:	71-1326											
(1305) Franklin Boulevard Nort	0.07	1100	R	From:	71-1326					NA			NA			06/10/2003
				To:	71-1314											
(1305) Franklin Boulevard Nort	0.01	1200	R	From:	71-1314					NA			NA			06/10/2003
				To:	71-1319											
(1305) Franklin Boulevard Nort	0.08	1100	R	From:	71-1319					NA			NA			06/10/2003
				To:	71-792											
(1305) Franklin Boulevard Nort	0.24	850	R	From:	71-792					NA			NA			06/10/2003
				To:	71-1302											
(1306) Bailey Street	0.16	80	R	From:	71-792					NA			NA			09/30/2003
				To:	71-1302											
(1307) Center Street	0.09	160	R	From:	71-1309					NA			NA			09/30/2003
				To:	71-1316											
(1307) Center Street	0.10	1100	R	From:	71-1316					NA			NA			09/30/2003
				To:	71-792; US 29 BUS											
(1308) Virginia Street	0.13	590	R	From:	SR 40					NA			NA			09/30/2003
				To:	71-1330											
(1308) Virginia Street	0.17	580	R	From:	71-1330					NA			NA			09/30/2003
				To:	71-1310											
(1308) Virginia Street	0.27	320	R	From:	71-1310					NA			NA			09/30/2003
				To:	71-792											
(1308) Virginia Street	0.16	300	R	From:	71-792					NA			NA			09/30/2003
				To:	71-1318											
(1308) Virginia Street	0.07	130	R	From:	71-1318					NA			NA			09/30/2003
				To:	NCL Gretna											
Pittsylvania County																
(1308) Virginia Street	0.15	60	R	From:	NCL Gretna					NA			NA			09/30/2003
				To:	Dead End											
Town of Gretna																
(1309) Huffmond Street	0.06	160	R	From:	71-792					NA			NA			09/30/2003
				To:	71-1307											
(1309) Huffmond Street	0.20	150	R	From:	71-1307					NA			NA			09/30/2003
				To:	71-1302											
(1310) Payne Street	0.17	270	R	From:	71-792					NA			NA			09/30/2003
				To:	71-1308											
(1310) Payne Street	0.56	260	R	From:	71-1308					NA			NA			09/30/2003
				To:	71-792; 71-1318											
(1311) Harrison Street	0.20	260	R	From:	SR 40					NA			NA			09/30/2003
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Gretna																
(1312) Dalton Street	0.19	240	R		From:	SR 40					NA			NA		09/30/2003
(1312) Dalton Street	0.10	180	R		To:	71-1319					NA			NA		09/30/2003
(1312) Dalton Street	0.15	130	R		From:	71-792					NA			NA		09/30/2003
					To:	71-1302										
(1313) Steele Street	0.10	170	R		From:	71-1302					NA			NA		09/30/2003
					To:	WCL Gretna										
Pittsylvania County																
(1313) Steele Street	0.34	47	R		From:	WCL Gretna					NA			NA		09/30/2003
					To:	Dead End										
Town of Gretna																
(1314) Watts Street Extension	0.12	510	R		From:	71-1305					NA			NA		09/30/2003
					To:	71-1317										
(1315) Power Street	0.14	60	R		From:	US 29 BUS					NA			NA		09/30/2003
					To:	71-1321										
(1316) S Shelton Drive	0.07	750	R		From:	71-792					NA			NA		09/30/2003
					To:	71-1307										
(1317) Watts Street Extension	0.06	940	R		From:	71-792					NA			NA		09/30/2003
(1317) Watts Street Extension	0.05	460	R		To:	71-1314					NA			NA		09/30/2003
					To:	Dead End										
(1318) Payne Street Extension	0.22	100	R		From:	71-792; 71-1310					NA			NA		09/30/2003
					To:	71-1308										
(1319) West Watts Street	0.23	200	R		From:	71-1312					NA			NA		09/30/2003
					To:	71-1305										
Pittsylvania County																
(1320) Willkes Drive	0.15	50	R		From:	Dead End					NA			NA		07/08/2003
					To:	SR 40										
Town of Gretna																
(1321) Church Street	0.02	250	R		From:	71-1303					NA			NA		06/10/2003
(1321) Church Street	0.08	220	R		To:	71-1315					NA			NA		06/10/2003
					To:	US 29 BUS										
(1322) Harvey Street	0.23	120	R		From:	71-1303 WEST					NA			NA		09/30/2003
					To:	71-1303 EAST										
(1323) Fitzgerald Street	0.08	220	R		From:	71-1327					NA			NA		09/30/2003
(1323) Toney Steet	0.13	260	R		To:	SR 40					NA			NA		09/30/2003
					To:	71-792										
(1324) Northwest Drive	0.04	580	R		From:	US 29 BUS					NA			NA		09/30/2003
					To:	WCL Gretna										

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1324) Northwest Drive	0.08	320	R	From:	WCL Gretna					NA			NA			09/30/2003
				To:	71-1325											
(1325) Highland Road	0.17	90	R	From:	Dead End					NA			NA			06/17/2003
				To:	71-1324											
Town of Gretna																
(1326) Creasy Street	0.12	280	R	From:	71-1305					NA			NA			06/17/2003
				To:	Cul-de-Sac											
Pittsylvania County																
(1327) Industrial Drive	0.38	540	R	From:	Dead End					NA			NA			09/30/2003
				To:	71-1323											
Town of Gretna																
(1327) Industrial Drive	0.02	370	R	From:	71-1323					NA			NA			09/30/2003
				To:	71-1303											
Pittsylvania County																
(1328) Norris Road	0.32	40	R	From:	71-935					NA			NA			06/17/2003
				To:	Dead End											
(1329) Gale Road	0.20	20	R	From:	71-935					NA			NA			07/08/2003
				To:	Dead End											
Town of Gretna																
(1330)	0.06	60	R	From:	71-1308					NA			NA			09/30/2003
				To:	Dead End											
Pittsylvania County																
(1331) Oak Grove Drive	0.20	30	R	From:	Dead End					NA			NA			07/08/2003
				To:	71-935											
(1332) Zebra Road	0.15	70	R	From:	Dead End					NA			NA			06/17/2003
				To:	SR 40											
(1334) Peoples Supply Road	0.17	50	R	From:	US 29 BUS					NA			NA			07/08/2003
				To:	Dead End											
(1336) Windy Road	0.30	48	R	From:	US 29 BUS					NA			NA			07/08/2003
				To:	Dead End											
(1345)	0.14	30	R	From:	Dead End					NA			NA			09/19/2000
				To:	71-1078											
(1400)	0.30	40	R	From:	US 29 SOUTH					NA			NA			07/12/2000
				To:	US 29 NORTH											
Town of Chatham																
(1401) Pruden Street	0.03	1600	R	From:	US 29 BUS					NA			NA			10/15/2003
				To:	71-1419											
(1401) Pruden Street	0.03	1000	R	From:						NA			NA		10/15/2003	
(1401) Pruden Street	0.03	900	R	From:	71-1408					NA			NA		10/15/2003	
(1401) Pruden Street	0.09	780	R	From:	71-1418					NA			NA			10/15/2003
				To:	71-1404											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Chatham																
(1401) Pruden Street	0.01	250	R	From:	71-1404					NA			NA		10/15/2003	
				To:	Dead End											
(1402) Carter Street	0.09	1200	R	From:	SR 57					NA			NA		10/07/2003	
				To:	71-1415											
(1402) Whittle Street	0.10	1500	R	From:						NA			NA		10/07/2003	
(1402) Whittle Street	0.09	640	R	From:	71-1407					NA			NA		10/07/2003	
				To:	71-1414											
(1402) Rison Street	0.20	230	R	From:						NA			NA		10/07/2003	
				To:	WCL Chatham											
Pittsylvania County																
(1402) Rison Street	0.30	70	R	From:	WCL Chatham					NA			NA		10/07/2003	
				To:	Dead End											
Town of Chatham																
(1403) Whitehead Street	0.06	610	R	From:	SR 57					NA			NA		09/09/2003	
				To:	71-1416											
(1403) Whitehead Street	0.07	710	R	From:						NA			NA		09/09/2003	
(1403) Whitehead Street	0.37	910	R	From:	71-1440					NA			NA		09/09/2003	
				To:	US 29 BUS											
(1404) Peach Street	0.10	550	R	From:	71-1401					NA			NA		10/15/2003	
				To:	71-1405											
(1404) Peach Street	0.15	550	R	From:						NA			NA		10/15/2003	
(1404) Peach Street	0.15	540	R	From:	71-1410					NA			NA		10/15/2003	
				To:	71-1412											
(1404) Peach Street	0.19	570	R	From:						NA			NA		10/15/2003	
(1404) Peach Street	0.10	480	R	From:	71-685					NA			NA		10/15/2003	
				To:	71-1441; US 29 BUS											
(1405) Church Lane	0.07	200	R	From:	71-1407					NA			NA		10/07/2003	
				To:	71-1422											
(1405) Church Lane	0.07	180	R	From:						NA			NA		10/07/2003	
(1405) Lanier Avenue	0.22	430	R	From:	US 29 BUS					NA			NA		10/07/2003	
				To:	71-1404											
(1406) Center Street	0.13	770	R	From:	71-1407					NA			NA		10/07/2003	
				To:	US 29 BUS											
(1407) Military Drive	0.06	790	R	From:	71-1402					NA			NA		10/07/2003	
				To:	71-1406											
(1407) Military Drive	0.07	800	R	From:						NA			NA		10/07/2003	
(1407) Military Drive	0.15	560	R	From:	71-1405					NA			NA		10/07/2003	
				To:	71-1410											
(1407) Military Drive	0.24	310	R	From:						NA			NA		10/07/2003	
				To:	71-685											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
2Axle 3+Axle 1Trail 2Trail																
Town of Chatham																
1408 Reid Street	0.22	1000	R	From:	SR 57						NA			NA		10/07/2003
				To:	71-1401											
1409 Spruce Hill Street	0.19	120	R	From:	71-685						NA			NA		10/07/2003
				To:	US 29 BUS											
1410 Hargrave Boulevard	0.14	630	R	From:	71-1407						NA			NA		10/07/2003
				To:	US 29 BUS											
1410 Holt Street	0.01	380	R	From:							NA			NA		10/15/2003
1410 Holt Street	0.14	110	R	From:	71-1413						NA			NA		10/15/2003
				To:	71-1411											
1410 Holt Street	0.07	270	R	From:	71-1404						NA			NA		10/15/2003
				To:	71-1410											
1411 Catalpa Drive	0.14	140	R	From:	71-1412						NA			NA		10/15/2003
				To:	71-1411											
1412 Oak Street	0.07	120	R	From:	71-1404						NA			NA		10/15/2003
				To:	71-1410											
1413 Gilmer Drive	0.08	70	R	From:	US 29 BUS						NA			NA		10/15/2003
				To:	Dead End											
1414 Whittle Street	0.19	70	R	From:	71-1402						NA			NA		10/07/2003
				To:	71-1402											
1415 Bank Street	0.03	1400	R	From:	US 29 BUS; Gap Terminus						NA			NA		07/12/2003
				To:	71-1419 Gap Terminus											
1415 Court Place	0.07	580	R	From:	71-1418						NA			NA		07/22/2003
				To:	71-1403											
1416 Sugar Hill Road	0.26	370	R	From:	SR 57						NA			NA		07/22/2003
				To:												
Pittsylvania County																
1417 Oak Grove Lane	0.07	80	R	From:	SR 57						NA			NA		07/22/2003
				To:	Dead End											
Town of Chatham																
1418 Bank Street	0.03	530	R	From:	71-1401						NA			NA		06/20/2003
				To:	71-1415											
1419 Payne Street	0.03	140	R	From:	Dead End						NA			NA		06/20/2003
				To:	71-1401											
1419 Payne Street	0.04	250	R	From:	71-1415						NA			NA		06/20/2003
				To:	71-694 WEST											
1420 Oakland Drive	0.20	370	R	From:	71-1426 NORTH						NA			NA		06/20/2003
				To:	71-1426 SOUTH											
1420 Oakland Drive	0.10	320	R	From:	71-1426 SOUTH						NA			NA		06/20/2003
				To:	71-694 EAST											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Chatham																
(1421) Jefferson Road	0.21	90	R	From:	71-694					NA			NA			06/24/2003
				To:	Dead End											
(1422) Hunt Street	0.09	100	R	From:	71-1405					NA			NA			10/07/2003
				To:	Dead End											
(1423) Washington Court	0.03	48	R	From:	71-694					NA			NA			06/24/2003
				To:	Dead End											
(1424) Paul Road	0.23	210	R	From:	SR 57					NA			NA			06/24/2003
				To:	Dead End											
Pittsylvania County																
(1425) Hunts Town Road	0.20	160	R	From:	71-612					NA			NA			06/24/2003
				To:												
(1425) Hunts Town Road	0.15	190	R	From:	71-823					NA			NA			06/17/2003
				To:	SR 57											
Town of Chatham																
(1426) Hedrick Drive	0.25	210	R	From:	71-1420					NA			NA			06/17/2003
				To:	71-1420											
(1427) Minor Road	0.12	100	R	From:	Dead End					NA			NA			06/17/2003
				To:	US 29 BUS											
Pittsylvania County																
(1428) Moses Mill Road	1.04	140	R	From:	SR 57 WEST					NA			NA			06/10/2003
				To:												
(1428) Moses Mill Road	0.38	250	R	From:	SR 57 EAST					NA			NA			06/10/2003
				To:												
(1428) Moses Mill Road	0.06	370	R	From:	71-822					NA			NA			06/10/2003
				To:	SR 57 MID											
(1429) Friendship Road	0.30	140	R	From:	US 29 BUS					NA			NA			04/18/2000
				To:	Dead End											
(1430) Clarkstown Church Roa	0.26	190	R	From:	US 29 BUS					NA			NA			04/18/2000
				To:	Dead End											
(1431) Neighborhood Road	0.35	340	R	From:	71-691					NA			NA			10/15/2003
				To:	71-1439											
(1432) Hill Crest Lane	0.60	180	R	From:	Dead End					NA			NA			10/15/2003
				To:	SR 57											
(1433) Cherrystone Road	0.20	210	R	From:	71-703					NA			NA			06/17/2003
				To:												
(1433) Cherrystone Road	0.98	270	R	From:	71-1434					NA			NA			06/17/2003
				To:	US 29											
(1434) Samuel Harris Lane	0.30	410	R	From:	US 29					NA			NA			06/17/2003
				To:												
(1434) Samuel Harris Lane	0.30	350	R	From:	71-703					NA			NA			06/17/2003
				To:	71-1433											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1435) Deep Run Road	0.80	50	R	From:	Dead End						NA		NA		10/21/2003	
				To:	71-703											
(1436) Bob Neal Lane	0.33	50	R	From:	Dead End						NA		NA		10/21/2003	
				To:	71-703											
(1437) Woodlawn Academy Ro	0.69	80	R	From:	US 29						NA		NA		10/21/2003	
				To:	0.69 MN US 29											
(1437) Woodlawn Academy Ro	0.21	90	R	From:	0.70 MN US 29						NA		NA		10/21/2003	
				To:	71-703											
(1438) Tightsqueeze Industrial	0.77	880	R	From:	Dead End						NA		NA		10/21/2003	
				To:	71-703											
(1439) Jackson Lane	0.10	150	R	From:	Dead End						NA		NA		10/15/2003	
				To:	71-1431											
Town of Chatham																
(1440) Depot Street	0.29	240	R	From:	71-1403						NA		NA		10/07/2003	
				To:	SR 57											
(1441) Lynn Street	0.12	170	R	From:	US 29 BUS; 71-1404						NA		NA		10/15/2003	
				To:	Dead End											
Pittsylvania County																
(1442) Sleeper Lane	0.17	50	R	From:	Dead End						NA		NA		10/15/2003	
				To:	SR 57											
Town of Chatham																
(1443) Evergreen Road	0.20	50	R	From:	US 29 BUS						NA		NA		06/10/2003	
				To:	Dead End											
Pittsylvania County																
(1444) Maddock Lane	0.50	70	R	From:	Dead End						NA		NA		10/07/2003	
				To:	SR 57											
(1445) Roach Moore Lane	0.12	70	R	From:	71-691						NA		NA		10/07/2003	
				To:	Dead End											
(1446) White Street	0.27	140	R	From:	US 29 BUS						NA		NA		10/15/2003	
				To:	Dead End											
(1447) Robin Court	0.24	120	R	From:	Dead End						NA		NA		10/07/2003	
				To:	71-691											
Town of Chatham																
(1449) Aston Place	0.08	90	R	From:	71-1402						NA		NA		10/07/2003	
				To:	Dead End											
(1460) Catalpa Drive	0.13	0	?	From:	71-1411; 71-1412						NA		NA			
				To:	71-685											
Pittsylvania County																
(1500) Pineview Drive	0.13	45	R	From:	Dead End						NA		NA		10/07/2003	
				To:	71-729											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1501) Fall Creek Drive	0.30	160	R	From:	US 29					NA			NA		10/08/2003	
				To:	Dead End											
(1502) Woodlake Drive	0.12	40	R	From:	71-1504					NA			NA		10/08/2003	
				To:	71-1546											
(1502) Woodlake Drive	0.13	200	R	From:	71-1503					NA			NA		10/08/2003	
				To:	US 29											
(1503) Pecan Court	0.11	46	R	From:	71-1504					NA			NA		10/08/2003	
				To:	71-1502											
(1504) Ginger Road	0.03	10	R	From:	Dead End					NA			NA		10/08/2003	
				To:	71-1502											
(1504) Ginger Road	0.02	30	R	From:	71-1503					NA			NA		10/08/2003	
				To:	US 29											
(1505) Greenwood Drive	0.25	150	R	From:	Dead End					NA			NA		10/08/2003	
				To:	US 29											
(1506) Lakeside Drive	0.40	340	R	From:	US 29					NA			NA		10/08/2003	
				To:	Dead End											
(1507) Pine Hill Circle	0.10	90	R	From:	71-747					NA			NA		09/09/2003	
				To:	Cul-de-Sac											
(1508) Swanson Avenue	0.14	250	R	From:	SR 41					NA			NA		09/15/2003	
				To:	71-1509											
(1508) Swanson Avenue	0.16	180	R	From:	Dead End					NA			NA		09/15/2003	
				To:	Dead End											
(1509) Meadowood Lane	0.20	80	R	From:	71-1510					NA			NA		09/15/2003	
				To:	71-1508											
(1510) Slaughter Avenue	0.10	590	R	From:	SR 41; 71-9311					NA			NA		09/15/2003	
				To:	71-1509											
(1510) Slaughter Avenue	0.14	430	R	From:	71-1511 WEST					NA			NA		09/15/2003	
				To:	71-1511 EAST											
(1510) Slaughter Avenue	0.07	200	R	From:	Dead End					NA			NA		09/15/2003	
				To:	71-1510 WEST											
(1511) Austin Circle	0.18	50	R	From:	71-1510 EAST					NA			NA		09/15/2003	
				To:	SR 41											
(1512) Eagle Lane	0.20	280	R	From:	Dead End					NA			NA		09/15/2003	
				To:	SR 41											
(1513) Berkley Street	0.15	110	R	From:	Dead End					NA			NA		09/15/2003	
				To:	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1514) Apple Lane	0.35	60	R	From:	Dead End					NA			NA			08/05/2003
				To:	71-743											
(1515) Song Bird Lane	0.30	90	R	From:	Dead End					NA			NA			09/23/2003
				To:	71-1539											
(1515) Song Bird Lane	0.30	260	R	From:						NA			NA			09/23/2003
				To:	71-742											
(1516) Kerr Lane	0.30	60	R	From:	Dead End					NA			NA			08/12/2003
				To:	71-750											
(1517)	0.44	190	R	From:	WCL Danville					NA			NA			08/12/2003
				To:	Dead End											
(1519)	0.19	80	R	From:	WCL Danville					NA			NA			08/12/2003
				To:	Dead End											
(1520) Mt Olivet Lane	0.15	230	R	From:	71-750					NA			NA			08/12/2003
				To:	71-724											
(1521) Oakland Lane	0.10	30	R	From:	71-1522					NA			NA			08/12/2003
				To:	Dead End											
(1522) Oakland Drive	0.50	260	R	From:	Dead End					NA			NA			08/12/2003
				To:	71-1521											
(1522) Oakland Drive	0.23	370	R	From:						NA			NA			08/12/2003
				To:	71-1534											
(1522) Oakland Drive	0.06	420	R	From:						NA			NA			08/12/2003
				To:	71-750											
(1523) Jamerson Road South	0.40	230	R	From:	Dead End					NA			NA			09/02/2003
				To:	71-750											
(1523) Jamerson Road North	0.26	720	R	From:						NA			NA			09/02/2003
				To:	Dead End											
(1524) Rosewood Court	0.40	220	R	From:	Dead End					NA			NA			09/02/2003
				To:	71-750											
(1525) Grandad Lane	0.30	80	R	From:	Dead End					NA			NA			09/02/2003
				To:	71-750											
(1526) Astin Lane	0.50	50	R	From:	Dead End					NA			NA			10/21/2003
				To:	71-1527											
(1526) Astin Lane	0.60	120	R	From:						NA			NA			09/26/2000
				To:	71-750											
(1527) Almond Road	1.00	30	R	From:	Dead End					NA			NA			09/09/2003
				To:	71-1526											
(1528) McLaughlin Drive	0.13	60	R	From:	US 29; 71-1550					NA			NA			10/08/2003
				To:	Dead End											
(1529) Parker Road East	0.95	400	R	From:	Dead End					NA			NA			08/12/2003
				To:	WCL Danville											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1530) Hickory Forest Road	0.50	130	R	From:	Dead End					NA			NA			09/15/2003
				To:	71-863											
(1531) Honey Road	1.27	240	R	From:	71-746					NA			NA			09/09/2003
				To:	Dead End											
(1532) Chestnut Road	0.20	40	R	From:	Dead End					NA			NA			09/09/2003
				To:	71-883											
(1533) Woodhaven Drive	0.24	290	R	From:	Dead End					NA			NA			09/02/2003
				To:	71-750											
(1534) Maxey Lane	0.14	47	R	From:	71-1522					NA			NA			08/12/2003
				To:	Dead End											
(1535) Jeanette Drive	0.04	30	R	From:	Dead End					NA			NA			09/15/2003
				To:	71-1545 SOUTH											
(1535) Jeanette Drive	0.20	300	R	From:						NA			NA			09/15/2003
				To:	71-1545 NORTH											
(1535) Jeanette Drive	0.11	1400	R	From:						NA			NA			09/15/2003
				To:	71-1537											
(1535) Jeanette Drive	0.26	1600	R	From:						NA			NA			09/15/2003
				To:	71-1536											
(1535) Jeanette Drive	0.23	2700	R	From:						NA			NA			09/15/2003
				To:	SR 41											
(1536) Angie Road	0.40	280	R	From:	Dead End					NA			NA			09/15/2003
				To:	71-1535											
(1537) Debbie Lane	0.16	370	R	From:	71-744					NA			NA			09/15/2003
				To:	71-1535											
(1538) Natalie Lane	0.23	110	R	From:	Dead End					NA			NA			09/02/2003
				To:	71-1533											
(1539) Ashworth Lane	0.25	80	R	From:	Dead End					NA			NA			09/23/2003
				To:	71-1515											
(1540) Dogwood Lane	0.16	750	R	From:	71-744					NA			NA			10/28/2003
				To:	71-1541											
(1540) Dogwood Lane	0.08	60	R	From:						NA			NA			10/28/2003
				To:	Dead End											
(1541) West Maple Drive	0.32	600	R	From:	Cul-de-Sac					NA			NA			10/28/2003
				To:	71-1540											
(1541) West Maple Drive	0.09	110	R	From:						NA			NA			10/28/2003
				To:	Dead End											
(1542) Ridgewood Drive	0.14	100	R	From:	71-750					NA			NA			09/02/2003
				To:	Dead End											
(1543) Deerfield Lane	0.19	230	R	From:	71-750					NA			NA			09/02/2003
				To:	71-1548											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1543) Deerfield Lane	0.01	30	R	From:	71-1548					NA			NA		09/02/2003	
				To:	71-1560											
(1544) Olde Hunting Trail	0.10	890	R	From:	71-750					NA			NA		08/12/2003	
				To:	71-1549											
(1544) Olde Hunting Trail	0.40	240	R	From:	71-1549					NA			NA		08/12/2003	
				To:	Dead End											
(1545) April Lane	0.39	240	R	From:	71-1535 SOUTH					NA			NA		09/15/2003	
				To:	71-1535 NORTH											
(1546) Mary Lane	0.06	60	R	From:	Cul-de-Sac					NA			NA		10/08/2003	
				To:	71-1547											
(1546) Mary Lane	0.07	120	R	From:						NA			NA		10/08/2003	
				To:	71-1502											
(1547) Hedrick Court	0.03	40	R	From:	71-1546					NA			NA		10/08/2003	
				To:	Cul-de-Sac											
(1548) Keswick Drive	0.58	150	R	From:	71-1543					NA			NA		09/02/2003	
				To:	71-747											
(1549) Buckhorn Drive	0.10	610	R	From:	71-1544					NA			NA		08/12/2003	
				To:	71-1566											
(1549) Buckhorn Drive	0.10	550	R	From:						NA			NA		08/12/2003	
(1549) Buckhorn Drive	0.15	300	R	From:	71-1567					NA			NA		10/08/2003	
				To:	71-1568											
(1549) Buckhorn Drive	0.10	90	R	From:						NA			NA		10/08/2003	
				To:	Cul-de-Sac											
(1550) Forestroad Drive	0.61	100	R	From:	Cul-de-Sac					NA			NA		10/08/2003	
				To:	71-1552											
(1550) Forestroad Drive	0.02	330	R	From:						NA			NA		10/08/2003	
(1550) Forestroad Drive	0.15	370	R	From:	71-1551					NA			NA		10/08/2003	
				To:	US 29 BUS; 71-1528											
(1551) Forest Court	0.16	90	R	From:	Cul-de-Sac					NA			NA		10/08/2003	
				To:	71-1550											
(1552) Sweet William	0.18	60	R	From:	71-1550					NA			NA		10/08/2003	
				To:	Dead End											
(1555) Fox Trail	0.30	90	R	From:	71-746					NA			NA		09/23/2003	
				To:	Dead End											
(1558) John Drive	0.15	420	R	From:	71-1541					NA			NA		10/28/2003	
				To:	71-1559											
(1558) John Drive	0.17	190	R	From:						NA			NA		10/28/2003	
				To:	Cul-de-Sac											
(1559) Allen Place	0.18	140	R	From:	Cul-de-Sac					NA			NA		10/28/2003	
				To:	71-1558											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1560) Deerfield Court	0.03	30	R	From:	Cul-de-Sac						NA			NA		09/02/2003
				To:	71-1543											
(1561) Walker Drive	0.17	160	R	From:	Dead End						NA			NA		10/28/2003
				To:	71-1564											
(1562) Walker Court	0.05	40	R	From:	Dead End						NA			NA		10/28/2003
				To:	71-1563; 71-1561											
(1563) Walker Place	0.05	80	R	From:	71-1562; 71-1561						NA			NA		10/28/2003
				To:	Dead End											
(1564) Talbott Drive	0.55	640	R	From:	Dead End						NA			NA		10/28/2003
				To:	71-1565											
(1564) Talbott Drive	0.09	690	R	From:							NA			NA		10/28/2003
				To:	71-1545											
(1565)	0.13	110	R	From:	Cul-de-Sac						NA			NA		10/28/2003
				To:	71-1564											
(1566) Arrowhead Lane	0.12	90	R	From:	71-1549						NA			NA		09/02/2003
				To:	Cul-de-Sac											
(1567) Rainbow Circle	0.33	140	R	From:	71-1549						NA			NA		09/02/2003
				To:	71-1568											
(1568) Powhattan Drive	0.13	120	R	From:	71-1549						NA			NA		08/12/2003
				To:	71-1567											
(1568) Powhattan Drive	0.04	46	R	From:							NA			NA		09/02/2003
				To:	Cul-de-Sac											
(1575) Riveria Drive	0.10	210	R	From:	SR 360						NA			NA		09/02/2003
				To:	71-1576											
(1576) Lafayette Drive	0.05	90	R	From:	Dead End						NA			NA		09/15/2003
				To:	71-1575											
(1576) Lafayette Drive	0.14	70	R	From:							NA			NA		09/15/2003
				To:	0.14 MN 71-1575											
(1577) Stoneridge Drive	0.39	0	?	From:	71-00747(B)/						NA			NA		
				To:	Cul-de-Sac/											
(1578) Hickory Court	0.08	0	?	From:	Cul-de-Sac/						NA			NA		
				To:	71-01577(B)/											
(1579) Branch Court	0.08	0	?	From:	Cul-de-Sac/						NA			NA		
				To:	71-01577(B)/											
(1580) Cheltenham Place	0.08	40	R	From:	71-1548						NA			NA		09/02/2003
				To:	Cul-de-Sac											
(1581) Devonshire Court	0.06	30	R	From:	71-1548						NA			NA		09/02/2003
				To:	Cul-de-Sac											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1584) Bridal Path Trail	0.36	130	R	From:	Dead End					NA			NA			09/02/2003
				To:	71-1524											
(1590) Cedarwood Lane	0.30	60	R	From:	Cul-de-Sac					NA			NA			09/02/2003
				To:	71-750											
(1592)	0.21	270	R	From:	71-727					NA			NA			09/15/2003
				To:	Cul-de-Sac											
(1595) Poplar Trace	0.86	250	R	From:	71-743					NA			NA			09/09/2003
				To:	Cul-de-Sac											
(1620) Splendors Gate Road	1.55	100	R	From:	Dead End					NA			NA			06/30/2003
				To:	71-620											
(1621) Lane Road	0.10	120	R	From:	Dead End					NA			NA			06/30/2003
				To:	71-1620											
(1622) Haymes Road	0.15	100	R	From:	Dead End					NA			NA			06/30/2003
				To:	71-1620											
(1623) Shields Road	0.14	120	R	From:	Dead End					NA			NA			06/30/2003
				To:	71-1620											
(1630) Bowe Street	0.10	60	R	From:	Dead End					NA			NA			07/15/2003
				To:	71-1634											
(1630) Bowe Street	0.20	180	R	From:	Dead End					NA			NA			07/15/2003
				To:	Dead End											
(1633) Callahan Hill Road	0.15	60	R	From:	Dead End					NA			NA			07/15/2003
				To:	71-863											
(1634) Carter Street	0.10	80	R	From:	71-1630					NA			NA			07/15/2003
				To:	US 58 ; FR-645											
(1640)	0.25	120	R	From:	Dead End					NA			NA			07/15/2003
				To:	71-872											
(1648) Page Road	0.30	70	R	From:	Dead End					NA			NA			07/15/2003
				To:	71-863											
(1649) Meadow Brook Circle	0.76	80	R	From:	71-872 SOUTH					NA			NA			07/15/2003
				To:	71-872 NORTH											
(1659) Wilson Street	0.09	60	R	From:	71-854					NA			NA			06/30/2003
				To:	Dead End											
(1660) Pleasant Drive	0.13	120	R	From:	71-622					NA			NA			06/30/2003
				To:	71-1664											
(1660) Pleasant Drive	0.05	20	R	From:	Dead End					NA			NA			06/30/2003
				To:	Cul-de-Sac											
(1661) Venus Court	0.06	20	R	From:	71-1664					NA			NA			06/30/2003
				To:	Cul-de-Sac											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1662) Peaceful Lane	0.06	60	R	From	71-622					NA			NA		06/24/2003	
(1662) Peaceful Lane	0.09	40	R	To	71-1664					NA			NA		06/24/2003	
				From	Dead End											
(1663) Serene Court	0.07	80	R	From	71-622					NA			NA		06/24/2003	
(1663) Serene Court	0.06	2	R	To	71-1664					NA			NA		06/24/2003	
				From	Cul-de-Sac											
(1664) Bonny Ave	0.17	30	R	From	71-1663					NA			NA		06/24/2003	
(1664) Bonny Ave	0.09	30	R	To	71-1662					NA			NA		06/24/2003	
(1664) Bonny Ave	0.11	50	R	From	71-1661					NA			NA		06/24/2003	
				To	71-1660											
(1665) Jefferson Road	0.16	80	R	From	Dead End					NA			NA		09/23/2003	
				To	71-742											
(1670) Thistle Trail	0.35	320	R	From	71-746					NA			NA		09/09/2003	
				To	Cul-de-Sac											
(1671) Hawks Ridge Road	0.37	280	R	From	71-1670					NA			NA		09/09/2003	
(1671) Hawks Ridge Road	0.26	50	R	To	71-1672					NA			NA		09/09/2003	
				From	Dead End											
(1672) Sycamore Circle	0.55	100	R	From	71-1671					NA			NA		09/09/2003	
				To	Cul-de-Sac											
(1673) Splendors Gate Road	0.14	10	R	From	71-1672					NA			NA		09/09/2003	
				To	Cul-de-Sac											
(1674) Splendors Gate Road	0.22	30	R	From	Cul-de-Sac					NA			NA		09/09/2003	
				To	71-1672											
(1680) Pineview Road	0.35	460	R	From	Dead End					NA			NA		08/12/2003	
				To	US 58											
(1685) Windsor Trail	0.12	260	R	From	Cul-de-Sac					NA			NA		07/23/2003	
(1685) Windsor Trail	0.24	260	R	To	71-1687					NA			NA		07/23/2003	
				From	US 58											
(1686) Windsor Place	0.05	60	R	To	Cul-de-Sac					NA			NA		07/23/2003	
				From	71-1685											
(1687) Windsor Court	0.09	80	R	From	Cul-de-Sac					NA			NA		07/23/2003	
				To	71-1685											
(1690) Westridge Drive	0.65	340	R	From	71-872					NA			NA		09/23/2003	
				To	Dead End											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1691) Blueridge View Drive	0.43	90	R	From:	71-1690					NA			NA			09/23/2003
				To:	Cul-de-Sac											
(1692) Ridgeway Drive	0.77	70	R	From:	71-1690					NA			NA			09/23/2003
				To:	71-1691											
(1701) Deerwood Drive	0.25	70	R	From:	Dead End					NA			NA			07/08/2003
				To:	71-1709											
(1701) Deerwood Drive	0.10	140	R	From:	71-1709					NA			NA			07/08/2003
				To:	71-1704											
(1701) Deerwood Drive	0.11	460	R	From:	71-1704					NA			NA			07/08/2003
				To:	71-1707											
(1701) Deerwood Drive	0.13	360	R	From:	71-1707					NA			NA			07/08/2003
				To:	71-1702											
(1701) Deerwood Drive	0.39	490	R	From:	71-1702					NA			NA			07/08/2003
				To:	US 29											
(1702) Oak Lane	0.14	250	R	From:	71-1701					NA			NA			07/15/2003
				To:	71-1703											
(1703) Candlewood Drive	0.28	180	R	From:	71-946					NA			NA			06/03/2003
				To:	71-1702											
(1704) Hickory Drive	0.09	200	R	From:	71-1701					NA			NA			06/03/2003
				To:	71-1705											
(1704) Hickory Drive	0.09	50	R	From:	71-1705					NA			NA			06/03/2003
				To:	Cul-de-Sac											
(1705) Windflower Drive	0.09	190	R	From:	71-1704					NA			NA			06/24/2003
				To:	71-1706											
(1705) Windflower Drive	0.08	210	R	From:	71-1706					NA			NA			06/24/2003
				To:	71-946											
(1706) Windflower Place	0.09	70	R	From:	Cul-de-Sac					NA			NA			06/03/2003
				To:	71-1705											
(1707) Woodcreek Drive	0.13	80	R	From:	Dead End					NA			NA			07/08/2003
				To:	71-1708											
(1707) Woodcreek Drive	0.10	60	R	From:	71-1708					NA			NA			07/08/2003
				To:	71-1701											
(1708) Woodcreek Place	0.20	50	R	From:	Cul-de-Sac					NA			NA			07/08/2003
				To:	71-1707											
(1709) Spring Lake Drive	0.20	48	R	From:	Cul-de-Sac					NA			NA			07/22/2003
				To:	71-1701											
(1710) Spring Lake Place	0.11	50	R	From:	Cul-de-Sac					NA			NA			07/08/2003
				To:	71-1711											
(1710) Spring Lake Place	0.08	70	R	From:	71-1711					NA			NA			07/08/2003
				To:	71-1709											
(1711) Spring Lake Court	0.05	30	R	From:	71-1710					NA			NA			07/22/2003
				To:	Cul-de-Sac											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1712) Bent Tree Drive	0.08	170	R		From:	71-1701					NA			NA		08/05/2003
					To:	71-1713										
(1712) Bent Tree Drive	0.08	80	R		From:	71-1713					NA			NA		08/05/2003
					To:	71-1714										
					From:	Cul-de-Sac										
(1713) Bent Tree Place	0.07	20	R		To:	71-1712					NA			NA		08/05/2003
					From:	Cul-de-Sac										
(1714) Bent Tree Court	0.04	30	R		To:	71-1712					NA			NA		08/05/2003
					From:	71-863										
(1718) Carson Jones Road	0.21	40	R		To:	Cul-de-Sac					NA			NA		09/23/2003
					From:	71-1718										
(1719) Shields Road	0.25	46	R		To:	Cul-de-Sac					NA			NA		09/23/2003
					From:	71-726										
(1720) Madison Court	0.11	140	R		To:	71-1721					NA			NA		06/10/2003
					From:	Dead End										
(1721) Maison Drive	0.07	70	R		To:	71-1720					NA			NA		06/10/2003
(1721) Maison Drive	0.19	90	R		To:	Dead End					NA			NA		06/10/2003
					From:	71-869										
(1730)	0.15	50	R		To:	Dead End					NA			NA		09/23/2003
					From:	Dead End										
(1740) Oak Crest Road	0.35	180	R		To:	71-723					NA			NA		09/23/2003
					From:	Dead End										
(1741) Calvin Road	0.14	40	R		To:	71-723					NA			NA		09/23/2003
					From:	Dead End										
(1800) Wyatt Drive	0.03	30	R		To:	71-1803 SOUTH					NA			NA		09/23/2003
(1800) Wyatt Drive	0.06	280	R		To:	71-1804 SOUTH					NA			NA		09/23/2003
(1800) Wyatt Drive	0.15	420	R		To:	71-1804 NORTH					NA			NA		09/23/2003
(1800) Wyatt Drive	0.07	670	R		To:	71-1802					NA			NA		09/23/2003
(1800) Wyatt Drive	0.09	850	R		To:	71-1801					NA			NA		09/23/2003
(1800) Wyatt Drive	0.28	930	R		To:	71-1535					NA			NA		09/23/2003
					From:	Cul-de-Sac										
(1801) Thomas Court	0.08	80	R		To:	71-1800					NA			NA		10/28/2003
					From:	Cul-de-Sac										
(1802) Brandon Court	0.10	90	R		To:	71-1800					NA			NA		10/28/2003

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Pittsylvania County																
(1803) Mary Court	0.32	100	R	From:	71-1800 SOUTH					NA			NA		09/23/2003	
				To:	71-1800 NORTH											
(1804) Reid Court	0.05	100	R	From:	71-1800					NA			NA		09/23/2003	
				To:	Cul-de-Sac											
(1805)	0.15	100	R	From:	Cul-de-Sac					NA			NA		09/23/2003	
				To:	71-1800											
(1840) Woodbriar Lane	0.20	60	R	From:	Cul-de-Sac					NA			NA		06/10/2003	
				To:	71-734											
(9310) Union Hall Elementary S	0.09	350	R	From:	71-612					NA			NA		09/15/2003	
				To:	Union Hall Elem Sch											
(9311) Mt Hermon Elementary	0.15	1100	R	From:	SR 41; 71-1610					NA			NA		1996	
				To:	Mt Herman Elem Sch											
(9312) Dan River Middle Schoo	0.19	660	R	From:	71-726					NA			NA		09/17/2003	
				To:	Dan River Mid Sch											
(9313)	0.05	50	R	From:	US 29 WEST					NA			NA		10/07/2003	
				To:	US 29 EAST											
(9314)	0.06	46	R	From:	71-719 S to N					NA			NA		10/07/2003	
				To:	Southside Elem Sch											
(9315)	0.16	140	R	From:	71-799					NA			NA		09/17/2003	
				To:	Climax Elem Sch											
(9316) Bulldog Lane	0.14	590	R	From:	US 58					NA			NA		09/17/2003	
				To:	Brosville Elem Sch											
(9317) Vistoria Lane	0.20	510	R	From:	Dead End					NA			NA		1996	
				To:	Whitmell Elem Sch											
(9320) Chatham Cavalier Circle	0.14	680	R	From:	71-703					NA			NA		09/10/2003	
				To:	Chatham High Sch											
(9322)	0.07	460	R	From:	Dead End					NA			NA		1996	
				To:	0.08 MN Dead End											
(9322)	0.13	100	R	From:						NA			NA		1996	
				To:	Coates School											
Town of Chatham																
(9323) Chatham Elementary La	0.09	340	R	From:	Chatham Elem Sch					NA			NA		10/07/2003	
				To:	US 29 BUS											
Pittsylvania County																
(9324) Trojan Circle	0.14	1200	R	From:	71-869					NA			NA		11/17/2003	
				To:	Tunstall High Sch											
Town of Hurt																
(9442) Hurt Elementary School	0.05	48	R	From:	Hurt Elem Sch					NA			NA		08/27/2003	
				To:	71-634											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Pittsylvania County																	
(9443)	0.10	290	R	From:	71-655						NA			NA		11/17/2003	
				To:	Glenwood Elem Sch												
Town of Chatham																	
(9495)	Central School Lane	0.25	670	R	From:	Central Elem Sch						NA			NA		11/17/2003
					To:	US 20 BUS											
Pittsylvania County																	
(9524)	Blair Jr High School	0.15	840	R	From:	71-719						NA			NA		1996
					To:	Blair Jr High Sch											
Town of Gretna																	
(9587)	Gretna Jr High School	0.11	180	R	From:	71-1318; 71-1308						NA			NA		09/30/2003
					To:	Gretna Jr High Sch											
Pittsylvania County																	
(9633)	Mt Airy Elementary Circl	0.12	200	R	From:	71-606						NA			NA		11/17/2003
					To:	Mt Airy Elem Sch											
(9843)	Dan River Wildcat Circl	0.17	1100	R	From:	71-726						NA			NA		11/17/2003
					To:	Dan River High Sch											
(9844)	Gretna Hawks Circle	0.43	1200	R	From:	71-1303						NA			NA		11/17/2003
					To:	Gretna High School											
(9845)	Kentuck Elementary Cir	0.10	430	R	From:	71-729						NA			NA		11/17/2003
					To:	Kentuck Elem Sch											
(9846)	Stony Mill Elementary Ci	0.08	370	R	From:	71-878						NA			NA		11/17/2003
					To:	Stony Mill Elem Sch											
City of Danville																	
(1108)	Jefferson Ave	0.20	2000	F	From:	Main St					C	0.11	F	0.506	2200	F	2003
					To:	Patton St											
(2108)	Lanier Ave	0.08	1300	F	From:	108-3 Chatham Ave					F	0.090	F	0.562	1400	F	2003
					To:	108-3708 Kemper Rd											
(3108)	Bonner Ave	0.50	1900	F	From:	Taylor Dr					F	0.084	F	0.619	2100	F	2003
					To:	108-2 Chatham Ave											
(4108)	Foster St	0.24	1800	F	From:	Betts St					F	0.228	F	0.536	2000	F	2003
					To:	Industrial Ave											
(9108)	Ringgold Rd	0.07	2200	F	From:	US 58					F	0.091	F	0.557	2400	F	2003
					To:	NCL Danville											
(11108)	North Ridge Street	0.62	3400	F	From:	ISR 293 P; Patten St					C	0.103	F	0.784	3800	F	2003
					To:	SR 413 Memorial Dr											
(3700108)	New Mayfield Rd	0.31	1700	F	From:	Maxine Rd					F	0.093	F	0.555	1900	F	2003
					To:	West Main St											
(3702108)	Ferry Rd	0.66	3500	F	From:	WCL Danville					F	0.093	F	0.644	3900	F	2003
					To:	Old Greensboro Rd											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Danville																
<div><div></div><div>370210R</div></div> Old Greensboro Rd	0.16	3800	F	From:	Ferry Rd					F	0.093	F	0.557	4200	F	2003
				To:	CIUS 29 Main St											
<div><div></div><div>370310R</div></div> Elizabeth St	1.55	1000	F	From:	Holland Rd					C	0.107	F	0.537	1100	F	2003
				To:	Edgewood Dr											
<div><div></div><div>370310R</div></div> Edgewood Dr	0.19	1900	F	From:	Elizabeth St					F	0.099	F	0.699	2100	F	2003
				To:	West Main St											
<div><div></div><div>370510R</div></div> Holland Rd	1.93	590	F	From:	SCL Danville					C	0.133	F	0.532	640	F	2003
				To:	Schoolfield Dr											
<div><div></div><div>370510R</div></div> Schoolfield Dr	0.29	1000	F	From:	Holland Rd					C	0.093	F	0.5	1100	F	2003
				To:	Lanier Dr											
<div><div></div><div>370710R</div></div> Arlington Ave	0.81	490	F	From:	Greenwood Ave					F	0.099	F	0.526	530	F	2003
				To:	Lanier St											
<div><div></div><div>370810R</div></div> Bishop Rd	0.55	3900	F	From:	Memorial Dr					C	0.088	F	0.565	4200	F	2003
				To:	West Main St											
<div><div></div><div>370810R</div></div> Augusta Ave	0.06	3400	F	From:	0%					F	0.095	F	0.525	3800	F	2003
				To:	Lanier Ave											
<div><div></div><div>370810R</div></div> Lanier St	0.74	3000	F	From:	Augusta Ave					C	0.091	F	0.580	3300	F	2003
				To:	Garland St											
<div><div></div><div>370810R</div></div> Lanier Ave	0.13	950	F	From:	0%					C	0.105	F	0.664	1000	F	2003
				To:	Kemper Rd											
<div><div></div><div>370810R</div></div> Kemper Rd	0.69	7100	F	From:	Lanier St					C	0.080	F	0.528	7800	F	2003
				To:	South Main St											
<div><div></div><div>371010R</div></div> Chatelaine Ave	0.44	2000	F	From:	Wooding Ave					C	0.1	F	0.517	2100	F	2003
				To:	Levelton St											
<div><div></div><div>371010R</div></div> Levelton St	0.19	1900	F	From:	Chatelaine Ave					F	0.092	F	0.527	2000	F	2003
				To:	S Main St											
<div><div></div><div>371110R</div></div> Wooding Ave	0.41	4800	F	From:	Kemper Rd					F	0.092	F	0.547	5300	F	2003
				To:	W Main St											
<div><div></div><div>371310R</div></div> Southampton Ave	0.42	1900	F	From:	108-3708 Kemper Rd					F	0.086	F	0.525	2100	F	2003
				To:	108-3714 Watson St											
<div><div></div><div>371410R</div></div> Avondale Dr	0.41	3200	F	From:	Howeland Circle					F	0.094	F	0.529	3500	F	2003
				To:	Virginia Avenue											
<div><div></div><div>371410R</div></div> Watson St	0.23	3400	F	From:	Virginia Ave					C	0.09	F	0.534	3700	F	2003
				To:	South Main St											
<div><div></div><div>371410R</div></div> Stokes St	0.50	1800	F	From:	0%					F	0.093	F	0.6	2000	F	2003
<div><div></div><div>371410R</div></div> Stokes St	0.25	1500	F	From:	Holbrook Ave					F	0.109	F	0.634	1700	F	2003
				To:	Jefferson St											
<div><div></div><div>371510R</div></div> Park Ave	0.67	6000	F	From:	West Main St					C	0.097	F	0.624	6500	F	2003
				To:	Memorial Blvd											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route		Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
							2Axle	3+Axle	1Trail	2Trail							
City of Danville																	
<div>371610R</div>	Industrial Ave	0.73	5900	F	From:	S Main St				F	0.088	F	0.529	6500	F	2003	
					To:	Jefferson Ave											
<div>371610R</div>	Industrial Ave	0.70	4600	F	From:	Jefferson St				C	0.095	F	0.572	5000	F	2003	
					To:	Goodyear Blvd											
<div>371610R</div>	Industrial Ave	0.35	4900	F	From:	1%1%1%1%0%				F	0.1	F	0.556	5300	F	2003	
					To:	Craghead St											
<div>371610R</div>	Craghead St	0.46	6200	F	From:	Industrial Ave				C	0.078	F	0.554	6800	F	2003	
					To:	Wilson St											
<div>371610R</div>	Craghead St	0.10	5000	F	From:	1%1%1%1%0%				F	0.092	F	0.543	5500	F	2003	
					To:	Patton St											
<div>371710R</div>	Mountain View Ave	0.58	2300	F	From:	West Main St				F	0.101	F	0.663	2500	F	2003	
					To:	Primrose Ct											
<div>371710R</div>	Primrose Pl	0.07	2600	F	From:	Mountain View Ave				F	0.097	F	0.675	2800	F	2003	
					To:	Memorial Dr											
<div>371810R</div>	Christopher La	0.30	1900	F	From:	Canterbury Rd				F	0.149	F	0.539	2000	F	2003	
					To:	Central Blvd											
<div>372110R</div>	South Main St	0.36	4400	F	From:	Central Blvd				F	0.123	F	0.642	4800	F	2003	
					To:	Main St											
<div>372310R</div>	Broad St	0.23	1700	F	From:	Main St				F	0.135	F	0.624	1900	F	2003	
					To:	Cleveland St											
<div>372310R</div>	Cleveland St	0.06	3700	F	From:	Holbrook St				F	0.128	F	0.533	4100	F	2003	
					To:	Memorial Dr											
<div>372410R</div>	Mt Cross Rd	1.75	13000	G	From:	WCL Danville				C	NA		14000	G	2003		
					To:	Riverside Dr											
<div>372610R</div>	East Thomas St	0.30	2000	F	From:	US 360 N Main St				C	0.101	F	0.511	2200	F	2003	
					To:	Halifax St											
<div>372610R</div>	Halifax St	2.51	2000	F	From:	East Thomas St				F	0.117	F	0.574	2200	F	2003	
					To:	Robin Hood Rd											
<div>372610R</div>	Halifax St	0.70	870	F	From:	98%2%0%0%0%0%				C	0.101	F	0.663	960	F	2003	
					To:	ECL Danville											
<div>372710R</div>	Holbrook Ave	0.18	1800	F	From:	Industrial Ave				F	0.09	F	0.536	1900	F	2003	
					To:	Stokes St											
<div>372710R</div>	Holbrook Ave	0.37	1800	F	From:	98%0%1%0%0%0%				F	0.087	F	0.552	2000	F	2003	
					To:	Main St											
<div>372710R</div>	Holbrook Ave	0.79	1400	F	From:	98%0%1%0%0%0%				C	0.103	F	0.563	1500	F	2003	
					To:	Cleveland St											
<div>373210R</div>	Bradley Rd	1.24	1300	F	From:	N Main St				F	0.109	F	0.527	1400	F	2003	
					To:	Richmond Rd											
<div>373310R</div>	Patton St	0.17	540	F	From:	108-1 Jefferson Ave				F	0.113	F	0.834	590	F	2003	
					To:	108-11 S Ridge St											
<div>373510R</div>	Jefferson St	0.58	1700	F	From:	Industrial Ave				F	0.087	F	0.509	1800	F	2003	
					To:	Wilson St											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area



Route		Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
							2Axle	3+Axle	1Trail	2Trail							
City of Danville																	
<div><div>3735</div><div>10R</div></div>	Wilson St	0.39	1900	F	From:	Jefferson St				C	0.103	F	0.584	2100	F	2003	
					To:												
<div><div>3735</div><div>10R</div></div>	Wilson St	0.07	6000	F	From:	Craghead St				F	0.093	F	0.633	6500	F	2003	
					To:												
<div><div>3735</div><div>10R</div></div>	Worsham St	0.30	6700	F	From:	Bridge St				C	0.09	F	0.594	7400	F	2003	
					To:												
<div><div>3735</div><div>10R</div></div>	Worsham St	0.34	6800	F	From:	Taft St				F	0.09	F	0.618	7400	F	2003	
					To:	N Main St											
<div><div>3736</div><div>10R</div></div>	Third Ave	0.70	4900	F	From:	Wendall Scott Dr				C	0.093	F	0.602	5300	F	2003	
					To:	N Main St											
<div><div>3737</div><div>10R</div></div>	Grant St	0.58	570	F	From:	SCL Danville; Dead End				F	0.112	F	0.748	620	F	2003	
					To:	Industrial Ave											
<div><div>3739</div><div>10R</div></div>	Goodyear Blvd	3.10	2000	F	From:	SR 86				F	0.185	F	0.607	2200	F	2003	
					To:	US 29											
<div><div>3739</div><div>10R</div></div>	Goodyear Blvd	0.92	4900	F	From:	US 29				C	0.110	F	0.698	5400	F	2003	
					To:	108-3716 Industrial Blvd											
<div><div>3740</div><div>10R</div></div>	Verne Blvd	0.13	2200	F	From:	Melrose Ave				F	0.104	F	0.549	2400	F	2003	
					To:	Gloucester Ave											
<div><div>3740</div><div>10R</div></div>	Northmont Blvd	0.76	1800	F	From:	Gloucester Ave				C	0.104	F	0.511	2000	F	2003	
					To:	N Main St											
<div><div>3741</div><div>10R</div></div>	Poplar St	0.15	3000	F	From:	North Ridge St				C	0.108	F	0.578	3300	F	2003	
					To:	Memorial Dr											
<div><div>3741</div><div>10R</div></div>	Poplar St	0.46	11000	F	From:	Memorial Dr				C	0.091	F	0.584	12000	F	2003	
					To:	Riverside Dr											
<div><div>3742</div><div>10R</div></div>	Orchard Dr	0.36	2500	F	From:	Nordan Dr				F	0.135	F	0.738	2700	F	2003	
					To:	Franklin Tnpk											
<div><div>3743</div><div>10R</div></div>	Piney Forest Rd	0.67	5100	F	From:	Riverside Dr				F	0.097	F	0.548	5500	F	2003	
					To:	Woodberry Dr											
<div><div>3743</div><div>10R</div></div>	Piney Forest Rd	0.01	1900	F	From:	Woodberry Dr				F	0.098	F		2100	F	2003	
					To:	Central Blvd											
<div><div>3745</div><div>10R</div></div>	Audubon Dr	0.95	3000	F	From:	Riverside Dr				C	0.124	F	0.550	3200	F	2003	
					To:	Piney Forest Rd											
<div><div>3746</div><div>10R</div></div>	Baily Pl	0.57	1300	F	From:	SR 293 N Main St				F	0.091	F	0.564	1400	F	2003	
					To:	Seminole Dr											
<div><div>3747</div><div>10R</div></div>	Arnette Blvd	0.98	7900	F	From:	River Side Dr				F	0.094	F	0.624	8600	F	2003	
					To:	Wendell Scott Dr											
<div><div>3747</div><div>10R</div></div>	Arnette Blvd	1.07	3000	F	From:	Wendell Scott Dr				C	0.092	F	0.549	3300	F	2003	
					To:	US 29 Piney Forest Rd											
<div><div>3749</div><div>10R</div></div>	Henry Rd	0.06	4200	F	From:	Union St				F	0.106	F	0.776	4600	F	2003	
					To:	Riverside Dr											
<div><div>3749</div><div>10R</div></div>	Locust La	0.53	4900	F	From:	Riverside Dr				F	0.099	F	0.662	5400	F	2003	
					To:	Sherwood Dr											



Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Danville																
<div><div>3749</div><div>10R</div></div> Locust Ave	0.31	3200	F	97%	0%	From: Sherwood Dr To: Wendell Scott Dr Locust Lane				C	0.098	F	0.623	3500	F	2003
<div><div>3749</div><div>10R</div></div> Wendall Scott Dr	0.18	3800	F	99%	0%	From: Locust Lane To: Amette Blvd				F	0.092	F	0.589	4100	F	2003
<div><div>3749</div><div>10R</div></div> Wendall Scott Dr	0.73	4100	F	99%	0%	From: Piney Forest Rd To: WCL Danville				C	0.089	F	0.515	4500	F	2003
<div><div>3749</div><div>10R</div></div> Beaver Mill Rd	0.59	2200	F	99%	0%	From: Locust La To: Amette Blvd				F	0.101	F	0.664	2400	F	2003
<div><div>3751</div><div>10R</div></div> Sherwood Dr	0.18	1900	F	98%	0%	From: N Main St To: Claiborne St				F	0.132	F	0.674	2100	F	2003
<div><div>3753</div><div>10R</div></div> Henry St	0.24	1700	F	98%	0%	From: Henry St To: Third Ave				C	0.099	F	0.577	2400	F	2003
<div><div>3753</div><div>10R</div></div> Claiborne St	1.26	2200	F	98%	1%	From: Amette Blvd To: Ruskin St				F	0.121	F	0.71	5300	F	2003
<div><div>3755</div><div>10R</div></div> Melrose Ave	0.36	4900	F	99%	0%	From: Melrose Ave To: Parrish Rd				F	0.113	F	0.663	5000	F	2003
<div><div>3755</div><div>10R</div></div> Ruskin St	0.18	4500	F	98%	0%	From: Parrish Rd To: Piney Forest Rd				F	0.112	F	0.635	5500	F	2003
<div><div>3755</div><div>10R</div></div> Nordan Dr	0.31	5000	F	98%	0%	From: N Main St To: Piney Forest Rd				C	0.091	F	0.597	7900	F	2003
<div><div>3759</div><div>10R</div></div> Franklin Tnpk	0.92	7200	F	98%	0%	From: US 29 Bus To: SR 51				C	0.102	F	0.575	3200	F	2003
<div><div>3765</div><div>10R</div></div> Park Ave	0.84	2900	F	99%	1%	From: South Boston Rd To: NCL Danville				C	0.09	F	0.528	9600	F	2003
<div><div>3769</div><div>10R</div></div> Kentuck Rd	1.39	8800	F	92%	1%	From: SCL Danville To: US 58				F	0.1	F	0.686	1700	F	2003
<div><div>3770</div><div>10R</div></div> Miller Rd	0.84	1600	F	92%	1%	From: Riverside Dr To: Mt Cross Rd				F	0.097	F	0.542	4600	F	2003
<div><div>3771</div><div>10R</div></div> Old Riverside Dr	0.25	4200	F	99%	0%	From: Memorial Dr To: Riverside Dr				F	0.087	F	0.561	23000	F	2003
<div><div>3772</div><div>10R</div></div> Piedmont Dr	0.25	21000	F	99%	0%	From: Riverside Dr To: Westover Dr				F	0.088	F	0.511	14000	F	2003
<div><div>3772</div><div>10R</div></div> Piedmont Dr	0.53	13000	F	99%	0%	From: Westover Dr To: Central Blvd				C	0.093	F	0.518	26000	F	2003
<div><div>3772</div><div>10R</div></div> Piedmont Dr	1.32	24000	F	99%	0%	From: SCL Danville To: Goodyear Blvd				F	0.116	F	0.568	1700	F	2003
<div><div>3773</div><div>10R</div></div> Gypsum Rd	1.46	1600	F	99%	0%	From: SR 51 To: WCL Danville				F	0.109	F	0.627	2000	F	2003
<div><div>3774</div><div>10R</div></div> Moorfield Bridge Rd	0.04	1800	F	99%	0%											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
2Axle 3+Axle 1Trail 2Trail																
City of Danville																
 Little Creek Rd	0.52	3400	F	From	SR 360					F	0.1	F	0.641	3700	F	2003
				To	71-732 JB-108 ECL Danville											
 Eagle Spring Rd	1.70	330	F	From	Water St					C	0.12	F	0.792	360	F	2003
				To	ECL Danville											
Alpine Dr		290	F	From	Locust La						0.098	F		320	F	2003
				To	Lynndale Dr											
Annhurst Dr		570	F	From	Tamworth Dr						0.104	F		620	F	2003
				To	Vicar Rd											
Barrett St		1500	F	From	US 58						0.089	F		1600	F	2003
				To	Capri Ct											
Cathy Dr		360	F	From	Ginger Dr						0.1	F		390	F	2003
				To	Cathy Pl											
Clarkson Dr		110	F	From	Layton Ave						0.143	F		120	F	2003
				To	Dunmore St											
Clement Avenue		450	F	From	Leemont Court						0.102	F	0.628	450	F	2003
				To	N. Main Street											
Courtney St		120	F	From	Plymouth Dr						0.126	F		130	F	2003
				To	Skyline Ave											
Dalton Street		670	F	From	Amett Blvd						0.13	F	0.636	670	F	2003
				To	Ruskin Street											
Hamlin Ave		560	F	From	Spencer St						0.105	F	0.537	610	F	2003
				To	N Main St											
Hampton Dr		470	F	From	Brookview Dr						0.085	F		510	F	2003
				To	Brightwell Dr											
Ingram Street		460	F	From	Northwest Blvd						0.114	F		460	F	2003
				To	Parrott Street											
Ivy St		240	F	From	Locust Ln						0.147	F		270	F	2003
				To	Cunningham St											
Meadowbrook Dr		340	F	From	Edgewood La						0.121	F	0.677	370	F	2003
				To	Main St											
Nelson St		300	F	From	US 29						0.118	F		330	F	2003
				To	WCL Danville											
Parkland Dr		320	F	From	Meadow Lane						0.104	F		320	F	2003
				To	Edgewood Lane											
Rosemary La		200	F	From	Huntington Pl						0.092	F		220	F	2003
				To	Tyler Ave											
Springfield Rd		210	F	From	Kittyhawk Dr						0.105	F		230	F	2003
				To	Lombardy Way											

Virginia Department of Transportation  
Mobility Management Division  
2003  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Pittsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Danville																
Summit Rd		270	F	From:	Woodberry Ave					0.114	F		290	F	2003	
				To:	Arbor Pl											
Tamworth Pl		110	F	From:	Tamworth Dr					0.109	F		120	F	2003	
				To:	Conway Dr											
Vicar Rd		290	F	From:	Wildwood Ct					0.111	F		310	F	2003	
				To:	Raintree Rd											
Wheatley Rd		110	F	From:	Shannon Dr					0.156	F		120	F	2003	
				To:	Banister Dr											